## Intelligence, Surveillance, and Reconnaissance Squadrons. FAC: 1444

CATCODE: 141456 OPR: AFISRA OCR: AF/A2, AF/A5RI Updated 10 Apr 2023

1.1. **Description.** Facility design to support Cyber Squadrons to include intelligence, surveillance, and reconnaissance, cyber warfare, electronic and information operations. This includes administrative functions, maintenance functions, communications centers, and security measures. All SCIF space will be captured in CATCode 140422 SCIF.

1.2. **Requirements Determination.** Contact the MAJCOM for non-administrative mission specific space requirements.

1.3. **Scope Determination.** The administration spaces, office sizes, conference rooms, break rooms etc. are based on Facility Class 6, Administrative; Category Group 61, Administrative and Administrative Support Spaces. See Table 1.1.

1.4. Design Considerations. Obtain additional information from MAJCOM sources.

Offices/Functions	<b>Office Type</b> See FC-6, CG-61 Admin Overview Tables 3.1/3.2	
	m <sup>2</sup>	$ft^2$
Private Offices		
Squadron Commander	С	
Deputy Squadron Commander	С	
Director of Operations	D	
Squadron CEM, SEL or Superintendent	D	
Flight Chiefs	D	
First Sergeant	D	
Open Offices		
Branch Chiefs, Section Chiefs, Supervisors, Superintendents, NCOICs, Flight Deputies, Executive Officers, Assistant Director of Operations	E	
Intelligence staff, Weapons officer, targeteer etc., staff with Multiple Monitor Workspace	E	
Full Time Staff, Contractors (>40hr or FTE)	F	
Contractor (25-50% of FTE) or Reservists (25- 50% of FTE)	G	
Telework / Hoteling Desk	G	

## **Table 1.1 Administrative Space Requirements**

Н	
Н	
See FC-6, CG-61 Admin	
User Justified	
See FC-6, CG-61 Admin	
User Justified	
User Justified	
$7.43 \text{ m}^2$	80 sf
$5.57 \text{ m}^2$	60 sf
$1.86 \text{ m}^2$	20 sf
	H See FC-6, CG User Jus See FC-6, CG User Jus User Jus 7.43 m <sup>2</sup> 5.57 m <sup>2</sup>

## NOTES:

1. See Tables 1.2 through 1.4 in CG 6 Admin Overview.

2. SIPR rooms are shared secure computer SIPR Net rooms (a.k.a., SIPR café) with multiple SIPR stations for unit use. Each SIPR station is authorized 20 sf. A SIPR room is sized at the greater of the total number of SIPR stations x 20 sf or 80 sf minimum. If safes are stored in this room, the net SF is increased by the footprint of the safes.