HEALTH ADMINISTRATION SERVICE (246)

1 - STAFF AND ADMINISTRATIVE AREA

JSN	NAME	QTY	ACQ/INS	DESCRIPTION
A1010	Telecommunication Outlet	2	VV	Telecommunication outlet location.
A1015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.
				A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed
				mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the
A5145	Hook, Garment, Double, SS, Surface Mounted	1	CC	facility to hang various items of apparel.
				THIS TYPICAL INCLUDES:
				4 Standard Solid Panels
				2 Panel-to-Panel Connectors
				1 Panel Connector, 2-Way Corner
				2 Finished End Hardware
				2 Lockable Flipper Units
				2 Shelves, Storage/Display
				3 Lights
				3 Tackboards
				2 Cantilevered Work Surfaces
				1 Adjustable Keyboard Tray
				1 Mobile Pedestal, Box/File
				1 Pencil Drawer
E0090	Workstation, L-Shaped, Free Standing, 72x72	1	VV	2 Support Panels
				Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs.
F0205	Chair, Side With Arms	1	VV	Seat height is a minimum of 17". Available with or without sled base.
				Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel
				base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded
F0275	Chair, Swivel, High Back	1	VV	and upholstered with either woven textile fabric or vinyl.
				Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with
				recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or
F0420	Cabinet, Filing, Lateral, Half Height	1	VV	legal size materials.
				Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect
F 0000	B 1 4 W 4 B 1 W 4 I		\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	and temporarily store small quantities of paper refuse in patient rooms, administrative areas and
F2000	Basket, Wastepaper, Round, Metal	1	VV	nursing stations.
				Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted
F0000	Olaska Battana 400 Bisasatan		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries
F3200	Clock, Battery, 12" Diameter	1	VV	not included).

			Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel
M1801 Computer, Microprocessing, w/Flat Panel Monitor	1	VV	monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

JSN	NAME	QTY	ACQ/INS	DESCRIPTION
A1010	Telecommunication Outlet	2	VV	Telecommunication outlet location.
A1015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.
Δ51//5	Hook, Garment, Double, SS, Surface Mounted	1	CC	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
A0140	Trook, Garrierit, Bouble, SS, Surrace Woulded			THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel-to-Panel Connectors 1 Panel Connector, 2-Way Corner 2 Finished End Hardware 2 Lockable Flipper Units 2 Shelves, Storage/Display 3 Lights 3 Tackboards 2 Cantilevered Work Surfaces 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File 1 Pencil Drawer
E0090	Workstation, L-Shaped, Free Standing, 72x72	1	VV	2 Support Panels
F0205	Chair, Side With Arms	1	VV	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
F0275	Chair, Swivel, High Back	1	VV	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
F0420	Cabinet, Filing, Lateral, Half Height	1	VV	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
F2000	Basket, Wastepaper, Round, Metal	1	VV	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.
F3200	Clock, Battery, 12" Diameter	1	VV	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).

				Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel
M1801 Co	mputer, Microprocessing, w/Flat Panel Monitor	1	VV	monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

JSN	NAME	QTY	ACQ/INS	DESCRIPTION
A1010	Telecommunication Outlet	2	VV	Telecommunication outlet location.
A1015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.
A5145	Hook, Garment, Double, SS, Surface Mounted	1	CC	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
F-00-70				This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; 1 cantilevered work surface; 1 peninsula work surface; 2 lockable flipper units; 2 shelf, storage/display; 2 lights; 1 tack board, 48"W; 1 tool rail, 30"W; 1 paper tray; 1 diagonal tray; 1 adjustable keyboard tray;
E0078	Workstation, L-Shaped w/Peninsula, Free Std, 78x72	1	VV	1 mobile pedestal, box/file. Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel
				base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded
F0275	Chair, Swivel, High Back	1	VV	and upholstered with either woven textile fabric or vinyl.
				Single seat waiting room chair with foam padded seat and back. Upholstered with either woven
F0305	Chair, Waiting Room, Single	2	VV	fabric textile or vinyl. Arms and floor glides included.
				Four (4) or five (5) drawer letter size, vertical filing cabinet, 53" high X 15" wide X 29" deep with
F0405	Cabinet, Filing, Full Height, 4-5 Drawer	1	VV	locking device. Each drawer has label holder, handle and roller cradle.
				Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and
F2000	Basket, Wastepaper, Round, Metal	1	VV	nursing stations.

F3200	Clock, Battery, 12" Diameter	1	VV	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	VV	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
M1825	Printer, Computer	1	VV	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.

JSN	NAME	QTY	ACQ/INS	DESCRIPTION
41010	Telecommunication Outlet	2	VV	Telecommunication outlet location.
41015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.
F0123	Workstation, Straight, Free Standing, 72" W	1	VV	This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File
, v				Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded
F0275	Chair, Swivel, High Back	1	VV	and upholstered with either woven textile fabric or vinyl.
				Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with
				recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or
-0420	Cabinet, Filing, Lateral, Half Height	1	VV	legal size materials.

F0000	Deduct Westerner Desired Metal		\/\/	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and
F2000	Basket, Wastepaper, Round, Metal	1	VV	nursing stations.
M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	VV	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

5 - OF	A07 - Workstation, Program Application Specialis	t (PAC)		
JSN	NAME	QTY	ACQ/INS	DESCRIPTION
A1010	Telecommunication Outlet	2	VV	Telecommunication outlet location.
A1015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.
				This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray
E0123	Workstation, Straight, Free Standing, 72" W	1	VV	1 Adjustable Keyboard Tray1 Mobile Pedestal, Box/File
F0275	Chair, Swivel, High Back	1	VV	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
	Cabinet, Filing, Lateral, Half Height	1	VV	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
F2000	Basket, Wastepaper, Round, Metal	1	VV	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.

M1801 Computer, Microprocessing, w/Flat Panel Monitor	1 VV	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
---	------	--

JSN	NAME	QTY	ACQ/INS	DESCRIPTION
A1010	Telecommunication Outlet	1	VV	Telecommunication outlet location.
A1014	Telephone, Wall Mounted, 1 Line, With Speaker	1	VV	Telephone, wall mounted, 1 line, with speaker.
M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	6		Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.

7 - CR	A02 - Conference Room			
JSN	NAME	QTY	ACQ/INS	DESCRIPTION
A1010	Telecommunication Outlet	4	VV	Telecommunication outlet location.
A1011	Telephone, Desk, 1 Line	1	VV	Telephone, desk, 1 line.
A5145	Hook, Garment, Double, SS, Surface Mounted	2	CC	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
A5212	Bracket, Television, Wall-Mounted, Tilt/Angle	2	VV	A wall mounted, tilt/angled TV bracket for 37" to 80" TVs. Mount will be a universal and VESA compliant unit with a load capacity of up to 130 lbs.
A6046	Artwork, Decorative, With Frame	2	VV	This JSN is to be used for determining and defining location of decorative artwork.
F0220	Chair, Conference	10	VV	Conference chair designed to complement the executive furniture package selected. Foam rubber cushioned seats and backs covered with either woven fabric or vinyl. Base with 5 (five) swivel casters.
F0295	Chair, Stacking	8	VV	Stacking chair, approximately 34" H X 21" W X 24" D. May be stacked up to 20 high depending upon the model selected. These chairs are intended primarily as overflow capacity for conference rooms.
F0600	Credenza, Executive, Wood	1	VV	Executive credenza with two (2) box drawers, two (2) file drawers, a center closed storage area with adjustable shelf and floor glides.
F0690	Workstation, Computer, Enclosed, With Lock	1	VV	Computer operator workstation, approximately 58" high X 36" wide X 25" deep. A fully enclosed workstation for a computer, monitor, printer and supplies. Cabinet has two lockable doors. Executive conference table. Dimensions are approximately 30" high, 48" wide with lengths varying
F0755	Table, Conference, Wood	2	VV	from 74" to 96". These tables add traditional elegance to any conference room.
F2005	Basket, Wastepaper, Executive, Wood	1	VV	Executive wastepaper basket, approximately 15" high X 13" wide X 13" deep.

F3200	Clock, Battery, 12" Diameter	1	VV	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
1 0200	crook, bakery, 12 branee			Shall be a video conferencing unit consisting of a camera, microphone, video/audio compression
M0507	Video Teleconferencing System	1	VV	components, a component cart and a 32 inch monitor. It shall provide live audio-visual conferencing capabilities to dispersed geographic sites.
	Ŭ,		\\\\\	A high definition (HDTV) multimedia, slim design, 60"W to 65"W color television. The TV will have a 16.9 wide screen aspect ratio with full HD 1080p resolution and HDMI connections. TV may
M0512	Television, HDTV, Large Screen, 60"	2	VV	be LED, Plasma or LCD. TV will include a stand.
M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	VV	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
				Electronic facsimile copy board for use in conference rooms and classrooms. Available in a variety of sizes. Unit scans writing surface and makes a paper copy of the board's contents. The user can make multiple copies of a single scanning. Single sided version, single copy version, and office size boards are options. May have a PC interface option. Database pricing reflects a mobile two-panel copyboard with a minimum 33" x 66" writing surface. Depth dimension refers to depth at the caster level
M1875	Board, Copy, Electronic Facsimile	1	VV	of the supporting frame.

8 - TL1	- TLTU1 - Toilet, Staff							
JSN	NAME	QTY	ACQ/INS	DESCRIPTION				
A1067	Mirror, Float Glass, ADA Accessible	1		A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.				
A5075	Dispenser, Soap, Disposable	1	VV	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.				
A5082	Dispenser, Paper Towel, Sensor, Hands Free	1	СС	A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are place in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.				
A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	1	СС	A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and uni-sex toilet rooms.				

A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	1	CC	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met.
A5145	Hook, Garment, Double, SS, Surface Mounted	1	CC	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
				A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For
	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	1	CC	general purpose use in restrooms.
F2010	Basket, Wastepaper, Step-On	1	VV	"Step-on" wastepaper basket with inner liner and foot petal activated flip top.
P3000	Lavatory, Vitreous China, Straight Back	1	CC	Wall mounted, vitreous china lavatory (approximate bowl size 7"x15"x10") with: straight-front apron, straight or contoured back; faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care areas.
P9050	Toilet, Wall Hung, Siphon Jet	1	CC	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.

2 - HEALTH BENEFITS SECTION: CENTRALIZED REGISTRATION UNIT (CRU)

1 - WR	C01 - Waiting			
JSN	NAME	QTY	ACQ/INS	DESCRIPTION
				A free standing hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not
A5076	Dispenser, Hand Sanitizer, Free Standing	1	VV	include the sanitizing liquid. Units are battery operated.
A5210	Bracket, Television, Wall Mounted, w/Adjust Arm	1		Wall mounted television bracket with adjustable arm. Consists of movable arm with minimum 120 degree swivel. Designed for holding wall mounted, flat panel television units in patient rooms.
				Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12"
A5220	Bracket, Television, Wall Backing	1	CC	16" or 24" stud spacing.
A6046	Artwork, Decorative, With Frame	1	VV	This JSN is to be used for determining and defining location of decorative artwork.
				A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have
F0206	Chair, Side, Bariatric, With Arms	1	VV	a padded seat and back and have a capacity of 800 pounds.
				Single seat waiting room chair with foam padded seat and back. Upholstered with either woven
F0305	Chair, Waiting Room, Single	4	VV	fabric textile or vinyl. Arms and floor glides included.

				Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect
				and temporarily store small quantities of paper refuse in patient rooms, administrative areas and
F2000	Basket, Wastepaper, Round, Metal	1	VV	nursing stations.
F2300	Rack, Magazine, Wall Mounted	1	VV	Wall mounted magazine rack with nine (9) magazine holding compartments.
				Wall mounted pamphlet rack up to 12 (twelve) pamphlet holding pockets. Unit is used to store and
F2310	Rack, Pamphlet, Wall Mounted	1	VV	display educational pamphlets.
				Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted
				unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries
F3200	Clock, Battery, 12" Diameter	1	VV	not included).
				Flat screen television with approximately 32" to 40' diagonal screen size. The TV will have built-in
				speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a
M0506	Television, Flat Screen	1	VV	remote control.

2 - RE0	CP1 - Reception			
JSN	NAME	QTY	ACQ/INS	DESCRIPTION
A1010	Telecommunication Outlet	2	VV	Telecommunication outlet location.
A1015	Telephone, Desk, Multiple Line	2	VV	Telephone, desk, multiple line.
A6105	Counter, Reception Control, Built-In	1	CC	Counter, control, inpatient, built-in. Consists of two 18" wide base cabinets with two drawers and file drawer, two 30" wide pencil drawers and two 18" wide base cabinet with four drawers. The countertop shall be a composition of wood particle core with plastic laminate surface having a hard smooth surface finish, standard thickness of 1" and a 4" butt backsplash/curb. Pricing based on a 30" depth.
F0275	Chair, Swivel, High Back	2	VV	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
F0420	Cabinet, Filing, Lateral, Half Height	2	VV	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
F2000	Basket, Wastepaper, Round, Metal	2	VV	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.
F2540	Shredder, Paper, Security	1	VV	Paper shredder, approximately 21" high X 15" wide X 12" deep with shredding unit and waste receptacle. Security features will include cross-cut shredding.
F3200	Clock, Battery, 12" Diameter	1	VV	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
M1801	Computer, Microprocessing, w/Flat Panel Monitor	2	VV	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

M1840 Printer/Copier/Fax Combination	1	VV	Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.

3 - OF	B - OFA09 - Office, Health Benefits Supervisor						
JSN	NAME	QTY	ACQ/INS	DESCRIPTION			
A1010	Telecommunication Outlet	2	VV	Telecommunication outlet location.			
A1015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.			
A 54.45	Mark Comment Burkle CO Outland Married		00	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the			
A5145	Hook, Garment, Double, SS, Surface Mounted	1	CC	facility to hang various items of apparel.			
				THIS TYPICAL INCLUDES:			
				4 Standard Solid Panels			
				2 Panel-to-Panel Connectors			
				1 Panel Connector, 2-Way Corner			
				2 Finished End Hardware			
				2 Lockable Flipper Units			
				2 Shelves, Storage/Display			
				3 Lights			
				3 Tackboards			
				2 Cantillevered Work Surfaces			
				1 Adjustable Keyboard Tray			
				1 Mobile Pedestal, Box/File			
E0000	Moderation I Channel From Chanding 72,72	_	1/1/	1 Pencil Drawer			
E0090	Workstation, L-Shaped, Free Standing, 72x72	1	VV	2 Support Panels			
F0205	Chair, Side With Arms	1	VV	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.			
				Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel			
				base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded			
F0275	Chair, Swivel, High Back	1	VV	and upholstered with either woven textile fabric or vinyl.			
				Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with			
				recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or			
F0420	Cabinet, Filing, Lateral, Half Height	1	VV	legal size materials.			
				Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and			
F2000	Basket, Wastepaper, Round, Metal	1	VV	nursing stations.			
				Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted			
				unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries			
F3200	Clock, Battery, 12" Diameter	1	VV	not included).			

			Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel
M1801 Computer, Microprocessing, w/Flat Panel Monitor	1	VV	monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

JSN	NAME	QTY	ACQ/INS	DESCRIPTION
A1010	Telecommunication Outlet	2	VV	Telecommunication outlet location.
A1015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.
A5075	Dispenser, Soap, Disposable	1	VV	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	СС	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.
A5145	Hook, Garment, Double, SS, Surface Mounted	1	CC	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	1	CC	Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.
CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	1	СС	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.
CT030	Countertop, High Pressure Laminate	3	CC	High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth.
-				Uphol stered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs.
F0205	Chair, Side With Arms	3	VV	Seat height is a minimum of 17". Available with or without sled base.
F0340	Stool, Self Adjusting	1	VV	Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.
F0740	Table, Occasional, Lamp	1	VV	Occasional lamp table (end table) approximately 20" high X 27" wide X 27" deep with choice of finishes (wood, oak veneer, or high pressure laminate).
F2000	Basket, Wastepaper, Round, Metal	1	VV	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.

F3200	Clock, Battery, 12" Diameter	1	VV	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	VV	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
				A wall mounted retractable work station. Work station is used as a computer station in treatment
M1802	Work Station, Computer, Retractable, Wall Mounted	1	VV	rooms, exam rooms and areas where physical space in limited.

JSN	NAME	QTY	ACQ/INS	DESCRIPTION
A1010	Telecommunication Outlet	2	VV	Telecommunication outlet location.
A1015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.
				This JSN will provide a whole work station typical to quickly plan work in areas in clinical or
				administrative spaces. There will be a price decrease if typical work stations are used with vertical
				hanging strips instead of panels. THIS TYPICAL INCLUDES:
				4 Standard Solid Panels
				2 Panel Connectors, 2-Way Corner
				1 Panel-to-Panel Connector
				2 Finished End Hardware
				1 Cantillevered, Work Surface
				2 Lockable Flipper Units
				2 Shelf, Storage/Displays
				2 Lights
				1 Tack board
				1 Tool Rail
				1 Paper Tray
				1 Diagonal Tray
				1 Adjustable Keyboard Tray
E0123	Workstation, Straight, Free Standing, 72" W	1	VV	1 Mobile Pedestal, Box/File
				Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel
				base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded
F0275	Chair, Swivel, High Back	1	VV	and upholstered with either woven textile fabric or vinyl.
				Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with
				recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or
F0420	Cabinet, Filing, Lateral, Half Height	1	VV	legal size materials.
				Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect
				and temporarily store small quantities of paper refuse in patient rooms, administrative areas and
F2000	Basket, Wastepaper, Round, Metal	1	VV	nursing stations.

			Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel
M1801 Computer, Microprocessing, w/Flat Panel Monitor	1	VV	monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

JSN	NAME	QTY	ACQ/INS	DESCRIPTION
A1010	Telecommunication Outlet	2	VV	Telecommunication outlet location.
A1015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.
				A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed
				mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the
A5145	Hook, Garment, Double, SS, Surface Mounted	1	CC	facility to hang various items of apparel.
				THIS TYPICAL INCLUDES:
				4 Standard Solid Panels
				2 Panel-to-Panel Connectors
				1 Panel Connector, 2-Way Corner
				2 Finished End Hardware
				2 Lockable Flipper Units
				2 Shelves, Storage/Display
				3 Lights
				3 Tackboards
				2 Cantilevered Work Surfaces
				1 Adjustable Keyboard Tray
				1 Mobile Pedestal, Box/File
	W 1 4 5 1 5 1 5 1 5 7 5 7 5			1 Pencil Drawer
E0090	Workstation, L-Shaped, Free Standing, 72x72	1	VV	2 Support Panels
E000E	Objective Other NA/Stale A manage		1/1/	Uphol stered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs.
F0205	Chair, Side With Arms	1	VV	Seat height is a minimum of 17". Available with or without sled base.
				Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel
F027F	Chair Suivel High Book	1	VV	base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded
FU2/5	Chair, Swivel, High Back	<u>'</u>	VV	and upholstered with either woven textile fabric or vinyl. Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with
				recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or
E0420	Cabinet, Filing, Lateral, Half Height	1	VV	legal size materials.
FU42U	Cabinet, Filling, Laterar, Hair Height	<u>'</u>	VV	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect
				and temporarily store small quantities of paper refuse in patient rooms, administrative areas and
F2000	Basket, Wastepaper, Round, Metal	1	VV	nursing stations.
1 2000	basia, wasapapa, Nouna, waa	'	V V	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted
				unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries

				Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel
M1801 Co	mputer, Microprocessing, w/Flat Panel Monitor	1	VV	monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

JSN	NAME	QTY	ACQ/INS	DESCRIPTION
A1010	Telecommunication Outlet	2	VV	Telecommunication outlet location.
A1015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.
				A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed
				mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the
A5145	Hook, Garment, Double, SS, Surface Mounted	2	CC	facility to hang various items of apparel.
				This section will provide a whole work station typical to quickly plan work areas in clinical or
				administrative spaces. There will be a price decrease if typical work stations are used with vertical
				hanging strips instead of panels. THIS TYPICAL INCLUDES:
				4 standard solid panels;
				2 panel connectors, 2-way corner;
				1 panel-to-panel connector;
				2 finished end hardware;
				1 cantilevered work surface;
				1 peninsula work surface;
				2 lockable flipper units;
				2 shelf, storage/display;
				2 lights;
				1 tack board, 48"W; 1 tool rail, 30"W;
				1 paper tray;
				1 diagonal tray;
				1 adjustable keyboard tray;
F0078	Workstation, L-Shaped w/Peninsula, Free Std, 78x72	1	VV	1 mobile pedestal, box/file.
				Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three
F0110	Bookcase, 3 Shelf	1	VV	(3) adjustable shelves and four (4) non-marking floor glides.
				Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs.
F0205	Chair, Side With Arms	2	VV	Seat height is a minimum of 17". Available with or without sled base.
				Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel
				base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded
F0275	Chair, Swivel, High Back	1	VV	and upholstered with either woven textile fabric or vinyl.
				Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with
				recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or
F0420	Cabinet, Filing, Lateral, Half Height	1	VV	legal size materials.

				Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and
F2000	Basket, Wastepaper, Round, Metal	1	VV	nursing stations.
				Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted
				unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries
F3200	Clock, Battery, 12" Diameter	1	VV	not included).
				Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel
M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	VV	monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

8 - OF	A03 - Workstation, Photo Area for Veterans Identifica	ation Ca	ards(VIC)	
JSN	NAME	QTY	ACQ/INS	DESCRIPTION
A1010	Telecommunication Outlet	1	VV	Telecommunication outlet location.
A1015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.
				THIS TYPICAL INCLUDES:
				4 Standard Solid Panels
				2 Panel-To-Panel Connectors
				1 Panel Connector, 2-Way Corner
				2 Finished End Hardware
				2 Lockable Flipper Units
				2 Shelves, Storage/Display
				3 Lights
				2 Tackboards
				2 Tool Rails
				2 Paper Trays
				1 Diagonal Tray
				2 Cantilevered Work Surfaces
				1 Adjustable Keyboard Tray
				1 Hanging Pedestal, Box/File
E0075	Washetetian I Ohanad Frantsudina 70:40	_	1/1/	1 Pencil Drawer
E0075	Workstation, L-Shaped, Freestanding, 72x48	1	VV	2 Support Panels
				Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel
E0275	Chair Suival High Pools	1	VV	base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded
FU2/5	Chair, Swivel, High Back	ı	VV	and upholstered with either woven textile fabric or vinyl. Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with
				recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or
E0420	Cabinet, Filing, Lateral, Half Height	1	VV	legal size materials.
1 0420	oavina, i iiiig, Laterai, Haii Hagiit	- 1	V V	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect
				and temporarily store small quantities of paper refuse in patient rooms, administrative areas and
F2000	Basket, Wastepaper, Round, Metal	1	VV	nursing stations.
. 2000	Dadici, Francipapa, Noulia, Miciai	_ '	V V	norm good one.

			Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel
M1801 Computer, Microprocessing, w/Flat Panel Monitor	1	VV	monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

JSN	NAME	QTY	ACQ/INS	DESCRIPTION
A1010	Telecommunication Outlet	2	VV	Telecommunication outlet location.
A1015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.
				This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray
F0400	W		\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1 Adjustable Keyboard Tray
	Workstation, Straight, Free Standing, 72" W Chair, Swivel, High Back	1	VV	1 Mobile Pedestal, Box/File Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
				Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or
F0420	Cabinet, Filing, Lateral, Half Height	1	VV	legal size materials.
F2000	Basket, Wastepaper, Round, Metal	1	VV	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.
M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	VV	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

100	A1 4 4 4 4		1000	DE005: 57: 611
JSN	NAME		ACQ/INS	
	Telecommunication Outlet	2	VV	Telecommunication outlet location.
A1015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.
				This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray
E0123	Workstation, Straight, Free Standing, 72" W	1	VV	Diagonal Tray Adjustable Keyboard Tray Mobile Pedestal, Box/File
F0275	Chair, Swivel, High Back	1	VV	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
	Cabinet, Filing, Lateral, Half Height	1	VV	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
	Basket, Wastepaper, Round, Metal	1	VV	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.
	Computer, Microprocessing, w/Flat Panel Monitor	1	VV	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
4 05	A07 Monketotion Bod Control Cloub			
	A07 - Workstation, Bed Control Clerk	OTY	ACC/11/2	DECORIDATION
JSN	NAME		ACQ/INS	
	Telecommunication Outlet	2	VV	Telecommunication outlet location.
	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.

Computer, Microprocessing, w/Flat Panel Monitor FA07 - Workstation, Medical / Patient Support Assi	1 sistant	VV	monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
Computer, Microprocessing, w/Flat Panel Monitor	1	VV	monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
			Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel
Basket, Wastepaper, Round, Metal	1	VV	and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.
, 5,,			Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect
Cabinet, Filing, Lateral, Half Height	1	VV	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
Chair, Swivel, High Back	1	VV	base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
Workstation, Straight, Free Standing, 72" W	1	VV	 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel
			This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector

12 - OF	2 - OFA07 - Workstation, Medical / Patient Support Assistant							
JSN	NAME	QTY	ACQ/INS	DESCRIPTION				
A1010	Telecommunication Outlet	2	VV	Telecommunication outlet location.				
A1015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.				

	IAVIAI F	W I I	ACM/IIIO	DEGGRIFTION
JSN	NAME	OTV	ACQ/INS	DESCRIPTION
13 - OE	FA07 - Workstation, Lead Patient Services Assistant			
M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	VV	monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
				ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel
				panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-
				Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat
1-2000	Basket, Wastepaper, Round, Metal	I	VV	nursing stations.
E2000	Pagket Materiana Pound Metal	1		and temporarily store small quantities of paper refuse in patient rooms, administrative areas and
				Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect
F0420	Cabinet, Filing, Lateral, Half Height	1	VV	legal size materials.
				Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or
F0275	Chair, Swivel, High Back	1	VV	and upholstered with either woven textile fabric or vinyl.
				base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded
E0123	Workstation, Straight, Free Standing, 72" W	1	VV	1 Mobile Pedestal, Box/File Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel
5 0400	W. L. C. C. L. E. O. F. TOWN			1 Adjustable Keyboard Tray
				1 Diagonal Tray
				1 Paper Tray
				1 Tack board 1 Tool Rail
				2 Lights
				2 Shelf, Storage/Displays
				1 Cantilevered, Work Surface 2 Lockable Flipper Units
				2 Finished End Hardware
				1 Panel-to-Panel Connector
				2 Panel Connectors, 2-Way Corner
				4 Standard Solid Panels
				administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES:

				This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray 1 Adjustable Keyboard Tray
E0123	Workstation, Straight, Free Standing, 72" W	1	VV	1 Mobile Pedestal, Box/File
				Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded
F0275	Chair, Swivel, High Back	1	VV	and upholstered with either woven textile fabric or vinyl.
F0420	Cabinet, Filing, Lateral, Half Height	1	VV	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
F2000	Basket, Wastepaper, Round, Metal	1	VV	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.
M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	VV	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

14 - SR	PB2 - Storage, Patient Belongings			
JSN	NAME	QTY	ACQ/INS	DESCRIPTION
				Modular woven wire security partition with doors creating a secure area or separate zones without blocking light or air. Easy surveillance of protective area. Durable 10 gauge, 1½" diamond wire woven into a sturdy 1" x 1/2" x 1/8" channel frame. Size and shape of the security room will vary depending on the application. Price is per panel. Separate pricing required for doors, windows, and
A6155	Cage, Security, Heavy Duty	1	CC	installation components.
M2090	Shelving, Storage, Warehouse	1	VV	Warehouse storage shelving approximately 75 inches high by 36 inches wide by 24 inches deep.

JSN	NAME	QTY	ACQ/INS	DESCRIPTION
A1010	Telecommunication Outlet	2	VV	Telecommunication outlet location.
A1015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.
				This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray
F0422	Marketeian Chraight Free Chanding 70" M	1		Adjustable Keyboard Tray Mobile Pedestal, Box/File
E0123	Workstation, Straight, Free Standing, 72" W	l l		Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel
				base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded
F0275	Chair, Swivel, High Back	1		and upholstered with either woven textile fabric or vinyl.
1 02/0	Onar, Chiva, Figit Back	· '		Half height two (2) or three (3) drawer lateral filling cabinet, 28" high X 42" wide X 18" deep with
				recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or
F0420	Cabinet, Filing, Lateral, Half Height	1	VV	legal size materials.
F2000	Basket, Wastepaper, Round, Metal	1		Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.
M1801	Computer, Microprocessing, w/Flat Panel Monitor	1		Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

16 - O	16 - OFA07 - Workstation, Inpatient Transfer Clerk							
JSN	NAME	QTY	ACQ/INS	DESCRIPTION				
A1010	Telecommunication Outlet	2	VV	Telecommunication outlet location.				
A1015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.				

				This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical
				hanging strips instead of panels. THIS TYPICAL INCLUDES:
				4 Standard Solid Panels
				2 Panel Connectors, 2-Way Corner
				1 Panel-to-Panel Connector
				2 Finished End Hardware
				1 Cantillevered, Work Surface
				2 Lockable Flipper Units
				2 Shelf, Storage/Displays
				2 Lights
				1 Tack board
				1 Tool Rail
				1 Paper Tray
				1 Diagonal Tray
				1 Adjustable Keyboard Tray
E0123	Workstation, Straight, Free Standing, 72" W	1	VV	1 Mobile Pedestal, Box/File
				Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel
				base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded
F0275	Chair, Swivel, High Back	1	VV	and upholstered with either woven textile fabric or vinyl.
				Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with
				recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or
F0420	Cabinet, Filing, Lateral, Half Height	1	VV	legal size materials.
				Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect
				and temporarily store small quantities of paper refuse in patient rooms, administrative areas and
F2000	Basket, Wastepaper, Round, Metal	1	VV	nursing stations.
				Deals to a mai supervisor and a second to a The smit shall account of a control associate and in terms (let
				Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum
				characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-
				ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel
M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	VV	monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
IVITOUT	Computer, who optocessing, with at Farier World	1	v v	monitor. The computer is used unroughout the facility to imput, manipulate and retrieve information.

JSN	NAME	QTY	ACQ/INS	DESCRIPTION
A1010	Telecommunication Outlet	1	VV	Telecommunication outlet location.
A1014	Telephone, Wall Mounted, 1 Line, With Speaker	1	VV	Telephone, wall mounted, 1 line, with speaker.
M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	6		Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.

3 - HEALTH BENEFITS SECTION: OUTPATIENT REGISTRATION

1 - OF	A09 - Office, Supervisor			
JSN	NAME	QTY	ACQ/INS	DESCRIPTION
A1010	Telecommunication Outlet	2	VV	Telecommunication outlet location.
A1015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.
A5145	Hook, Garment, Double, SS, Surface Mounted	1	CC	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
				THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel-to-Panel Connectors 1 Panel Connector, 2-Way Corner 2 Finished End Hardware 2 Lockable Flipper Units 2 Shelves, Storage/Display 3 Lights 3 Tackboards 2 Cantilevered Work Surfaces 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File 1 Pencil Drawer
E0090	Workstation, L-Shaped, Free Standing, 72x72	1	VV	2 Support Panels
F0205	Chair, Side With Arms	1	VV	Uphol stered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.
F0275	Chair, Swivel, High Back	1	VV	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
F0420	Cabinet, Filing, Lateral, Half Height	1	VV	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
F2000	Basket, Wastepaper, Round, Metal	1	VV	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.
F3200	Clock, Battery, 12" Diameter	1	VV	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).

M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

4 - HEALTH INFORMATION MANAGEMENT SECTION (HIMS)

1 - OF	OFA09 - Office, Health Information Management Section (HIMS) Chief								
JSN	NAME	QTY	ACQ/INS	DESCRIPTION					
A1010	Telecommunication Outlet	2	VV	Telecommunication outlet location.					
A1015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.					
				A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed					
				mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the					
A5145	Hook, Garment, Double, SS, Surface Mounted	1	CC	facility to hang various items of apparel.					
				THIS TYPICAL INCLUDES:					
				4 Standard Solid Panels					
				2 Panel-to-Panel Connectors					
				1 Panel Connector, 2-Way Corner					
				2 Finished End Hardware					
				2 Lockable Flipper Units					
				2 Shelves, Storage/Display					
				3 Lights					
				3 Tackboards					
				2 Cantilevered Work Surfaces					
				1 Adjustable Keyboard Tray					
				1 Mobile Pedestal, Box/File					
-	W 1		,,,,	1 Pencil Drawer					
E0090	Workstation, L-Shaped, Free Standing, 72x72	1	VV	2 Support Panels					
50005	OL 1. OL LANGE		,,,,	Uphol stered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs.					
F0205	Chair, Side With Arms	1	VV	Seat height is a minimum of 17". Available with or without sled base.					
				Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel					
E007E		_		base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded					
F0275	Chair, Swivel, High Back	1	VV	and upholstered with either woven textile fabric or vinyl.					
				Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with					
F0400	Orbitant Filian Lateral Half-Hainka	_		recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or					
FU420	Cabinet, Filing, Lateral, Half Height	1	VV	legal size materials.					
				Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect					
F2000	Dealest Westernamer Dougle Metal	_	\/\/	and temporarily store small quantities of paper refuse in patient rooms, administrative areas and					
F2000	Basket, Wastepaper, Round, Metal	1	VV	nursing stations.					

F3200	Clock, Battery, 12" Diameter	1	VV	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	VV	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

2 - OF	A09 - Office, Supervisor			
JSN	NAME	QTY	ACQ/INS	DESCRIPTION
A1010	Telecommunication Outlet	2	VV	Telecommunication outlet location.
A1015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.
				A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed
				mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the
A5145	Hook, Garment, Double, SS, Surface Mounted	1	CC	facility to hang various items of apparel.
				THIS TYPICAL INCLUDES:
				4 Standard Solid Panels
				2 Panel-to-Panel Connectors
				1 Panel Connector, 2-Way Corner
				2 Finished End Hardware
				2 Lockable Flipper Units
				2 Shelves, Storage/Display
				3 Lights
				3 Tackboards
				2 Cantilevered Work Surfaces
				1 Adjustable Keyboard Tray
				1 Mobile Pedestal, Box/File
F0000	W 1 1 0 1 70 70		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1 Pencil Drawer
E0090	Workstation, L-Shaped, Free Standing, 72x72	1	VV	2 Support Panels
Боооб	Oberine Cirle Midde America		1/1/	Uphol stered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs.
F0205	Chair, Side With Arms	1	VV	Seat height is a minimum of 17". Available with or without sled base.
				Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel
E007E	Chair Cuival High Book		1/1/	base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded
FU2/5	Chair, Swivel, High Back	1	VV	and upholstered with either woven textile fabric or vinyl.
				Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with
E0420	Cohingt Filing Lateral Holf Height	4	VV	recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or
FU420	Cabinet, Filing, Lateral, Half Height	1	VV	legal size materials. Pound waterpaper bookst, approximately 19" high V 16" diameter. This metal unit is used to collect.
				Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect
E2000	Radket Wastenaner Round Metal	1	VV	and temporarily store small quantities of paper refuse in patient rooms, administrative areas and
r2000	Basket, Wastepaper, Round, Metal	I	V V	nursing stations.

F3200	Clock, Battery, 12" Diameter	1	VV	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	VV	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

3 - OF <i>A</i>	A09 - Office, File Room Supervisor			
JSN	NAME	QTY	ACQ/INS	DESCRIPTION
A1010	Telecommunication Outlet	2	VV	Telecommunication outlet location.
A1015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.
				A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed
				mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the
A5145	Hook, Garment, Double, SS, Surface Mounted	1	CC	facility to hang various items of apparel.
				THIS TYPICAL INCLUDES:
				4 Standard Solid Panels
				2 Panel-to-Panel Connectors
				1 Panel Connector, 2-Way Corner
				2 Finished End Hardware
				2 Lockable Flipper Units
				2 Shelves, Storage/Display
				3 Lights
				3 Tackboards
				2 Cantillevered Work Surfaces
				Adjustable Keyboard Tray Mobile Pedestal, Box/File
				1 Pencil Drawer
E0090	Workstation, L-Shaped, Free Standing, 72x72	1	VV	2 Support Panels
L0030	Workstation, E-Griapea, Free Standing, 72X72	'	V V	Uphol stered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs.
F0205	Chair, Side With Arms	1	VV	Seat height is a minimum of 17". Available with or without sled base.
. 0200	onar, Gao man me	· ·		Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel
				base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded
F0275	Chair, Swivel, High Back	1	VV	and upholstered with either woven textile fabric or vinyl.
	, , , ,			Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with
				recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or
F0420	Cabinet, Filing, Lateral, Half Height	1	VV	legal size materials.
	<u> </u>			Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect
				and temporarily store small quantities of paper refuse in patient rooms, administrative areas and
F2000	Basket, Wastepaper, Round, Metal	1	VV	nursing stations.

F3200	Clock, Battery, 12" Diameter	1	VV	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	VV	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

4 - OF	A07 - Workstation, Billing Clerk			
JSN	NAME	QTY	ACQ/INS	DESCRIPTION
A1010	Telecommunication Outlet	2	VV	Telecommunication outlet location.
A1015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.
				This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TY PICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray 1 Adjustable Keyboard Tray
E0123	Workstation, Straight, Free Standing, 72" W	1	VV	1 Mobile Pedestal, Box/File
F0275	Chair, Swivel, High Back	1	VV	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
	Cabinet, Filing, Lateral, Half Height	1	VV	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
F2000	Basket, Wastepaper, Round, Metal	1	VV	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.

				Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel
M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	VV	monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

JSN	NAME	QTY	ACQ/INS	DESCRIPTION
A1010	Telecommunication Outlet	2	VV	Telecommunication outlet location.
A1015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.
				This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray
E0123	Workstation, Straight, Free Standing, 72" W	1	VV	1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File
	Chair, Swivel, High Back	1	VV	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
				Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or
	Cabinet, Filing, Lateral, Half Height	1	VV	legal size materials. Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and
	Basket, Wastepaper, Round, Metal Computer, Microprocessing, w/Flat Panel Monitor	1	VV	nursing stations. Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

	A04 - Office, Tumor Registry			
JSN	NAME	QTY	ACQ/INS	DESCRIPTION
	Telecommunication Outlet	2	VV	Telecommunication outlet location.
A1015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.
A5145	Hook, Garment, Double, SS, Surface Mounted	2	CC	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.
				This section will provide a whole work station typical to quickly plan work areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 standard solid panels; 2 panel connectors, 2-way corner; 1 panel-to-panel connector; 2 finished end hardware; 1 cantilevered work surface; 1 peninsula work surface; 2 lockable flipper units; 2 shelf, storage/display; 2 lights; 1 tack board, 48"W; 1 tool rail, 30"W; 1 paper tray; 1 diagonal tray; 1 adjustable keyboard tray;
	Workstation, L-Shaped w/Peninsula, Free Std, 78x72 Bookcase, 3 Shelf	1	VV	1 mobile pedestal, box/file. Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides.
1-0110	DUUNCASE, S STIETT	I	VV	Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs.
F0205	Chair, Side With Arms	2	VV	Seat height is a minimum of 17". Available with or without sled base.
		4	\/\/	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded
	Chair, Swivel, High Back	1	VV	and upholstered with either woven textile fabric or vinyl. Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or
F0420	Cabinet, Filing, Lateral, Half Height	1	VV	legal size materials. Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and
F2000	Basket, Wastepaper, Round, Metal	1	VV	nursing stations.
				Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries
F3200	Clock, Battery, 12" Diameter	1	VV	not included).

				Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel
M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	VV	monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

JSN	NAME	QTY	ACQ/INS	DESCRIPTION
41010	Telecommunication Outlet	2	VV	Telecommunication outlet location.
41015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.
				This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray
=0123	Workstation, Straight, Free Standing, 72" W	1	VV	1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File
	Chair, Swivel, High Back	1	VV	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
	Cabinet, Filing, Lateral, Half Height	1	VV	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
	Basket, Wastepaper, Round, Metal	1	VV	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.
И1801	Computer, Microprocessing, w/Flat Panel Monitor	1	VV	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information

JSN	A07 - Workstation, Release of Information Clerk NAME	OTV	ACQ/INS	DESCRIPTION
	Telecommunication Outlet	2	VV	Telecommunication outlet location.
	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.
ATOTS	тафлоге, реж, минире ште		V	This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray
E0123	Workstation, Straight, Free Standing, 72" W	1	VV	 1 Diagonal Tray 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel
F0275	Chair, Swivel, High Back	1	VV	base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
F0420	Cabinet, Filing, Lateral, Half Height	1	VV	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
F2000	Basket, Wastepaper, Round, Metal	1	VV	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.
VI1801	Computer, Microprocessing, w/Flat Panel Monitor	1	VV	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information
- OE4	A07 - Workstation, Transcription Coordinator			
JSN	NAME	QTY	ACQ/INS	DESCRIPTION
	Telecommunication Outlet	2	VV	Telecommunication outlet location.

E0123	Workstation, Straight, Free Standing, 72" W	1		This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray 1 Adjustable Keyboard Tray 1 Mobile Pedestal, Box/File Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel
F0275	Chair, Swivel, High Back	1	VV	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
F0420	Cabinet, Filing, Lateral, Half Height	1	VV	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
F2000	Basket, Wastepaper, Round, Metal	1		Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.
	Computer, Microprocessing, w/Flat Panel Monitor	1	VV	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
10 - OF JSN	A07 - Workstation, Transcriptionist NAME	ОТУ	ACQ/INS	DESCRIPTION
	Telecommunication Outlet	2	VV	Telecommunication outlet location.
	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.
	·			·

				This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray 1 Adjustable Keyboard Tray
E0123	Workstation, Straight, Free Standing, 72" W	1	VV	1 Mobile Pedestal, Box/File
				Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded
F0275	Chair, Swivel, High Back	1	VV	and upholstered with either woven textile fabric or vinyl.
F0420	Cabinet, Filing, Lateral, Half Height	1	VV	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
F2000	Basket, Wastepaper, Round, Metal	1	VV	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.
M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	VV	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

11 - SR	1 - SRSE1 - Storage, Transcription Equipment						
JSN	NAME	QTY	ACQ/INS	DESCRIPTION			
M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	2		Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.			
M2070	Shelving, Storage, 77hx36wx18d	2		Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room.			

JSN	NAME	QTY	ACQ/INS	DESCRIPTION
A1010	Telecommunication Outlet	2		elecommunication outlet location.
A1015	Telephone, Desk, Multiple Line	1	VV T	elephone, desk, multiple line.
			ax ha 4 2 1 2 1 2 2 2 1 1 1 1	This JSN will provide a whole work station typical to quickly plan work in areas in clinical or dministrative spaces. There will be a price decrease if typical work stations are used with vertical anging strips instead of panels. THIS TYPICAL INCLUDES: Standard Solid Panels Panel Connectors, 2-Way Corner Panel-to-Panel Connector Finished End Hardware Cantilevered, Work Surface Lockable Flipper Units Shelf, Storage/Displays Lights Tack board Tool Rail Paper Tray Diagonal Tray
E0123	Workstation, Straight, Free Standing, 72" W	1		Adjustable Keyboard Tray Mobile Pedestal, Box/File
			H	lighback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel ase and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded
F0275	Chair, Swivel, High Back	1		nd upholstered with either woven textile fabric or vinyl. Ialf height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with
F0420	Cabinet, Filing, Lateral, Half Height	1	re	excessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or egal size materials.
	Basket, Wastepaper, Round, Metal	1	R	ound wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect nd temporarily store small quantities of paper refuse in patient rooms, administrative areas and ursing stations.
M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	pi ch R	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat anel monitor, keyboard, mouse and speakers. The system shall have the following minimum haracteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel nonitor. The computer is used throughout the facility to input, manipulate and retrieve information.
12 05	5A07 Workstation Bosond Bodies Clark			
	A07 - Workstation, Record Review Clerk		4.00 // 11/5	
JSN	NAME	QTY	ACQ/INS	DESCRIPTION

VV

VV

A1010 Telecommunication Outlet

A1015 Telephone, Desk, Multiple Line

Telecommunication outlet location.

Telephone, desk, multiple line.

				This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray
				1 Diagonal Tray 1 Adjustable Keyboard Tray
E0123	Workstation, Straight, Free Standing, 72" W	1	VV	1 Mobile Pedestal, Box/File
E0075			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded
F0275	Chair, Swivel, High Back	1	VV	and upholstered with either woven textile fabric or vinyl.
F0420	Cabinet, Filing, Lateral, Half Height	1	VV	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
	Basket, Wastepaper, Round, Metal	1	VV	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.
M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	VV	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

14 - M F	RWK1 - Document Scanning Station			
JSN	NAME	QTY	ACQ/INS	DESCRIPTION
A1010	Telecommunication Outlet	2	VV	Telecommunication outlet location.
A1011	Telephone, Desk, 1 Line	1	VV	Telephone, desk, 1 line.
F0465	Cabinet, Storage, 2 Door, 5 Shelf	1		Storage cabinet, 78" high X 48" wide X 24" deep with two (2) doors and five (5) adjustable shelves.
				Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and
F2000	Basket, Wastepaper, Round, Metal	2	VV	nursing stations.

F2540	Shredder, Paper, Security	1	VV	Paper shredder, approximately 21" high X 15" wide X 12" deep with shredding unit and waste receptacle. Security features will include cross-cut shredding.
M1810	Copier, Floor Standing, Digital	1	VV	Floor standing copier. Unit features automatic paper size selection, automatic document feeder and sorter. The system also has zoom capabilities and automatic two-sided copying. For use where medium volume reproduction is required in the range of 30 to 40 copies per minute.
M2070	Shelving, Storage, 77hx36wx18d	1	VV	Storage shelving unit approximately 77" H X 36" W X 18" D. Corrosion resistant baked enamel, galvanized or stainless steel open unit with adjustable shelves. The closed version is also available. For use in the storage room.

15 - SR	15 - SRE01 - Supply, Document Scanning					
JSN	NAME	QTY	ACQ/INS	DESCRIPTION		
A1010	Telecommunication Outlet	1	VV	Telecommunication outlet location.		
M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	4		Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.		

16 - FILE1 - File Room					
JSN	NAME	QTY	ACQ/INS	DESCRIPTION	
				Full height five (5) drawer lateral filing cabinet, 65" high X 42" wide X 18" deep with floor levelers (front), locking device and drawer label holders. Drawers are adaptable to either letter or legal size	
F0415	Cabinet, Filing, Lateral, Full Height, 5 Drawer	4	VV	materials.	

5 - WARD ADMINISTRATION SECTION (WAS)

1 - OF	1 - OFA09 - Office, Supervisor					
JSN	NAME	QTY	ACQ/INS	DESCRIPTION		
A1010	Telecommunication Outlet	2	VV	Telecommunication outlet location.		
A1015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.		
				A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed		
				mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the		
A5145	Hook, Garment, Double, SS, Surface Mounted	1	CC	facility to hang various items of apparel.		

				THIS TYPICAL INCLUDES:
				4 Standard Solid Panels
				2 Panel-to-Panel Connectors
				1 Panel Connector, 2-Way Corner
				2 Finished End Hardware
				2 Lockable Flipper Units
				2 Shelves, Storage/Display
				3 Lights
				3 Tackboards
				2 Cantilevered Work Surfaces
				1 Adjustable Keyboard Tray
				1 Mobile Pedestal, Box/File
				1 Pencil Drawer
E0090	Workstation, L-Shaped, Free Standing, 72x72	1	VV	2 Support Panels
				Uphol stered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs.
F0205	Chair, Side With Arms	1	VV	Seat height is a minimum of 17". Available with or without sled base.
				Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel
				base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded
F0275	Chair, Swivel, High Back	1	VV	and upholstered with either woven textile fabric or vinyl.
				Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with
				recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or
F0420	Cabinet, Filing, Lateral, Half Height	1	VV	legal size materials.
				Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect
				and temporarily store small quantities of paper refuse in patient rooms, administrative areas and
F2000	Basket, Wastepaper, Round, Metal	1	VV	nursing stations.
				Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted
				unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries
F3200	Clock, Battery, 12" Diameter	1	VV	not included).
				Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat
				panel monitor, keyboard, mouse and speakers. The system shall have the following minimum
				characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-
				ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel
M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	VV	monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

2 - OF	2 - OFA09 - Office, Lead Clerk					
JSN	NAME	QTY	ACQ/INS	DESCRIPTION		
A1010	Telecommunication Outlet	2	VV	Telecommunication outlet location.		
A1015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.		
A5145	Hook, Garment, Double, SS, Surface Mounted	1		A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.		

				THIS TYPICAL INCLUDES:
				4 Standard Solid Panels
				2 Panel-to-Panel Connectors
				1 Panel Connector, 2-Way Corner
				2 Finished End Hardware
				2 Lockable Flipper Units
				2 Shelves, Storage/Display
				3 Lights
				3 Tackboards
				2 Cantilevered Work Surfaces
				1 Adjustable Keyboard Tray
				1 Mobile Pedestal, Box/File
				1 Pencil Drawer
F0090	Workstation, L-Shaped, Free Standing, 72x72	1	VV	2 Support Panels
	Translation, 2 or apos, 1100 oranianing, 12x12			Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs.
F0205	Chair, Side With Arms	1	VV	Seat height is a minimum of 17". Available with or without sled base.
				Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel
				base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded
F0275	Chair, Swivel, High Back	1	VV	and upholstered with either woven textile fabric or vinyl.
				Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with
				recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or
F0420	Cabinet, Filing, Lateral, Half Height	1	VV	legal size materials.
				Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect
				and temporarily store small quantities of paper refuse in patient rooms, administrative areas and
F2000	Basket, Wastepaper, Round, Metal	1	VV	nursing stations.
				Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted
				unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries
F3200	Clock, Battery, 12" Diameter	1	VV	not included).
				Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat
				panel monitor, keyboard, mouse and speakers. The system shall have the following minimum
				characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-
				ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel
M1801	Computer, Microprocessing, w/Flat Panel Monitor	1	VV	monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

3 - OFA	3 - OFA07 - Workstation, Ward Clerk						
JSN	NAME	QTY	ACQ/INS	DESCRIPTION			
A1010	Telecommunication Outlet	2	VV	Telecommunication outlet location.			
A1015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.			

				This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray
				1 Adjustable Keyboard Tray
E0123	Workstation, Straight, Free Standing, 72" W	1	VV	1 Mobile Pedestal, Box/File
F0275	Chair, Swivel, High Back	1	VV	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 02/0	onar, emra, riigir baak			Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with
				recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or
F0420	Cabinet, Filing, Lateral, Half Height	1	VV	legal size materials.
F2000	Basket, Wastepaper, Round, Metal	1	VV	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.
	Computer, Microprocessing, w/Flat Panel Monitor	1	VV	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

4 - SRS	4 - SRS01 - Storage, Ward Clerk					
JSN	NAME	QTY	ACQ/INS	DESCRIPTION		
A1010	Telecommunication Outlet	1	VV	Telecommunication outlet location.		
A1014	Telephone, Wall Mounted, 1 Line, With Speaker	1	VV	Telephone, wall mounted, 1 line, with speaker.		
M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	6		Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.		

6 - FEE SERVICES (FS) SECTION

1 - OF	A09 - Office, Fee Services Section Chief			
JSN	NAME	QTY	ACQ/INS	DESCRIPTION
A1010	Telecommunication Outlet	2	VV	Telecommunication outlet location.
A1015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.
				A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed
				mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the
A5145	Hook, Garment, Double, SS, Surface Mounted	1	CC	facility to hang various items of apparel.
				THIS TYPICAL INCLUDES:
				4 Standard Solid Panels
				2 Panel-to-Panel Connectors
				1 Panel Connector, 2-Way Corner
				2 Finished End Hardware
				2 Lockable Flipper Units
				2 Shelves, Storage/Display
				3 Lights
				3 Tackboards
				2 Cantilevered Work Surfaces
				1 Adjustable Keyboard Tray
				1 Mobile Pedestal, Box/File
F0000	Washetatian I Ohamad Fran Ohamdina 70.70		1/1/	1 Pencil Drawer
E0090	Workstation, L-Shaped, Free Standing, 72x72	1	VV	2 Support Panels
FOODE	Chair Sida With Arma	1	VV	Uphol stered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs.
FU2U5	Chair, Side With Arms	l	VV	Seat height is a minimum of 17". Available with or without sled base. Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel
				base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded
E0275	Chair, Swivel, High Back	1	VV	and upholstered with either woven textile fabric or vinyl.
F0275	Chair, Swiver, High Back	1	VV	Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with
				recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or
F0420	Cabinet, Filing, Lateral, Half Height	1	VV	legal size materials.
10120	Castriat, Filling, Eatoral, Flair Flaight		V V	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect
				and temporarily store small quantities of paper refuse in patient rooms, administrative areas and
F2000	Basket, Wastepaper, Round, Metal	1	VV	nursing stations.
. 2000				Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted
				unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries
F3200	Clock, Battery, 12" Diameter	1	VV	not included).
				1 11 11 11 11 11

			Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel
M1801 Computer, Microprocessing, w/Flat Panel Monitor	1	VV	monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

2 - OF	A09 - Office, Supervisor			
JSN	NAME	QTY	ACQ/INS	DESCRIPTION
A1010	Telecommunication Outlet	2	VV	Telecommunication outlet location.
A1015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.
				A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed
				mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the
A5145	Hook, Garment, Double, SS, Surface Mounted	1	CC	facility to hang various items of apparel.
				THIS TYPICAL INCLUDES:
				4 Standard Solid Panels
				2 Panel-to-Panel Connectors
				1 Panel Connector, 2-Way Corner
				2 Finished End Hardware
				2 Lockable Flipper Units
				2 Shelves, Storage/Display
				3 Lights
				3 Tackboards
				2 Cantillevered Work Surfaces
				Adjustable Keyboard Tray Mobile Pedestal, Box/File
				1 Pencil Drawer
E0000	Workstation, L-Shaped, Free Standing, 72x72	1	VV	2 Support Panels
L0030	Workstation, E-Griaped, Free Standing, 72X72	1	VV	Uphol stered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs.
F0205	Chair, Side With Arms	1	VV	Seat height is a minimum of 17". Available with or without sled base.
1 0200	onar, ado with time	<u> </u>		Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel
				base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded
F0275	Chair, Swivel, High Back	1	VV	and upholstered with either woven textile fabric or vinyl.
	, , , ,			Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with
				recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or
F0420	Cabinet, Filing, Lateral, Half Height	1	VV	legal size materials.
				Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect
				and temporarily store small quantities of paper refuse in patient rooms, administrative areas and
F2000	Basket, Wastepaper, Round, Metal	1	VV	nursing stations.
				Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted
				unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries
F3200	Clock, Battery, 12" Diameter	1	VV	not included).

			Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel
M1801 Computer, Microprocessing, w/Flat Panel Monitor	1	VV	monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

3 - RE0	CP3 - Reception			
JSN	NAME	QTY	ACQ/INS	DESCRIPTION
A1010	Telecommunication Outlet	2	VV	Telecommunication outlet location.
A1015	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.
A6105	Counter, Reception Control, Built-In	1		Counter, control, inpatient, built-in. Consists of two 18" wide base cabinets with two drawers and file drawer, two 30" wide pencil drawers and two 18" wide base cabinet with four drawers. The countertop shall be a composition of wood particle core with plastic laminate surface having a hard smooth surface finish, standard thickness of 1" and a 4" butt backsplash/curb. Pricing based on a 30" depth.
F0275	Chair, Swivel, High Back	1		Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
	Basket, Wastepaper, Round, Metal	1		Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.
F3200	Clock, Battery, 12" Diameter	1		Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).
M1801	Computer, Microprocessing, w/Flat Panel Monitor	1		Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
M1825	Printer, Computer	1	VV	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.

4 - O	4 - OFA07 - Workstation, Clerical						
JSN	NAME	QTY	ACQ/INS	DESCRIPTION			
A101	Telecommunication Outlet	2	VV	Telecommunication outlet location.			
A101	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.			

				This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray 1 Adjustable Keyboard Tray
E0123	Workstation, Straight, Free Standing, 72" W	1	VV	1 Mobile Pedestal, Box/File
F0275	Chair, Swivel, High Back	1	VV	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl. Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with
F0420	Cabinet, Filing, Lateral, Half Height	1	VV	recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.
F2000	Basket, Wastepaper, Round, Metal	1	VV	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.
	Computer, Microprocessing, w/Flat Panel Monitor	1	VV	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.
		OTV	A CO/INIO	DESCRIPTION
JSN 41010	NAM E Telecommunication Outlet		ACQ/INS	DESCRIPTION Telecommunication outlet location.
	Telephone, Desk, Multiple Line	1	VV	Telephone, desk, multiple line.
Aidio	Tachione, Desk, Multiple Line	<u> </u>	V V	radphone, dear, manuprettie.

				This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES: 4 Standard Solid Panels 2 Panel Connectors, 2-Way Corner 1 Panel-to-Panel Connector 2 Finished End Hardware 1 Cantilevered, Work Surface 2 Lockable Flipper Units 2 Shelf, Storage/Displays 2 Lights 1 Tack board 1 Tool Rail 1 Paper Tray 1 Diagonal Tray
				1 Adjustable Keyboard Tray
E0123	Workstation, Straight, Free Standing, 72" W	1	VV	1 Mobile Pedestal, Box/File
F0275	Chair, Swivel, High Back	1	VV	Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.
1 02/0	onar, emra, riigir baak			Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with
				recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or
F0420	Cabinet, Filing, Lateral, Half Height	1	VV	legal size materials.
F2000	Basket, Wastepaper, Round, Metal	1	VV	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.
	Computer, Microprocessing, w/Flat Panel Monitor	1	VV	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.

6 - SRS	6 - SRS01 - Storage, Supplemental Equipment					
JSN	NAME	QTY	ACQ/INS	DESCRIPTION		
A1010	Telecommunication Outlet	1	VV	Telecommunication outlet location.		
A1014	Telephone, Wall Mounted, 1 Line, With Speaker	1	VV	Telephone, wall mounted, 1 line, with speaker.		
M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	6		Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves.		

7 - OFFICE OPERATIONS SECTION

1 - MR	1 - MRMB1 - Mailroom						
JSN	NAME	QTY	ACQ/INS	DESCRIPTION			
A1055	Mailbox, Horizontal, Rear Loading	1	CC	Horizontal, rear loading mail box. Consists of aluminum compartment doors with single dial resettable combination lock, and zinc plated steel compartments. Used for mail distribution. Unit consists of 60 doors (door sizes either 12" high and 5" wide or 12" wide and 5" high). Size as required.			
F0350	Stool, Step, Retractable Caster	1		Step stool, approximately 18" high X 16" diameter with three retractable casters, skild proof rings and ribbed treads.			

2 - COI	VIC1 - Telephone Switchboard Room			
JSN	NAME	QTY	ACQ/INS	DESCRIPTION
				Rack used to hold network components such as servers, switches, hubs, patch panels, router, etc.
				Racks are available in varying heights, channel depths, and channel width. The model numbers
				specified may be U.L. Listed version with 2 Top Angles, 7' height, 19" wide, blank Aluminum, with
A0900	Relay Rack, Aluminum	3	VV	mounting holes on both sides (front and back).
				Horizontal cable management unit for a 19" rack with a channel approximately 2"x2". Provides for
				professional finish to hide cables in a switch rack. Various models are quoted with fingered type exits
A0901	Cable Management, Horizontal Base Unit	26	VV	or brackets and/or rear access holes.
				For use with horizontal base unit for double sided management. This item is intended to be used with
A0902	Rear Wire Frame	13	VV	JSNs A0901 and/or A0903 model HC219 series from Hubbell only.
				This item is intended to be used with JSNs A0901 and/or A0902 model HC219 series from Hubbell
A0903	Rear Hinged Cover, for LAN Rack	13	VV	only.
				This cabinet is designed to accommodate up to 6 six-packs of adapters or blank panels. This cabinet
				is specifically designed to accommodate Hubbell adapter panels as reflected in JSNs A0905 and
A0904	Fiber Optic Cabinet, 36 Port, Rack Mounted	1	VV	A0906.
				This 48 Port/RJ45, Cat 5e (or better) patch panel is designed for the following applications. Gigabit
A0908	Patch Panel, 110 Block/RJ-45, Cat 5E, 48 Port,568A	13	VV	1000BASE-T, 100BASE-TX, ATM 155, TP-PMD (CDDI).
				Uninterruptable Power Supply, Approximately 2200V A/1600W, Rack Mount with extendable Run
				Time. Unit must incorporate hot user swappable batteries and must have an overload indicator,
				replace battery indicator, audible alarm, automatic voltage regulation and include Smart Slot card and
				software. It must use RS232 DB-9 interface for communication. NEMA L5-30P power connector,
A0911	Power Supply, Uninterruptable, Rack Mounted	1	VV	and (8) NEMA 5-15R outlets.
				Battery Pack for use with JSN A0911 to extend backup power availability. Battery rated at
A0912	Battery Pack, Extended for use with UPS (A0911)	1	VV	approximately 1600 VA.
				Omni switch router, 9 slot chassis, 725W AC power supply and rack mount brackets. Supports high
				speed frame switching fabric. Software and Manual included. Requires management module JSN
A0913	Switch, Local Area Network (LAN)	1	VV	A0914 and works with Power Supply A0915.

			Management processor module with 10BaseT with layer-3 switching (HRE-X); 32 MB DRAM & 8 MB flash memory. Operates over the 22G distributed switching fabric. Works with Switch LAN JSN
A0914 Management Processor Module for LAN Switch	1	VV	A0913 and Power Supply A0915.
			725 Watt powersupply. Redundant or spare power supply for the 9 slot Omni Switch Router. Works
A0915 Power Supply, 725 W, for LAN Switch	1	VV	with Switch LAN JSN A0913 and Management Processor JSN A0914.