



| Room Description: Renal Dialysis Room, Airborne Infection Isolation (RDC01) | NSF : 120 | RDC01 | | |
|-----------------------------------------------------------------------------|------------------|---------|------|--|
| Sheet Description: Room/Equipment Isometric | Scale: | Sheet 1 | of 5 | |



RDC01 - CEILING MOUNTED EQUIPMENT PLAN


| Room Description: Renal Dialysis Room, Airborne Infection Isolation (RDC01) | NSF : 120 | RDC01 | | |
|-----------------------------------------------------------------------------|----------------------------|---------|------|--|
| Sheet Description: Ceiling Mounted Equipment Plan | Scale: 3/8" = 1'-0" | Sheet 2 | of 5 | |



RDC01 - NOTES

- 1 P8705, Dialysis Box, with cold water and drain.
- 2 Provide JSN M0750, M0755, and M0765 in hospital occupancy only.
- 3 Provide JSN A1066, A5075, A5080, and P3100 for every four cubicles.
- 4 M7845, Monitor, Physiological, Bedside, 4 Channel and M4116, Monitor, Vital Signs are provided as monitoring options.


| Room Description: Renal Dialysis Room, Airborne Infection Isolation (RDC01) | NSF : 120 | RDO | C01 |
|-----------------------------------------------------------------------------|----------------------------|---------|------|
| Sheet Description: Equipment Plan | Scale: 3/8" = 1'-0" | Sheet 3 | of 5 |




RDC01 - NORTH ELEVATION



RDC01 - EAST ELEVATION



RDC01 - SOUTH ELEVATION



RDC01 - WEST ELEVATION

| Room Renal Dialysis Room, Airborne Infection Isolation (RDC01) | NSF : 120 | RDC01 | | |
|----------------------------------------------------------------|---------------------|---------|---------|--|
| Sheet Description: Interior Room Elevations | Scale: 1/4" = 1'-0" | Sheet 4 | of 5 | |

RDC01 - EQUIPMENT SCHEDULE

| | | | Logistics | | | | | | Utilities | | | | |
|-------|---------------------------------------------------|-----|-----------|----|----|----|----|---|-----------|---|---|---|---|
| JSN | Nomenclature | Qty | LF | AR | NA | AF | VA | 1 | 2 | 3 | 4 | 5 | 6 |
| | | | | | | | | | | | | | |
| A5107 | Dispenser, Glove, Surgical/Examination, Wall Mntd | 1 | | С | С | С | С | - | - | - | - | - | - |
| A5108 | Waste Disposal Unit, Sharps | 1 | | С | С | С | С | - | - | - | - | - | - |
| E0948 | Cart, General Storage, Mobile, 42"H x 32"W x 22"D | 1 | | С | С | С | С | - | - | - | - | - | - |
| F0205 | Chair, Side With Arms | 1 | | С | С | С | С | - | - | - | - | - | - |
| F0340 | Stool, Self Adjusting | 1 | | С | С | С | С | - | - | - | - | - | - |
| F2010 | Basket, Wastepaper, Step-On | 1 | | С | С | С | С | - | - | - | - | - | - |
| F2422 | Lamp, Floor | 1 | | С | С | С | С | - | Α | - | - | - | - |
| F3200 | Clock, Battery, 12" Diameter | 1 | | С | С | С | С | - | - | - | - | - | - |
| M0505 | Television, Color, Bedside | 1 | | С | С | С | С | - | F | - | - | - | - |
| M1715 | Hemodialysis Unit, Hollow Fiber or Plate | 1 | | С | С | С | С | Ε | Α | - | - | - | - |
| M3072 | Frame, Infectious Waste Bag w/Lid | 1 | | С | С | С | С | - | - | - | - | - | - |
| M4116 | Monitor, Vital Signs | 1 | | С | С | С | С | - | Α | - | - | - | - |
| M4255 | Stand, IV, Adjustable | 1 | | С | С | С | С | - | - | - | - | - | - |
| M4265 | Pump, Volumetric, Infusion, Single Line | 1 | | С | С | С | С | - | Α | - | - | - | - |
| M4905 | Chair, Dialysis | 1 | | С | С | С | С | - | - | - | - | - | - |
| M7040 | Table, Overbed | 1 | | С | С | С | С | - | - | - | - | - | - |
| M7845 | Monitor, Physiological, Bedside, 4 Channel | 1 | | С | С | С | С | - | Α | - | - | - | D |
| P8705 | Dialysis Box, Recessed, Single Valve | 1 | | Α | Α | Α | Α | В | - | - | - | - | - |

| Room Description: Renal Dialysis Room, Airborne Infection Isolation (RDC01) | NSF : 120 | RDC01 | | |
|-----------------------------------------------------------------------------|------------------|---------|------|--|
| Sheet Description: Equipment Schedule | Scale: | Sheet 5 | of 5 | |