

KEY NOTES

1. PROVIDE A5109, GRAB BARS, THAT COMPLY WITH ADA.
2. MOUNT A5145, HOOK, AT 1219 [4'-0"] AFF. PROVIDE 2-A5145'S FOR NAVY PROJECTS ONLY.
MOUNT 1-A5145 AT 1219 [4'-0"] AFF AND 1-A5145 AT 1524 [5'-0"] AFF.

TOILET, UNISEX (TLTU1)


PRIMARY CARE/FAMILY PRACTICE

FLOOR/EQUIPMENT PLAN 4.6 NSM (50 NSF)

DATE: 07/12/2001

0 1000 2000

1:50 SCALE (MILLIMETERS)



TOILET, UNISEX (TLTU1)

PRIMARY CARE/FAMILY PRACTICE

CEILING PLAN


4.6 NSM (50 NSF)

DATE: 07/12/2001

0 1000 2000



1:50 SCALE (MILLIMETERS)



KEY NOTES

1. PROVIDE A5109, GRAB BARS, THAT COMPLY WITH ADA.

General Notes:

1. For typical equipment mounting heights see "TYPICAL EQUIPMENT MOUNTING HEIGHTS" drawing.
2. MIL-STD-1691 data can only be accessed from the Equipment Plan.

TOILET, UNISEX (TLTU1)

PRIMARY CARE/FAMILY PRACTICE

ELEVATIONS

4.6 NSM (50 NSF)

0 1000 2000

1:50 SCALE (MILLIMETERS)

DATE: 07/12/2001

