

KEY NOTES

1. A LOCAL OR REMOTE SECOND MONITOR IS OPTIONAL.
2. ROOM AIR PURIFIER
3. COORDINATE LOCATION OF M1620, PATIENT CHART HOLDER, AND ROOM SIGNAGE.
4. MOUNT A5145, HOOK, AT 1372 [4'-6"] AFF.
5. MOUNT A5145, HOOK, AT 1219 [4'-0"] AFF. PROVIDE 2-A5145'S FOR NAVY PROJECTS ONLY.
MOUNT 1-A5145 AT 1219 [4'-0"] AFF AND 1-A5145 AT 1524 [5'-0"] AFF.
6. LENGTH OF E1500, WALL MOUNTED RAIL, TO BE DETERMINED BY MANUFACTURER/INSTALLER.
7. PROVIDE CIPHER LOCK FOR DOOR.
8. A RECLINING CHAIR MAY BE USED INSTEAD OF A BED.
9. S4800, STERILIZER, IS FOR NAVY PROJECTS ONLY.
10. VISUAL TEMPERATURE AND HUMIDITY GAUGES. SENSORS AND VISUAL GAUGES MAY BE COMBINED IN A SINGLE UNIT. MOUNT TOP OF GAUGES AT 1372 [4'-6"] AFF.

TX EYE PRK/LASIK (TREY3)

OPHTHALMOLOGY/OPTOMETRY

FLOOR/EQUIPMENT PLAN


26.02 NSM (280 NSF)

DATE: 01/28/2002

0 1000 2000



1:50 SCALE (MILLIMETERS)



NOTES

1. PROVIDE BATTERY BACKUP FOR ALL LIGHT FIXTURES.
2. COORDINATE WITH EQUIPMENT MANUFACTURER FOR ANY ELECTRONIC BALLAST INTERFERENCE.

TX EYE PRK/LASIK (TREY3)

OPHTHALMOLOGY/OPTOMETRY

CEILING PLAN


DATE: 01/28/2002

26.02 NSM (280 NSF)


0 1000 2000




1:50 SCALE (MILLIMETERS)



NORTH



SOUTH



C0041
CT030(5)

WEST

General Notes:

1. For typical equipment mounting heights see "TYPICAL EQUIPMENT MOUNTING HEIGHTS" drawing.
2. MIL-STD-1691 data can only be accessed from the Equipment Plan.

KEY NOTES

1. LENGTH OF E1500, WALL MOUNTED RAIL, TO BE DETERMINED BY MANUFACTURER/INSTALLER.
2. MOUNT A5145, HOOK, AT 1372 [4'-6"] AFF.

TX EYE PRK/LASIK (TREY3)

OPHTHALMOLOGY/OPTOMETRY

ELEVATIONS

26.02 NSM (280 NSF)

0 1000 2000



DATE: 01/28/2002

1:50 SCALE (MILLIMETERS)

Project Rooms (User Contents Only)

As of 10/04/2005

Page 1

Room Code: TREY3 Room Qty: 1 Room Area: 280.04 Room Description: TX EYE PRK/LASIK

JSN	NOMENCLATURE	Qty	UNIT	LOG	Utl	Utl	Utl	Utl	Utl	Utl
			ISSUE	CAT	1	2	3	4	5	6

Equipment per Room:

A1066	Mirror, Float Glass, With SS Frame, 36X18	1	EA	A
A4015	Clock, Elapsed Time, Electric	1	EA	A	.	A	.	.	.	D
A5075	Dispenser, Soap, Disposable	1	EA	C
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	EA	A
A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	1	EA	C
A5145	Hook, Garment, Double, SS, Surface Mounted	2	EA	A
C0041	Rail, Apron, 4x60x1	2	EA	A
C03P0	Cabinet, Sink, U/C/B, 2 Door, 36x30x22	1	EA	A
CS090	Sink, SS, Single Compartment, 7.5x19x16 ID	1	EA	A	D
CT030	Countertop, High Pressure Laminate	13	LF	A
E0210	Worksurface, w/Overhead Cab, Wall Mtd, 48" W	1	EA	C	.	A
E0903	Locker, Supply, w/Shelves, Wall Mtd, 23"W x 20"D	4	EA	C
E1500	Rail, MOD, W/MNTD, HX144XD	1	EA	C
F0205	Chair, Side With Arms	1	EA	C
F0280	Chair, Swivel, Low Back	1	EA	C
F2010	Basket, Wastepaper, Step-On	1	EA	C
F3200	Clock, Battery, 12" Diameter	1	EA	C
M1620	Holder, Chart, Patient, Wall or Door Mounted	1	EA	A
M1800	Computer, Microprocessing, w/CRT Monitor	1	EA	C	.	A
M5030	Stool, Surgeon, Revolving	2	EA	C
M5518	Laser, Corneal Surgery	1	EA	C	.	F
M5615	Microkeratome	1	C	.	A
M8810	Stand, Mayo	2	EA	C
M8900	Carriage, Pail, CRS, Without Pail	1	EA	C
M8905	Pail, Utility, CRS, Without Carriage	1	EA	C
M8925	Stand, Basin, CRS, Mobile, Single	1	EA	C
S4800	Sterilizer, SURG INSTRU & Dressing, 10" DIA CHMB	1	EA	C	.	A

=====

GRAND TOTAL

46