



Room Description: Eyelane (EYEL1)	NSF: 180	EYEL1	
Sheet Description: Room/Equipment Isometric	Scale:	Sheet 1	of 6



EYEL1 - CEILING MOUNTED EQUIPMENT PLAN

Room Description: Eyclane (EYEL1)	NSF: 180	EYEL1	
Sheet Description: Ceiling Mounted Equipment Plan	Scale: 1/4" = 1'-0"	Sheet 2	of 6




EYEL1 - NOTES

- 1 Coordinate JSN M5562, Tester, Visual Acuity, with JSN M5600, Unit, Exam, Eye, to assure a straight line distance of 18'-11 1/8" from face of the screen, JSN M5562, Tester, Visual Acuity, to the front surface of the headrest, JSN M5600, Unit, Exam, Eye.
- 2 If equipment pole is mounted on the JSN M5016, Desk, Refraction, instead of beside M5600, Unit, Exam, Eye, JSN M5016, Desk, Refraction, may need to be relocated.
- 3 Lighting controls shall be integrated with JSN M5016, Desk, Refraction.

Room Description: Eyelane (EYEL1)	NSF: 180	EYEL1	
Sheet Description: Equipment Plan	Scale: 1/4" = 1'-0"	Sheet 3	of 6




EYEL1 - NORTH ELEVATION




EYEL1 - SOUTH ELEVATION


Room Description: Eyelane (EYEL1)	NSF: 180	EYEL1	
Sheet Description: Interior Room Elevations	Scale: 1/4" = 1'-0"	Sheet 4	of 6



EYEL1 - EAST ELEVATION



EYEL1 - WEST ELEVATION



EYEL1 - NORTH ELEVATION 2

Room Description: Eyelane (EYEL1)	NSF: 180	EYEL1	
Sheet Description: Interior Room Elevations	Scale: 1/4" = 1'-0"	Sheet 5	of 6

EYEL1 - EQUIPMENT SCHEDULE

JSN	Nomenclature	Qty	LF	Funding Category	LOGCAT
A1066	Mirror, Float Glass, With SS Frame	1		RPIE	A
A5075	Dispenser, Soap, Disposable	1		PP	C
A5145	Hook, Garment, Double, SS, Surface Mounted	1		RPIE	A
E0945	Mobile, Workstation	1		PP	C
F0205	Chair, Side With Arms	1		PP	C
F2010	Basket, Wastepaper, Step-On	1		PP	C
F3200	Clock, Battery, 12" Diameter	1		PP	C
M1801	Computer, Microprocessing, w/Flat Panel Monitor	1		PP	C
M4200	Otoscope/Ophthalmoscope, Wall Mounted	1		PP	C
M5016	Desk, Refraction w/console, w/o Sink	1		RPIE	A
M5030	Stool, Surgeon, Revolving	1		PP	C
M5530	Lamp, Slit, w/Applanation Tonometer	1		PP	C
M5535	Ophthalmoscope, Binocular, Indirect	1		PP	C
M5545	Ophthalmometer/Keratometer	1		PP	C
M5562	Tester, Visual Acuity, Video/Microprocessor Based	1		PP	C
M5600	Unit, Exam, Eye, w/Motor Chair, Phoropter	1		PP	C
M5705	Gauge, Distance, Pupillary	1		PP	C
P3100	Lavatory, Vitreous China, Slab Type	1		RPIE	A

Room Eyelane (EYEL1) Description:	NSF: 180	EYEL1	
Sheet Description: Equipment Schedule	Scale:	Sheet 6	of 6