

Combat Center Building. FAC: 1402

CATCODE: 141446

OPR: AFNIC

OCR: AF/A30-A

Updated 10 Apr 23

1.1. **Description.** Facility designed to provide command and control (C2) to air, space, and cyberspace forces. This facility may have augmentation from other Services and components. It can be an Air Operating Center, (AOC), Joint Air Operations Center (JAOC), Combined Air Operation Center (CAOC), or other C2 Center. This CATCode is for the unclassified area. All SCIF space will be captured in CATCode 140422 SCIF.

1.2. **Requirements Determination.** Contact the MAJCOM for non-administrative mission specific space requirements.

1.3. **Scope Determination.** The administration spaces, office sizes, conference rooms, break rooms etc. are based on Facility Class 6, Administrative; Category Group 61, Administrative and Administrative Support Spaces. See Table 1.1.

1.4. **Design Considerations.** Obtain additional information from MAJCOM sources.

Table 1.1 Administrative Space Requirements

Offices/Functions	Office Type	
	m ²	ft ²
Private Offices		
Squadron Commander	C	
Deputy Squadron Commander	C	
Director of Operations	D	
Squadron CEM, SEL or Superintendent	D	
Flight Chiefs	D	
First Sergeant	D	
Open Offices		
Branch Chiefs, Section Chiefs, Supervisors, Superintendents, NCOICs, Flight Deputies, Executive Officers, Assistant Director of Operations	E	
Intelligence staff, Weapons officer, targeteer etc., staff with Multiple Monitor Workspace	E	
Full Time Staff, Contractors (>40hr or FTE)	F	
Contractor (25-50% of FTE) or Reservists (25-50% of FTE)	G	
Telework / Hoteling Desk	G	

Contractor (<25% of FTE) or IMA/Reservist (< 25% of FTE)	H	
Limited Admin, Drop-in Task Stations/Testing Stations/Kiosks	H	
Special Purpose Spaces		
Unit Meeting Spaces	See FC-6, CG-61 Admin	
Computer, Server, Communications	User Justified	
Break Room	See FC-6, CG-61 Admin	
Customer Service	User Justified	
Special Purpose Storage	User Justified	
SIPR room (see note 2 below)	7.43 m ²	80 sf
Large Format Plotter (EA)	5.57 m ²	60 sf
Waiting Areas (per person)	1.86 m ²	20 sf
<p>NOTES:</p> <ol style="list-style-type: none"> 1. See Tables 1.2 through 1.4 in CG 6 Admin Overview. 2. SIPR rooms are shared secure computer SIPR Net rooms (a.k.a., SIPR café) with multiple SIPR stations for unit use. Each SIPR station is authorized 20 sf. A SIPR room is sized at the greater of the total number of SIPR stations x 20 sf or 80 sf minimum. If safes are stored in this room, the net SF is increased by the footprint of the safes. 		