

Social Actions Facility. FAC: 6100

CATCODE: 610911

OPR: AF/A1S

OCR: N/A

1.1. **Description.** This facility supports the Air Force Social Actions Program (AFI 36-2706, *Military Equal Opportunity (MEO) Program*).

1.2. **Requirements Determination.** Each installation requires a Social Actions facility. The facility should be in a central location with access and convenience to the Wing Staff offices, enlisted dormitory facilities, and other base offices that may refer personnel to the social actions office.

1.3. Scope Determination.

1.3.1. Provide lecture/seminar classrooms with room dividers used primarily for Equal Opportunity/Human Relations instruction. Other uses include training, committee meetings, councils, and associated forums involved in social action work. Rooms should be specifically designated to accommodate “state of the art” audio-visual equipment modeled after base education classrooms. Ensure adequate space for use of audio-visual aids and experimental training exercises.

1.3.2. For each authorized Social Actions position, provide a Type D office. Provide one Type C office for mediation. See **Table 1.1**

1.4. **Dimensions.** See **Table 1.1**.

1.5. Design Considerations.

1.5.1. Sound proofing is necessary between administrative offices and consultation areas.

1.5.2. The facility requires special consideration to provide features that promote accomplishment of program objectives. This involves providing an environment that visitors perceive as non-threatening and one that encourages free access and expression. From a design standpoint, this means that counseling rooms require floor-to-ceiling walls to ensure privacy. The interior design should create an environment that has a non-institutional character.

Table 1.1. Authorized Spaces for Social Action Facility.

| Offices | Office Type (see FC-6 CG-61 Admin Overview Table 1.2 and 1.2.1) | Qty |
|---|---|-----------------------|
| Chief/Director | C | 1 |
| Deputy, Flight Chiefs | D | 1 |
| All others | F-H | 2 |
| Lecture/seminar classrooms for 30 max | See FC-6 CG-61 Admin Overview Table 1.4 | |
| Special Purpose Spaces | m² | ft² |
| Counseling/Meditation Rooms | 13.9 | 150 |
| Break Room | See FC-6 CG_61 Admin Overview Table 1.3 | |
| Storage | User justified | |
| Equal Employment Opportunity (EEO) Discussion Room. ¹ | 5.9 | 64 |
| <p>NOTES:</p> <p>1. 1 per 10 organizational personnel. No more than 4 discussion rooms are authorized per installation.</p> | | |