

Rod and Gun Club. FAC: 7414

CATCODE: 740315

OPR: AF/A1S

OCR: AFSVA

1.1. **Description.** The building includes an operator’s office, storage and sales areas, gun and ammunition maintenance, projector area, toilets, and lounge.

1.2. **Requirements Determination.** Land and building requirements are given in **Table 1.1**. The land and building space allocations may be used in one facility or divided between facilities. Land areas shown are the recommendations of the National Shooting Sports Foundation and National Rifle Association.

1.3. **Scope Determination.** **Table 1.1** shows maximum authorized scope only, not the scope that may be approved. Base the scope used for programming, budgeting and design on need as documented by a professional, in-depth market survey. Because of higher utilization of overseas facilities, consider adding 5 to 10 percent to authorized scope for these facilities (including Alaska and Hawaii). DoD civilians assigned to overseas facilities are to be counted as active duty strength for facility sizing purposes (including Alaska and Hawaii). Contact MAJCOM Director of Services for current criteria and guidelines.

1.4. **Dimensions.** See **Table 1.1**.

1.5. **Design Considerations.** Contact OPR for latest requirements and guidance.

Table 1.1. Space Allowances for Rod and Gun Clubs.

Total Customer Base ¹	Land Area					
	Skeet Range		Trap Range		Facility Gross Area	
	m	ft	m	ft	m ²	ft ²
Up to 100	None		None		None	
101 to 10,000	335 x 732	1,100 x 2,400	335 x 549	1,100 x 1,800	369	3,950
10,001 to 15,000	335 x 732	1,100 x 2,400	335 x 576	1,100 x 1,890	399	4,300
15,001 to 20,000	335 x 732	1,100 x 2,400	335 x 604	1,100 x 1,980	423	4,550
20,001 to 25,000	335 x 732	1,100 x 2,400	335 x 631	1,100 x 2,070	446	4,800
25,001 to 30,000	335 x 732	1,100 x 2,400	335 x 658	1,100 x 2,160	474	5,100
30,001 to 40,000	335 x 777	1,100 x 2,550	335 x 686	1,100 x 2,250	492	5,300
40,001 and above	335 x 823	1,100 x 2,700	335x 713	1,100 x 2,340	511	5,500

NOTES:

1. Total customer base is defined as military strength plus 5 percent of dependent population and 15 percent of retired strength served. Verify the total customer base with a PVA.