

**LEADING MANUFACTURER OF
STEEL TO POLYETHYLENE
TRANSITION FITTINGS
SINCE 1965.**

**USED OR APPROVED BY MOST
MAJOR GAS AND OIL COMPANIES
THROUGHOUT THE WORLD.**

- ▶ **ELIMINATES HUMAN ERROR IN
PLASTIC-TO-STEEL CONNECTIONS.**
- ▶ **ALL WELDS 100%
PRESSURE TESTED.**


2.1 2.1.1.1 2.2.1

DOUBLE 'O' SEAL™ TRANSITION FITTINGS

- **THE CENTRAL "DOUBLE 'O' SEAL"™
TRANSITION FITTING IS
"THE FAILSAFE SYSTEM."**
- **FAR EXCEEDS HYDROSTATIC
BURST PRESSURE AND
TENSILE STRENGTH OF
POLYETHYLENE PIPE.**

"DOUBLE 'O' SEAL"™
TAMPERPROOF—
GAS TIGHT

AMPLE LENGTH FOR MAKING
SEVERAL WELDS
SHOULD ONE BE FAULTY



MEETS:

- **ASTM D2513**
- **ASTM D638**
- **DOT 192-283**

**CSA APPROVED
'MO LISTED**

- **ONE PIECE ASSEMBLY
ELIMINATES ALL
LOOSE PARTS.**
- **JOINED PERMANENTLY UNDER
CONTROLLED CONDITIONS.**
- **WITH "THE FAILSAFE SYSTEM."
JUST WELD IT AND FORGET IT.**
- **EACH FITTING CARRIES A
PERMANENTLY RECORDED
SERIAL NUMBER.**

CENTRAL PLASTICS COMPANY
BOX 3129 SHAWNEE, OKLAHOMA USA 74801
(405) 273-6302
TOLL FREE (800) 654-3872
FACSIMILE (405) 273-5993 or 1-800-733-5993



"DOUBLE 'O' SEAL"™
TRANSITION FITTINGS
AVAILABLE IN:




2.1

2.1.1.1

2.2.1

**WELD-END
 THREADED
 FLANGED
 VICTAULIC**

**EXTERNAL EPOXY COATING
 INTERNAL EPOXY COATING
 PLASTIC TO PLASTIC**



These are furnished with your choice of polyethylene pipe and all steel surfaces coated with epoxy coating.

Description	PART NO.	A	B
Steel x Plastic			
3/4" IPS x 1/2" CTS	650-756200-	12"	12 5/8"
3/4" IPS x 1/2" IPS	650-755000-	12"	12 7/8"
3/4" IPS x 3/4" IPS	650-757500-	12"	12 7/8"
1" IPS x 1" IPS	650-010100-	12"	13 1/8"
1 1/4" IPS x 1 1/4"	650-121200-	12"	13 3/8"
1 1/2" IPS x 1 1/2"	650-151500-	12"	13 5/8"
2" IPS x 2" IPS	650-020200-	12"	13 7/8"
3" IPS x 3" IPS	650-030300-	12"	14 7/8"
4" IPS x 4" IPS	650-040400-	12"	14 7/8"
6" IPS x 6" IPS	650-060600-	17 1/2"	17 7/8"
8" IPS x 8" IPS	650-080800-	24 1/2"	22 7/8"
10" IPS x 10" IPS	650-101000-	22 1/2"	27"
12" IPS x 12" IPS	650-	20 1/2"	29 1/8"

THREADED "DOUBLE 'O' SEAL"™ TRANSITION FITTINGS

These are furnished with male threads and customer choice of polyethylene pipe. These are available with optional internal * or external epoxy coating.

Description	PART NO.	A	B
Steel x Plastic			
3/4" IPS x 1/2" CTS	650-7562	12"	4"
3/4" IPS x 1/2" IPS	650-755000-	12"	4"
3/4" IPS x 3/4" IPS	650-757500-	12"	3 1/4"
1" IPS x 1" IPS	650-010100-	12"	3 1/4"
1 1/4" IPS x 1 1/4" IPS	650-121200-	12"	3 1/4"
1 1/2" IPS x 1 1/2" IPS	650-151500-	12"	3 1/4"
2" IPS x 2" IPS	650-020200-	12"	3 1/4"
3" IPS x 3" IPS	650-030300-	12"	3 1/4"
4" IPS x 4" IPS	650-040400-	12"	3 1/4"
6" IPS x 6" IPS	650-060600-	17 1/2"	5 1/4"
8" IPS x 8" IPS	650-080800-	24 1/2"	5 1/4"
10" IPS x 10" IPS	650-101000-	22 1/2"	5 1/4"
12" IPS x 12" IPS	650-	20 1/2"	5 1/4"

* For precise measurements contact factory

FLANGED "DOUBLE 'O' SEAL"™ TRANSITION FITTINGS

Either external or internal * epoxy protective coating. Standard 150 lb. flange.

Description	PART NO.	A	B
2" x 2" IPS	650-0202	12"	3 5/8"
3" x 3" IPS	650-0303	12"	4 5/8"
4" x 4" IPS	650-0404	12"	5 13/16"
6" x 6" IPS	650-0606	12"	7 13/16"
8" x 8" IPS	650-0808	12"	9 1/2"

**SIZES NOT LISTED CAN BE
 FURNISHED ON REQUEST.**


* Internally Coated Transitions Have One O-Seal

POLYETHYLENE FITTINGS

PE2406

2.1
2.1.1.1

2.2.1



Price List
Effective September 1, 1991
Supersedes All Previous Price Lists

All fittings are manufactured to comply with ASTM D2513 specifications. Socket fusion fittings comply with ASTM D2683 requirements. Butt fusion fittings comply with ASTM D3261 requirements.

Central's fittings are molded from PE2406 (yellow) polyethylene resins in accordance with the requirements of ASTM D1248.

Metric Sizes Available
Contact manufacturer for price and delivery

CENTRAL PLASTICS COMPANY
BOX 3129 SHAWNEE, OKLAHOMA USA 74801
(405) 273-6302
1-(800) 654-3872
FACSIMILE (405) 273-5993

2.1 2.1:1.1 2.2.1



Important Ordering Information

1. Provide vertical and horizontal dimensions
2. Provide type, size, and SDR's of plastic pipe preferred
3. Indicate threaded pipe size needed


METER RISERS

Anodeless Riser

- Used Or Approved By Most Major Gas Utilities
- Meets ASTM D2513 And D.O.T. 192.283
- CSA Approved And IAMPO Listed
- Schedule 40 Steel Epoxy Coated Casing

Transition Riser Or Compression Riser

- Schedule 40 Steel Epoxy Coated Casing
- Available With Or Without Anode
- Meets ASTM D2513 And D.O.T. 192.283
- CSA Approved And IAMPO Listed



Anodeless Riser

Transition Riser

Compression Riser



CENTRAL PLASTICS COMPANY
BOX 3129 SHAWNEE, OKLAHOMA USA 74801
(405) 273-6302
1-(800) 854-3672
FACSIMILE (405) 273-5693



2.1 2.1.1.1 2.2.1
CALL TOLL FREE:
1-(800) 654-3872
OR FAX:
1-(800) 733-5993

Price List
 Revised February 1994
 Supersedes All Previous Price Lists

ANODELESS SERVICE RISERS

Prebent (36V x 24H)
 Standard Sizes (30V x 30H)

Size
Steel x Plastic
3/4" MPT x 1/2" CTS (5/8" O.D.)
3/4" MPT x 1/2" IPS
3/4" MPT x 3/4" IPS
3/4" MPT x 1" CTS (1 1/8" O.D.)
1" MPT x 1/2" CTS (5/8" O.D.)
1" MPT x 1/2" IPS
1" MPT x 3/4" IPS
1" MPT x 1" CTS (1 1/8" O.D.)
1" MPT x 1" IPS
1 1/4" MPT x 3/4" IPS
1 1/4" MPT x 1" CTS (1 1/8" O.D.)
1 1/4" MPT x 1" IPS
1 1/4" MPT x 1 1/4" IPS
1 1/2" MPT x 1 1/2" IPS
2" MPT x 2" IPS

TRANSITION SERVICE RISERS

Standard Sizes (24V x 36H)
 (30V x 30H)
 (36V x 24H)

PACKAGE QTY.	Part No.	Size Steel x Plastic
15	600-7562----	3/4" MPT x 1/2" CTS (5/8" O.D.)
15	600-7550----	3/4" MPT x 1/2" IPS
15	600-7575----	3/4" MPT x 3/4" IPS
12	600-0175----	1" MPT x 3/4" IPS
12	600-0111----	1" MPT x 1" CTS (1 1/8" O.D.)
12	600-0101----	1" MPT x 1" IPS
8	600-0112----	1" MPT x 1 1/4" IPS
8	600-1212----	1 1/4" MPT x 1 1/4" IPS
6	600-1515----	1 1/2" MPT x 1 1/2" IPS
3	600-0202----	2" MPT x 2" IPS
10	600-0303----	3" MPT x 3" IPS

Please Designate Vertical and Horizontal Dimensions (See Standards Above), Type of Polyethylene, And SDR Number.

For Tracer Wire/Anode Connection Add 75 Cents
 Add 15% For Special SDR Plastic Pipe
 Other Sizes Furnished Upon Request

OTHER CONFIGURATIONS AVAILABLE

MINIMUM ORDER QUANTITIES MAY APPLY

For All Large Volumes Inquiries Contact Central Plastics Company (405) 273-6302

Minimum Billing: \$50.00

Surcharge: Special Packaging, Breaking Carton Quantity (Risers Or Dielectric Unions @ \$12.00). Expediting, Or Non-Standard Items. ± 5% Of Ordered Quantities Will Be Considered Complete Unless Otherwise Requested.

Terms: 1% 10 Days, Net 30 Days Delinquency Charge of 2% Per Month.

Freight: F.O.B. Shawnee, Oklahoma—Allowed On \$1,800.00 Within Continental U.S.A. (Can Be Combined With Other Products)
 Prices Subject To Change Without Notice.

Note: All Risers Will Be Bulk Boxed Unless Otherwise Requested