

Run Summary -

Logging times:

	mm/dd/yyyy	hh:mm:ss	Duration hh:mm:ss.ss
Start of run	11/21/2002	13:29:07	
End of run	11/21/2002	13:30:04	
Duration of run			00:00:57.46
Total pause time			00:00:00.00

Overload occurred	No	00:00:00.00
Total overload time		
Under-range occurred	Yes	
Low battery occurred	No	

User calibration information:


Instrument last checked on	10/28/2002	19:35:31
Input	Microphone	

Setup information:

Setup name	User Setup 1
Model number	CEL-480 Version 2.1
Serial number	091623
Run Mode	Third-octave band SLM
Frequency weighting for RMS	A, Z
Frequency weighting for Peak	Z
Time weighting	Fast
Measurement range	50 - 120 dB
Exchange rate (Q)	3
Period scan type	Automatic
Period band scan time	n.a.
Scan repeat time	Single scan

dB

Air Compressor



Hz

Run Summary -

Logging times:

	mm/dd/yyyy	hh:mm:ss	Duration hh:mm:ss:ss
Start of run	11/21/2002	13:31:28	
End of run	11/21/2002	13:32:25	
Duration of run			00:00:57.33
Total pause time			00:00:00.00

Overload occurred	No	00:00:00.00
Total overload time		
Under-range occurred	Yes	
Low battery occurred	No	

User calibration information:


Instrument last checked on	10/28/2002	19:35:31
Input	Microphone	

Setup information:

Setup name	User Setup 1
Model number	CEL-480 Version 2.1
Serial number	091623
Run Mode	Third-octave band SLM
Frequency weighting for RMS	A, Z
Frequency weighting for Peak	Z
Time weighting	Fast
Measurement range	50 - 120 dB
Exchange rate (Q)	3
Period scan type	Automatic
Period band scan time	n.a.
Scan repeat time	Single scan

dB

Air Compressor



Hz

- Run Summary -

Logging times:

	mm/dd/yyyy	hh:mm:ss	Duration hh:mm:ss:ss
Start of run	11/21/2002	13:42:51	
End of run	11/21/2002	13:43:48	
Duration of run			00:00:57.28
Total pause time			00:00:00.00

Overload occurred	No		
Total overload time			00:00:00.00
Under-range occurred	Yes		
Low battery occurred	No		

User calibration information:


Instrument last checked on	10/28/2002	19:35:31
Input	Microphone	

Setup information:


Setup name	User Setup 1
Model number	CEL-480 Version 2.1
Serial number	091623
Run Mode	Third-octave band SLM
Frequency weighting for RMS	A, Z
Frequency weighting for Peak	Z
Time weighting	Fast
Measurement range	50 - 120 dB
Exchange rate (Q)	3
Period scan type	Automatic
Period band scan time	n.a.
Scan repeat time	Single scan


dB

Air Compressor



Hz





CEL 250

S/N 4117

CAP=17.0pF

SEN= -24.2 dBV/Pa @200Hz



— ZERO DEGREE INCIDENCE

- - - ACTUATOR PRESSURE RESPONSE

CEL INSTRUMENTS LTD
35-37 BURY MEAD RD
HITCHIN
HERTS, UK
SG5 1RT
TEL (01462) 422411
FAX (01462) 422511