





REVISIONS				
SYM	DESCRIPTION	PREPARED BY	DATE	APPROVED



- NOTES:
- WHERE TYPE 1 AND TYPE 2 CONNECTIONS OCCUR AT THE SAME BEAM-COLUMN INTERSECTION, PROVIDE BEAM-COLUMN CONNECTION SHOW IN TYPE 2 DETAIL (3/S5-5).
 - WHERE NO BRACE INTERSECTIONS OCCUR, BEAM TO COLUMN CONNECTIONS WILL BE DESIGNED AS REQUIRED IN GENERAL NOTES E.3 & E.6 ON S1-1.
 - CONNECTION NOTED AT FRAME 10 IS SIMILAR TO 1/S5-5 EXCEPT THE WORKING POINT IS THE INTERSECTION OF THE BEAM CENTERLINE, BRACE CENTERLINE, AND FACE OF COLUMN FLANGE.
 - CONNECTION NOTED AT FRAME 10 IS SIMILAR TO 1/S5-5 EXCEPT THE WORKING POINT IS THE INTERSECTION OF THE BRACE CENTERLINE, TOP OF STEEL BEAM, AND FACE OF COLUMN FLANGE.



IF SHEET IS LESS THAN 28"X42", IT IS A REDUCED PRINT. SCALE REDUCED ACCORDINGLY.

S3-1

MEDICAL/DENTAL CLINIC			
BRACED FRAME ELEVATIONS			
SIZE	CODE IDENT. NO.	DRAWING NO.	8144675
F	XXXXX	CONST. CONTR. NO.	
SCALE: AS SHOWN	SPEC: 11996048	SHEET 120 OF 316	