

REVISIONS				
SYM	DESCRIPTION	PREPARED BY	DATE	APPROVED

DOOR SCHEDULE

THE DOOR SCHEDULE:

THE DOOR SCHEDULE LISTS THE DOORS IN THE PROJECT.
IT LISTS DOOR NUMBERS WHICH ARE SHOWN ON THE
ARCHITECTURAL FLOOR PLANS ON THE A2 SERIES DRAWINGS.

GENERAL NOTES:

1. PROVIDE INTERIOR OR EXTERIOR THRESHOLDS (NOTED AS "IT" OR "EXT" IN THE DOOR SCHEDULE) AS SHOWN ON DRAWING A5-4 TO CORRESPOND TO THE FINISHES SHOWN ON BOTH SIDES OF THE DOOR IN THE FINISH SCHEDULE (TYPICAL)
2. SEE THE FINISH SCHEDULE FOR FINISHES REQUIRED ON WOOD DOORS AND STL. DOOR FRAMES.

ABBREVIATIONS USED IN THE DOOR SCHEDULE:

ALUM.	ALUMINUM
DET	DETAIL
DP	PAIN T COLOR FOR STEEL DOOR FRAMES (SEE A4 SERIES DRAWINGS)
HDW SET	HARDWARE SET NUMBERS (SEE SPECIFICATIONS)
H1	HEAD DETAILS (SEE A5 SERIES DRAWINGS)
J1	JAMB DETAILS (SEE A5 SERIES DRAWINGS)
LL	LEAD LINED
SIGN NO	DOOR SIGNAGE (SEE A19 SERIES DRAWINGS)
SIM	SIMILAR
STL.	STEEL (SEE A5 SERIES DRAWINGS)
#	NUMBER

NOTES IN THE REMARKS COLUMN ARE AS FOLLOWS:

1. PAIR OF DOORS WITH UNEQUAL LEAFS:
ACTIVE LEAF SHALL BE THE LARGER LEAF AND INACTIVE LEAF
SHALL BE THE SMALLER ONE.

			T H I C K N E S S	T Y P E	F R A M E		W E A T H E R S T R I P	L I G H T P R O O F	S O U N D P R O O F	S H I E L D				T H R E S H H O L D	P A I N T N O	S I G N N O		
DOOR #	WIDTH	HEIGHT				FIRE RATING					HDW. SET	JAMB NO.	HEAD NO.				ROOM NAME	REMARKS
1A03	915	2135	45	A	STL.						101	J1	H1	IT	DP3	—	TRICARE OFFICE	
1A04	915	2135	45	A	STL.						101	J1	H1	IT	DP3	—	TRICARE OFFICE	
1A05	915	2135	45	A	STL.						101	J1	H1	IT	DP3	—	TRICARE OFFICE	
1A06	915	2135	45	A	STL.						101	J1	H1	IT	DP3	—	TRICARE OFFICE	
1A07	915	2135	45	A	STL.						101	J1	H1	IT	DP3	—	TRICARE OFFICE	
1A08	915	2135	45	A	STL.						101	J1	H1	IT	DP3	—	PHARM. OFFICE	
1A09	915	2135	45	A	STL.						104	J1	H1	IT	DP3	—	W. TOILET	
1A10	915	2135	45	A	STL.						104	J1	H1	IT	DP3	—	LOUNGE	
1A11	915	2135	45	A	STL.						103	J1	H1	IT	DP3	—	JAN.	
1A12	915	2135	45	A	STL.						104	J1	H1	IT	DP3	—	M. TOILET	
1A13	915	2135	45	A	STL.						102	J1	H1	IT	DP3	—	STAFF. TLT.	
1A15	915	2135	45	A	STL.						106	J1	H1	IT	DP3	—	COUNSELING	
1A15A	915	2135	45	A	STL.						106	J1	H1	IT	DP3	—	COUNSELING	
1AC1	PR 915	2135	45	H	ALUM.		X				2	J7	H5a	EXT	*	—	CENTRAL WAITING	* CLEAR ANODIZED ALUM. DOOR FRAME
1AC2	915	2135	45	B	STL.						126	J1	H1	IT	DP3	—	CORRIDOR	
1AC3	915	2135	45	F	STL.		X				1	J4	H4	EXT	DP3	—	CORRIDOR	
1AC4	915	2135	45	B	STL.						106	J1	H1	IT	DP3	—	CORRIDOR	
1AC5	915	2135	45	A	ALUM.						107	J6, J7	H5	IT	*	—	CORRIDOR	* CLEAR ANODIZED ALUM. DOOR FRAME
1AC5a	915	2135	45	F	STL.		X				1	J4	H4	EXT	DP3	—	CORRIDOR	
1B01	915	2135	45	A	STL.						101	J1	H1	IT	DP3	—	RECEPT.	
1B02	915	2135	45	A	STL.						102	J1	H1	IT	DP3	—	SPECIMEN TOILET	
1B03	915	2135	45	A	STL.						101	J1	H1	IT	DP3	—	BLOOD DRAW	
1B04	915	2135	45	A	STL.						113	J1	H1	IT	DP3	—	LAB	
1B04A	915	2135	45	A	STL.						109	J1	H1	IT	DP3	—	LAB	
1B05	915	2135	45	A	STL.						102	J1	H1	IT	DP3	—	PAT./STAFF TLT.	
1B06	915	2135	45	A	STL.						101	J1	H1	IT	DP3	—	LAB OFF.	
1B07	915	2135	45	A	STL.						102	J1	H1	IT	DP3	—	DRESS	
1B08	915	2135	45	A	STL.						112	J1	H1	IT	DP3	—	CENT. STO.	
1B09	915	2135	45	A	STL.						102	J1	H1	IT	DP3	—	DRESS	
1B10	915	2135	45	B	STL.						112	J1	H1	IT	DP3	—	STAFF LOUNGE	
1B11	915	2135	45	A	STL.						102	J1	H1	IT	DP3	—	STAFF TLT.	
1B12	915	2135	45	A	STL.						112	J1	H1	IT	DP3	—	CLEAN SUP. & EQUIP.	
1B13	915	2135	45	A	STL.						101	J1	H1	IT	DP3	—	RECEPT.	
1B14	915	2135	45	A	STL.						111	J1	H1	IT	DP3	—	SOIL. UTL.	
1B15	915	2135	45	A	STL.						111	J1	H1	IT	DP3	—	FILM VIEW	
1B16	915	2135	45	A	STL.						112	J1	H1	IT	DP3	—	JAN. CL.	
1B17	915	2135	45	A	STL.						114	J1	H1	IT	DP3	—	TECH. WK. RM.	
1B19	1220	2135	45	C	STL.					LL	115	J3	H3	IT	DP3	—	RADIOGRAPHIC ROOM	
1B19A	915	2135	—	—	STL.						N/A	J2	H3	IT	DP3	—	RADIOGRAPHIC ROOM	
1B21	915	2135	45	A	STL.						110	J1	H1	IT	DP3	—	COMM. RM.	
1B23	915	2135	45	A	STL.						110	J1	H1	IT	DP3	—	ELEC. RM.	
1BC1	915	2135	45	A	ALUM.						109	J6, J7	H5	IT	*	—	CORRIDOR	* CLEAR ANODIZED ALUM. DOOR FRAME
1BC2	915	2135	45	A	ALUM.						109	J6, J7	H5	IT	*	—	CORRIDOR	* CLEAR ANODIZED ALUM. DOOR FRAME
1BC3	1065	2135	45	B	STL.						122	J1	H1	IT	DP3	—	CORRIDOR	
1BC4	915	2135	45	B	STL.						108	J1	H1	IT	DP3	—	CORRIDOR	
1BC4A	915	2135	45	F	STL.		X				9	J4	H4	EXT	DP3	—	CORRIDOR	
1BS2	915	2135	45	B	STL.	60 MIN.					105	J1	H1	IT	DP3	—	STAIR	
1BS2A	915	2135	45	E	STL.		X				1	J4	H4	EXT	DP3	—	STAIR	
1C02	915	2135	45	A	STL.						111	J1	H1	IT	DP3	—	RECP.T.	
1C03	915	2135	45	A	STL.						112	J1	H1	IT	DP3	—	JAN. CL.	
1C04	915	2135	45	A	STL.						114	J1	H1	IT	DP3	—	FITTING/ DISP.	
1C05	915	2135	45	A	STL.						101	J1	H1	IT	DP3	—	VISUAL FIELD	
1C06	915	2135	45	A	STL.						111	J1	H1	IT	DP3	—	SOIL. UTL. /TRASH	
1C07	915	2135	45	A	STL.						101	J1	H1	IT	DP3	—	OPT. EXAM/ OFF.	
1C08	915	2135	45	A	STL.						118	J1	H1	IT	DP3	—	SCREEN EYE TEST	
1C09	915	2135	45	A	STL.						101	J1	H1	IT	DP3	—	FUNDUS CAMERA RM.	
1C10	915	2135	45	A	STL.						101	J1	H1	IT	DP3	—	OPT. EXAM/ OFF.	
1C11	PR 915	2135	45	A	STL.						117	J1	H1	IT	DP3	—	ELECT CL.	
1C12	915	2135	45	A	STL.						102	J1	H1	IT	DP3	—	TOILET	
1C13	915	2135	45	A	STL.						110	J1	H1	IT	DP3	—	COMM. RM.	
1C14	915	2135	45	A	STL.						101	J1	H1	IT	DP3	—	HIST./INTV.	
1C15	915	2135	45	A	STL.						101	J1	H1	IT	DP3	—	PES ADMIN. OFFICE	
1C16	915	2135	45	A	STL.						101	J1	H1	IT	DP3	—	ECG TEST	
1C17	915	2135	45	A	STL.						101	J1	H1	IT	DP3	—	CHIEF AERO MED.	
1C18	915	2135	45	A	STL.						113	J1	H1	IT	DP3	—	PHYSICAL EXAM	
1C18A	915	2135	45	A	STL.						108	J1	H1	IT	DP3	—	PHYSICAL EXAM	
1C19	915	2135	45	A	STL.						118	J1	H1	IT	DP3	—	AUDIO	
1CC1	915	2135	45	B	STL.						108	J1	H1	IT	DP3	—	CORRIDOR	
1CC3	915	2135	45	F	STL.		X				9	J4	H4	EXT	DP3	—	CORRIDOR	
1CS3	915	2135	45	B	STL.	60 MIN.					116	J1	H1	IT	DP3	—	STAIR	
1D01	915	2135	45	A	STL.						111	J1	H1	IT	DP3	—	SL. LIN/TRASH	
1D02	915	2135	45	A	STL.						101	J1	H1	IT	DP3	—	INTERACTION STATION	
1D04	915	2135	45	B	STL.						102	J1	H1	IT	DP3	—	TOILET	
1D05	915	2135	45	A	STL.						101	J1	H1	IT	DP3	—	TRMT RM DIRTY PROC.	
1D06	915	2135	45	A	STL.						112	J1	H1	IT	DP3	—	SCOPE WASH/DECON	
1D06A	915	2135	45	B	STL.						121	J1	H1	IT	DP3	—	SCOPE WASH/DECON	
1D07	915	2135	45	A	STL.						101	J1	H1	IT	DP3	—	INTERACTION STATION	
1D08	915	2135	45	B	STL.						101	J1	H1	IT	DP3	—	INTERACTION STATION	
1D09	915	2135	45	A	STL.						101	J1	H1	IT	DP3	—	INTERACTION STATION	
1D10	915	2135	45	A	STL.						101	J1	H1	IT	DP3	—	INTERACTION STATION	
1D11	915	2135	45	A	STL.						101	J1	H1	IT	DP3	—	INTERACTION STATION	
1D12	915	2135	45	A	STL.						101	J1	H1	IT	DP3	—	SPECIMEN COLL LAB	
1D13	915	2135	45	A	STL.						101	J1	H1	IT	DP3	—	INTERACTION STATION	
1D14	915	2135	45	A	STL.						102	J1	H1	IT	DP3	—	SPECIMEN TOILET	
1D15	915	2135	—	—	STL.						N/A	J2	H2	IT	DP3	—	WTS. & MEAS. ROOM	
1D16	915	2135	45	A	STL.						113	J1	H1	IT	DP3	—	PROVIDER CUBICLES	
1D17	915	2135	45	A	STL.						112	J1	H1	IT	DP3	—	JAN CLO.	
1D18	915	2135	45	A	STL.						102	J1	H1	IT	DP3	—	TOILET	
1D19	915	2135	45	A	STL.						101	J1	H1	IT	DP3	—	MDIS VIEW	
1D20	915	2135	45	B	STL.						101	J1	H1	IT	DP3	—	APPMTS	
1D21	915	2135	45	A	STL.						114	J1	H1	IT	DP3	—	GROUP IS	

IF SHEET IS LESS THAN 28"x42", IT IS A REDUCED PRINT. SCALE REDUCED ACCORDINGLY.

A5-1

MEDICAL/DENTAL CLINIC			
DOOR SCHEDULE			
SIZE	CODE IDENT. NO.	DRAWING NO.	
F	XXXXXX	8144584	
CONST. CONTR. NO.			
SCALE:	AS SHOWN	SPEC.	11996048
		SHEET	79 OF 316