



LAB GLASSWARE WASHING ROOM (LBGW1)


5.03.10

PATHOLOGY LAB FOR HOSPITAL < 100 BEDS

FLOOR/EQUIPMENT PLAN


DATE: 04/24/2006





NOTES:

1 ALL FIXTURES ARE 1 X 4 (305 X 1219MM)
 RECESSED FLUORESCENT W/2 - T8 LAMPS




LAB GLASSWARE WASHING ROOM (TBD)




5.03.10

PATHOLOGY LAB FOR HOSPITAL < 100 BEDS

REFLECTED CEILING PLAN

DATE: 04/24/2006





KEY NOTE:

△ PROVIDE STERILIZER W/ 20"x20"x38" CHAMBER.


LAB GLASSWARE WASHING ROOM (LBGW1)

5.03.10

PATHOLOGY LAB FOR HOSPITAL < 100 BEDS

ELEVATIONS

DATE: 04/24/2006



Medical Equipment Room Guide Plates

5.03 Pathology Unit

Plate Number 5.03.10

Room Name: Lab Glassware Washing Room

SEPS# LBGW1

JSN	Nomenclature	Qty	Army	Navy	AF Cat	Utilities					
			Cat	Cat		1	2	3	4	5	6
A1000	Extinguisher, Fire	1	C	C	C	.	.	.	.	.	.
A5075	Dispenser, Soap, Disposable	1	C	C	C	.	.	.	.	.	.
A5080	Dispenser, Paper Towel	1	A	A	A	.	.	.	.	.	.
C05P0	Cabinet, Sink, U/C/B, 2 Door, 36x48x22	1	A	A	A	.	.	.	.	.	.
CE040	Cabinet, W/H, 2 SH, 2 GDO, Sloping Top	2	A	A	A	.	.	.	.	.	.
CS230	Sink, SS, Double Compartment, 10x14x16 ID	1	A	A	A	D	.	.	.	.	.
CT030	Countertop, High Pressure Laminate	5	A	A	A	.	.	.	.	.	.
CT050	Countertop, Stainless Steel	9.5	A	A	A	.	.	.	.	.	.
D0510	Cabinet, Base, Drop Door, Door, 36x24x24	1	A	A	A	.	.	.	.	.	.
D9280	Legs	1	A	A	A	.	.	.	.	.	.
F0280	Chair, Swivel, Low Back	1	C	C	C	.	.	.	.	.	.
K2515	Dishwasher, Household	1	A	A	A	D	A	.	.	.	.
L2337	Canopy, Hood	1	A	A	A	.	F	.	.	.	E
L8280	Oven, Drying, Medium, 2 Cu Ft	1	C	C	C	.	A	.	.	.	.
S0107	Sterilizer, Elec, GV, 1DO, CAB	1	A	A	A	D	F	.	.	.	.