




DESIGN NOTES

1. Construct all walls of masonry and GW and extend to the structure above.
2. Locate emergency flashing light(s) for the hearing impaired person(s).
3. Provide heavy gauge metal mesh door on Bulk Storage side with Keypad access.
4. Provide a visual alarm on the narcotics locker in the vault.
5. Provide a motion detector, wall mounted and facing the entry to the vault.
6. Provide touch key pad access to unit from adjacent corridor(s).

MEDIUM LAB URINALYSIS (LMUO3)

MILCARE

FLOOR/EQUIPMENT PLAN


DATE: 11/26/2002

25.08 NSM (270 NSF) MIN.

0 1000 2000



1:50 SCALE (MILLIMETERS)



1:50 SCALE (MILLIMETERS)

Project Rooms (User Contents Only)

As of 07/27/2005

Page 1

Room Code: LMU03 Room Qty: 1 Room Area: 236.24 Room Description: MEDIUM LAB URINALYSIS

JSN	NOMENCLATURE	Qty	UNIT ISSUE	LOG CAT	Utl 1	Utl 2	Utl 3	Utl 4	Utl 5	Utl 6
-----	--------------	-----	---------------	------------	----------	----------	----------	----------	----------	----------

Equipment per Room:

A1000	Extinguisher, Fire	1	EA	C	.	.	.	.	.	.
A5075	Dispenser, Soap, Disposable	1	EA	C	.	.	.	.	.	.
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	EA	A	.	.	.	.	.	.
A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	1	EA	C	.	.	.	.	.	.
A5230	Cabinet, Blanket, Fire, Wall Mounted	1	EA	A	.	.	.	.	.	.
E0590	Workstation, Urinalysis Lab, Medium	1	EA	F	A	A	.	.	.	.
F0230	Chair, Drafting, Rotary	1	EA	C	.	.	.	.	.	.
F2010	Basket, Wastepaper, Step-On	1	EA	C	.	.	.	.	.	.
L0100	Microscope, Binocular	1	EA	C	.	A	.	.	.	.
L0995	Analyzer, Urine, Advanced	1	EA	C	.	A	.	.	.	.
L1182	Refractometer	2	EA	C	.	A	.	.	.	.
L1200	Cabinet, Specimen, Pass Thru, CRS	2	EA	A	.	.	.	.	.	.
L1502	Centrifuge, Tabletop	1	EA	C	.	C	.	.	.	.
M1800	Computer, Microprocessing, w/CRT Monitor	2	EA	C	.	A	.	.	.	.
M1825	Printer, Computer	1	EA	C	.	A	.	.	.	.
R6200	Refrigerator, U/C or F/S, 5 Cu Ft, 35x24x26	1	EA	C	.	A	.	.	.	.
R7100	Refrigerator, 50 Cubic Feet, 84x53x37	1	EA	C	.	A	.	.	.	.

=====

GRAND TOTAL

20