

KEY NOTES

1. MOUNT A5145, HOOK, AT 1219 [4'-0"] AFF. PROVIDE 2-A5145'S FOR NAVY PROJECTS ONLY.
MOUNT 1-A5145 AT 1219 [4'-0"] AFF AND 1-A5145 AT 1524 [5'-0"] AFF.
2. F3200, CLOCK, IS FOR NAVY PROJECTS AND IS OPTIONAL.
3. INCREASE THIS DIMENSION AS NEEDED TO COMPLY WITH ADA IF THE DOOR HAS A CLOSER
OR IF 610 [2'-0"] CLEARANCE IS NOT AVAILABLE AT THE STRIKE SIDE OF THE DOOR.
4. M4200, OTOSCOPE/OPHTHALMOSCOPE, IS FOR NAVY PROJECTS ONLY.
5. COORDINATE LOCATION OF M1620, PATIENT CHART HOLDER, AND ROOM SIGNAGE.
6. P3200, UETR ELECTRONIC LAVATORY, MAY BE USED INSTEAD OF P3100, LAVATORY. FOR THE P3200
PROVIDE EITHER BATTERY POWER OR HARD WIRED CONNECTION.

EXAM, PEDIATRIC SCREENING (EXRG5)

PRIMARY CARE/FAMILY PRACTICE

FLOOR/EQUIPMENT PLAN


11.15 NSM (120 NSF)

DATE: 07/12/2001

0 1000 2000



1:50 SCALE (MILLIMETERS)



EXAM, PEDIATRIC SCREENING (EXRG5)

PRIMARY CARE/FAMILY PRACTICE

CEILING PLAN


11.15 NSM (120 NSF)

DATE: 07/12/2001


0 1000 2000



1:50 SCALE (MILLIMETERS)



NORTH



EAST

KEY NOTES

1. MOUNT A5145, HOOK, AT 1219 [4'-0"] AFF. PROVIDE 2-A5145'S FOR NAVY PROJECTS ONLY.
MOUNT 1-A5145 AT 1219 [4'-0"] AFF AND 1-A5145 AT 1524 [5'-0"] AFF.
2. P3200, UTR ELECTRONIC LAVATORY, MAY BE USED INSTEAD OF P3100, LAVATORY. FOR THE P3200
PROVIDE EITHER BATTERY POWER OR HARD WIRED CONNECTION.

General Notes:

1. For typical equipment mounting heights see "TYPICAL EQUIPMENT MOUNTING HEIGHTS" drawing.
2. MIL-STD-1691 data can only be accessed from the Equipment Plan.

EXAM, PEDIATRIC SCREENING (EXRG5)

PRIMARY CARE/FAMILY PRACTICE

ELEVATIONS

11.15 NSM (120 NSF)

DATE: 07/12/2001

0 1000 2000



1:50 SCALE (MILLIMETERS)

Project Rooms (User Contents Only)

As of 06/09/2005

Page 1

Room Code: EXRG5 Room Qty: 1 Room Area: 120.01 Room Description: EXAM, PEDIATRIC SCREENING

JSN	NOMENCLATURE	Qty	UNIT ISSUE	LOG CAT	Utl 1	Utl 2	Utl 3	Utl 4	Utl 5	Utl 6
-----	--------------	-----	---------------	------------	----------	----------	----------	----------	----------	----------

Equipment per Room:

A1066	Mirror, Float Glass, With SS Frame, 36X18	1	EA	A
A1132	Rail, Accessory Mounting, Length As Required	1	LF	C
A5075	Dispenser, Soap, Disposable	1	EA	C
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	EA	A
A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	1	EA	C
A5145	Hook, Garment, Double, SS, Surface Mounted	1	EA	A
A5180	Track, Cubicle, Surface Mounted, With Curtain	1	FT	A
E0210	Worksurface, w/Overhead Cab, Wall Mtd, 48" W	1	EA	C	.	A
E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"	1	EA	C
F0205	Chair, Side With Arms	1	EA	C
F0300	Chair, Typist, Swivel	1	EA	C
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	EA	C
F3200	Clock, Battery, 12" Diameter	1	EA	C
M1620	Holder, Chart, Patient, Wall or Door Mounted	1	EA	A
M1800	Computer, Microprocessing, w/CRT Monitor	1	EA	C	.	A
M4040	Scale, Weighing, 300 Pound Capacity	1	EA	C
M4100	Sphygmomanometer, Aneroid, Wall Mounted	1	EA	C
M4116	Monitor, Vital Signs	1	EA	C	.	A
M4200	Otoscope/Ophthalmoscope, Wall Mounted	1	EA	C	.	A
M9020	Table, Exam, Pediatric, With Scale	1	EA	C	.	A
P3100	Lavatory, Vitreous China, Slab Type	1	EA	A	D

=====

GRAND TOTAL

21