




KEY NOTES

1. MOUNT 1-A5145 AT 1372 [4'-6"] AFF AND 1-A5145 AT 1524 [5'-0"] AFF.
2. MINIMUM CLEAR DISTANCE FROM EDGE OF CHAIR TO FACE OF OPPOSITE WALL.
3. SCREEN FOR M5560, ACUITY TEST PROJECTOR.
4. M5520, LENOMETER, IS OPTIONAL.
5. INDICATES MULTIPLE STATION CONDITION.
6. COORDINATE LOCATION OF M1620, PATIENT CHART HOLDER, AND ROOM SIGNAGE.

EYE LANE - NAVY (EYEL3)

OPHTHALMOLOGY/OPTOMETRY


FLOOR/EQUIPMENT PLAN 15.39 NSM (167 NSF)

DATE: 07/12/2001

0 1000 2000



1:50 SCALE (MILLIMETERS)



KEY NOTES

1. INDICATES MULTIPLE STATION CONDITION.
2. SWITCH FOR ROOM ON/OFF LIGHTING CONTROLS. DIMMING CONTROLS ARE PROVIDED IN M5015, REFRACTION DESK.

EYE LANE – NAVY (EYEL3)

OPHTHALMOLOGY/OPTOMETRY

CEILING PLAN


15.39 NSM (167 NSF)

DATE: 07/12/2001

0 1000 2000



1:50 SCALE (MILLIMETERS)



WEST

General Notes:

1. For typical equipment mounting heights see "TYPICAL EQUIPMENT MOUNTING HEIGHTS" drawing.
2. MIL-STD-1691 data can only be accessed from the Equipment Plan.

EYE LANE — NAVY (EYEL3)

OPHTHALMOLOGY/OPTOMETRY

ELEVATIONS

15.39 NSM (167 NSF)

DATE: 07/12/2001

0 1000 2000



1:50 SCALE (MILLIMETERS)

Project Rooms (User Contents Only)

As of 06/10/2005

Page 1

Room Code: EYEL3 Room Qty: 1 Room Area: 165.67 Room Description: EYE LANE-NAVY

JSN	NOMENCLATURE	Qty	UNIT ISSUE	LOG CAT	Utl 1	Utl 2	Utl 3	Utl 4	Utl 5	Utl 6
-----	--------------	-----	---------------	------------	----------	----------	----------	----------	----------	----------

Equipment per Room:

A1066	Mirror, Float Glass, With SS Frame, 36X18	1	EA	A	.	.	.	.	.	.
A5075	Dispenser, Soap, Disposable	1	EA	C	.	.	.	.	.	.
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	EA	A	.	.	.	.	.	.
A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	1	EA	C	.	.	.	.	.	.
A5145	Hook, Garment, Double, SS, Surface Mounted	2	EA	A	.	.	.	.	.	.
E0117	Workstation, Straight, Free Standing, 48" W	1	EA	C	.	A	.	.	.	.
F0280	Chair, Swivel, Low Back	1	EA	C	.	.	.	.	.	.
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	EA	C	.	.	.	.	.	.
F3200	Clock, Battery, 12" Diameter	1	EA	C	.	.	.	.	.	.
M1620	Holder, Chart, Patient, Wall or Door Mounted	1	EA	A	.	.	.	.	.	.
M1800	Computer, Microprocessing, w/CRT Monitor	1	EA	C	.	A	.	.	.	.
M4925	Chair, Exam/Treatment, With Motor	1	EA	C	.	A	.	.	.	.
M5015	Desk, Refraction, w/Sink, 33x92x25	1	EA	A	F	F	.	.	.	.
M5030	Stool, Surgeon, Revolving	1	EA	C	.	.	.	.	.	.
M5520	Lensometer	1	EA	C	.	A	.	.	.	.
M5560	Projector, Acuity w/Stand, Wall Mounted Screen	1	EA	C	.	A	.	.	.	.
M5570	Armed Forces Vision Tester	1	EA	C	.	A	.	.	.	.

=====

GRAND TOTAL

18