




KEY NOTE

1. PROVIDE A1165, IV TRACKS, FOR NAVY PROJECTS ONLY.
2. PROVIDE A1108, MOVEABLE HEADWALL, INSTEAD OF A1107, UTILITY RAIL SYSTEM, FOR NAVY PROJECTS. SEE ELEVATION OF A1107 FOR UTILITIES.
3. PROVIDE 2 P3100, SINKS, AND ACCESSORIES FOR EVERY THREE STATIONS. P3200, UETR ELECTRONIC LAVATORY, MAY BE USED INSTEAD OF P3100, LAVATORY. FOR THE P3200 PROVIDE EITHER BATTERY POWER OR HARD WIRED CONNECTION.

TX CUBICLE, GENERAL SURGICAL (TCGS1)

EMERGENCY SERVICES

FLOOR/EQUIPMENT PLAN 60.97 NSM (656 NSF)


DATE: 07/12/2001

0 1000 2000



1:50 SCALE (MILLIMETERS)

1:50 SCALE (MILLIMETERS)




NORTH
(SOUTH OPPOSITE HAND)

KEY NOTES

1. PROVIDE 2 P3100, SINKS, AND ACCESSORIES FOR EVERY THREE STATIONS. P3200, UETR ELECTRONIC LAVATORY, MAY BE USED INSTEAD OF P3100, LAVATORY. FOR THE P3200 PROVIDE EITHER BATTERY POWER OR HARD WIRED CONNECTION.

General Notes:

1. For typical equipment mounting heights see "TYPICAL EQUIPMENT MOUNTING HEIGHTS" drawing.
2. MIL-STD-1691 data can only be accessed from the Equipment Plan.



NOTES

1. THE UTILITIES AND DEVICES INDICATED ARE FOR AN EMERGENCY ROOM IN A HOSPITAL.
2. ALL RECEPTACLES IN HEADWALL SHALL BE HOSPITAL GRADE.

KEY NOTES

1. PROVIDE A1165, IV TRACKS FOR NAVY PROJECTS ONLY.
2. PROVIDE A1108, MOVEABLE HEADWALL, INSTEAD OF A1107, UTILITY RAIL SYSTEM, FOR NAVY PROJECTS.
3. SWITCH CONTROLS: CEILING MOUNTED FLUORESCENT LIGHT FIXTURES.
4. TONE/VISUAL OR AUDIO/VISUAL PATIENT STATION AS REQUIRED BY THE USING MILITARY DEPARTMENT.
5. CODE BLUE AS REQUIRED BY USING MILITARY DEPARTMENT.
6. VACUUM SLIDE.

TX CUBICLE, GENERAL SURGICAL (TCGS1)

EMERGENCY SERVICES

ELEVATIONS 60.97 NSM (656 NSF)

DATE: 07/12/2001

0 1000 2000



1:50 SCALE (MILLIMETERS)

Project Rooms (User Contents Only)

As of 10/04/2005

Page 1

Room Code: TCGS1 Room Qty: 1 Room Area: 656.28 Room Description: TX CUBICLE, GENERAL SURGICAL

JSN	NOMENCLATURE	Qty	UNIT ISSUE	LOG CAT	Utl 1	Utl 2	Utl 3	Utl 4	Utl 5	Utl 6
-----	--------------	-----	---------------	------------	----------	----------	----------	----------	----------	----------

Equipment per Room:

A1066	Mirror, Float Glass, With SS Frame, 36X18	2	EA	A	.	.	.	.	.	.
A1107	Rail System , Utility, Gas and Electric	3	EA	A	.	F	G	.	.	A
A1165	Track, IV, Ceiling Mounted, 7 Foot	6	EA	A	.	.	.	.	.	.
A5075	Dispenser, Soap, Disposable	2	EA	C	.	.	.	.	.	.
A5080	Dispenser, Paper Towel, SS, Surface Mounted	2	EA	A	.	.	.	.	.	.
A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	3	EA	C	.	.	.	.	.	.
A5180	Track, Cubicle, Surface Mounted, With Curtain	3	FT	A	.	.	.	.	.	.
E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"	3	EA	C	.	.	.	.	.	.
E0963	Cart, General Storage, Mobile	2	EA	C	.	.	.	.	.	.
F0340	Stool, Self Adjusting	3	EA	C	.	.	.	.	.	.
F0355	Footstool, Straight	3	EA	C	.	.	.	.	.	.
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	5	EA	C	.	.	.	.	.	.
F3200	Clock, Battery, 12" Diameter	2	EA	C	.	.	.	.	.	.
M0750	Flowmeter, Air, Connect w/50 PSI Supply	3	EA	C	.	.	K	.	.	.
M0755	Flowmeter, Oxygen, Low Flow	3	EA	C	.	.	A	.	.	.
M0765	Regulator, Vacuum	3	EA	C	.	.	B	.	.	.
M3070	Hamper, Linen, Mobile, w/Lid	2	EA	C	.	.	.	.	.	.
M3072	Frame, Infectious Waste Bag w/Lid	2	EA	C	.	.	.	.	.	.
M4100	Sphygmomanometer, Aneroid, Wall Mounted	3	EA	C	.	.	.	.	.	.
M4116	Monitor, Vital Signs	3	EA	C	.	A	.	.	.	.
M4200	Otoscope/Ophthalmoscope, Wall Mounted	3	EA	C	.	A	.	.	.	.
M4255	Stand, IV, Adjustable	3	EA	C	.	.	.	.	.	.
M4266	Pump, Volumetric, Infusion, Multiple Line	3	EA	C	.	A	.	.	.	.
M4655	Stretcher, Mobile, CRS, 9 Position	3	EA	C	.	.	.	.	.	.
M7405	Light, Exam, Ceiling Mounted	3	EA	A	.	F	.	.	.	.
M7845	Monitor, Physiological, Bedside, 4 Channel	3	EA	C	.	A	.	.	.	D
M8810	Stand, Mayo	3	EA	C	.	.	.	.	.	.
P3100	Lavatory, Vitreous China, Slab Type	2	EA	A	D	.	.	.	.	.
X3930	Illuminator, Film, Double, Wall Mounted, 20x29x6	2	EA	C	.	A	.	.	.	.

GRAND TOTAL

83