

\*\*\*\*\*  
USACE / NAVFAC / AFCEA / NASA                      UFGS-01270A (February 1994)  
-----  
Preparing Activity:    USACE    (CW)                      MasterFormat™ 2004 - 01 22 00.00 10  
   Replacing without revision  
   CEGS of same number and date

## UNIFIED FACILITIES GUIDE SPECIFICATIONS

References are in agreement with UMRL dated 23 June 2005

\*\*\*\*\*

### SECTION TABLE OF CONTENTS

#### DIVISION 01 - GENERAL REQUIREMENTS

##### SECTION 01270A

##### MEASUREMENT AND PAYMENT

02/94

#### PART 1    GENERAL

- 1.1    REFERENCES
- 1.2    SUBMITTALS
- 1.3    LUMP SUM PAYMENT ITEMS
  - 1.3.1    Mobilization and Demobilization
    - 1.3.1.1    Payment
    - 1.3.1.2    Unit of Measure
  - 1.3.2    Structure No. 1
    - 1.3.2.1    Payment
    - 1.3.2.2    Unit of Measure
  - 1.3.3    Structure No. 2
    - 1.3.3.1    Payment
    - 1.3.3.2    Unit of Measure
- 1.4    UNIT PRICE PAYMENT ITEMS
  - 1.4.1    Excavation
    - 1.4.1.1    Payment
    - 1.4.1.2    Measurement
    - 1.4.1.3    Unit of Measure
  - 1.4.2    M 90R 200 Riprap
    - 1.4.2.1    Payment
    - 1.4.2.2    Measurement
    - 1.4.2.3    Unit of Measure
  - 1.4.3    Deformed Steel Bars for Concrete Reinforcement
    - 1.4.3.1    Payment
    - 1.4.3.2    Measurement
    - 1.4.3.3    Unit of Measure
  - 1.4.4    Bituminous Base Course
    - 1.4.4.1    Payment
    - 1.4.4.2    Measurement
    - 1.4.4.3    Unit of Measure
  - 1.4.5    Bituminous Materials
    - 1.4.5.1    Payment
    - 1.4.5.2    Measurement
    - 1.4.5.3    Unit of Measure

PART 2 PRODUCTS (Not Applicable)

PART 3 EXECUTION (Not Applicable)

-- End of Section Table of Contents --

\*\*\*\*\*  
USACE / NAVFAC / AFCEA / NASA                      UFGS-01270A (February 1994)  
-----  
Preparing Activity:    USACE    (CW)                      MasterFormat™ 2004 - 01 22 00.00 10  
   Replacing without revision  
   CEGS of same number and date

## UNIFIED FACILITIES GUIDE SPECIFICATIONS

References are in agreement with UMRL dated 23 June 2005

\*\*\*\*\*

### SECTION 01270A

#### MEASUREMENT AND PAYMENT 02/94

\*\*\*\*\*

NOTE: This guide specification provides an example of the appropriate form to be used in developing a project specification covering lump sum schedule payment items and unit price schedule payment items.

This section is recommended to be included in all Civil Works projects. Parts of this section are shown for illustration purposes only and the section must be extensively edited to fit the job.

Comments and suggestions on this guide specification are welcome and should be directed to the technical proponent of the specification. A listing of technical proponents, including their organization designation and telephone number, is on the Internet.

Recommended changes to a UFGS should be submitted as a Criteria Change Request (CCR).

Use of electronic communication is encouraged.

Brackets are used in the text to indicate designer choices or locations where text must be supplied by the designer.

\*\*\*\*\*

## PART 1    GENERAL

### 1.1    REFERENCES

\*\*\*\*\*

NOTE: This paragraph is used to list the publications cited in the text of the guide specification. The publications are referred to in the text by basic designation only and listed in this paragraph by organization, designation, date, and title.

Use the Reference Wizard's Check Reference feature when you add a RID outside of the Section's

Reference Article to automatically place the reference in the Reference Article. Also use the Reference Wizard's Check Reference feature to update the issue dates.

References not used in the text will automatically be deleted from this section of the project specification when you choose to reconcile references in the publish print process.

\*\*\*\*\*

The publications listed below form a part of this specification to the extent referenced. The publications are referred to within the text by the basic designation only.

#### ASTM INTERNATIONAL (ASTM)

ASTM A 615/A 615M	(2004b) Deformed and Plain Billet-Steel Bars for Concrete Reinforcement
ASTM C 127	(2004) Density, Relative Density (Specific Gravity), and Absorption of Coarse Aggregate
ASTM C 128	(2004) Density, Relative Density (Specific Gravity), and Absorption of Fine Aggregate
ASTM D 1250	(2004) Petroleum Measurement Tables

#### 1.2 SUBMITTALS

\*\*\*\*\*

NOTE: Review submittal description (SD) definitions in Section 01330 SUBMITTAL PROCEDURES and edit the following list to reflect only the submittals required for the project. Submittals should be kept to the minimum required for adequate quality control.

A "G" following a submittal item indicates that the submittal requires Government approval. Some submittals are already marked with a "G". Only delete an existing "G" if the submittal item is not complex and can be reviewed through the Contractor's Quality Control system. Only add a "G" if the submittal is sufficiently important or complex in context of the project.

For submittals requiring Government approval on Army projects, a code of up to three characters within the submittal tags may be used following the "G" designation to indicate the approving authority. Codes for Army projects using the Resident Management System (RMS) are: "AE" for Architect-Engineer; "DO" for District Office (Engineering Division or other organization in the District Office); "AO" for Area Office; "RO" for Resident Office; and "PO" for Project Office. Codes following the "G" typically are not used for Navy, Air Force, and NASA projects.

Choose the first bracketed item for Navy, Air Force  
and NASA projects, or choose the second bracketed  
item for Army projects.

\*\*\*\*\*

Government approval is required for submittals with a "G" designation;  
submittals not having a "G" designation are [for Contractor Quality Control  
approval.] [for information only. When used, a designation following the  
"G" designation identifies the office that will review the submittal for  
the Government.] The following shall be submitted in accordance with  
Section 01330 SUBMITTAL PROCEDURES:

SD-03 Product Data

Weight Certificates

Submit certified weight certificates for M 90 R 200 Riprap.

### 1.3 LUMP SUM PAYMENT ITEMS

\*\*\*\*\*

NOTE: The number and identification of lump sum  
payment items is primarily a Construction Division  
concern. Generally, it is better to keep the number  
of lump sum payment items to a minimum. The  
description of the work included in a payment item  
is unique for each job and must be developed for  
each construction contract.

\*\*\*\*\*

Payment items for the work of this contract for which contract lump sum  
payments will be made are listed in the BIDDING SCHEDULE and described  
below. All costs for items of work, which are not specifically mentioned  
to be included in a particular lump sum or unit price payment item, shall  
be included in the listed lump sum item most closely associated with the  
work involved. The lump sum price and payment made for each item listed  
shall constitute full compensation for furnishing all plant, labor,  
materials, and equipment, and performing any associated Contractor quality  
control, environmental protection, meeting safety requirements, tests and  
reports, and for performing all work required for which separate payment is  
not otherwise provided.

#### 1.3.1 Mobilization and Demobilization

\*\*\*\*\*

NOTE: If mobilization and demobilization costs are  
expected to be a minor cost under the contract, this  
clause and payment item should be deleted.

\*\*\*\*\*

##### 1.3.1.1 Payment

Payment will be made for costs associated with mobilization and  
demobilization, as defined in Special Clause PAYMENT FOR MOBILIZATION AND  
DEMOBILIZATION.

1.3.1.2 Unit of Measure

Unit of measure: lump sum.

1.3.2 Structure No. 1

1.3.2.1 Payment

Payment will be made for costs associated with operations necessary for construction of the structure at Station XX+XX.

1.3.2.2 Unit of Measure

Unit of measure: lump sum.

1.3.3 Structure No. 2

1.3.3.1 Payment

Payment will be made for costs associated with operations necessary for construction of the structure at Station YY+YY.

1.3.3.2 Unit of Measure

Unit of measure: lump sum.

1.4 UNIT PRICE PAYMENT ITEMS

\*\*\*\*\*

NOTE: Unit price payment items should be used only where appropriate under the guidance of Federal Acquisition Regulation (FAR) Part 36 - Construction and Architect-Engineer Contracts paragraph 36.207.

The Unit Price payment items shown below are for illustration purposes only. Unit price payment item language must be written specifically for each job.

Unit price payment item language appropriate for inclusion below is contained in guide specification sections and must be moved to this section to develop the pay items for the project.

\*\*\*\*\*

Payment items for the work of this contract on which the contract unit price payments will be made are listed in the BIDDING SCHEDULE and described below. The unit price and payment made for each item listed shall constitute full compensation for furnishing all plant, labor, materials, and equipment, and performing any associated Contractor quality control, environmental protection, meeting safety requirements, tests and reports, and for performing all work required for each of the unit price items.

1.4.1 Excavation

\*\*\*\*\*

NOTE: Since there is no UFGS Guide Specification for Civil Works "Excavation", this example was taken from a job specification.

\*\*\*\*\*

#### 1.4.1.1 Payment

Payment will be made for costs associated with excavation for the channel and for the structure, which includes performing required excavation and other operations incidental thereto, Contractor-furnished disposal area(s) and disposition of excess excavated material and unsuitable and frozen materials.

#### 1.4.1.2 Measurement

The total quantity of excavated material for which payment will be made will be the theoretical quantity between the ground surface as determined by a survey and the grade and slope of the theoretical cross sections indicated. No allowance will be made for overdepth excavation or for the removal of any material outside the required slope lines unless authorized.

#### 1.4.1.3 Unit of Measure

Unit of measure: cubic meter yard.

#### 1.4.2 M 90R 200 Riprap

\*\*\*\*\*  
**NOTE: This example was taken from UFGS-02380A**  
**STONE, CHANNEL, SHORELINE/COASTAL PROTECTION FOR**  
**STRUCTURES.**  
\*\*\*\*\*

#### 1.4.2.1 Payment

Payment will be made for costs associated with furnishing, transporting, stockpiling (if applicable), placing, and constructing the stone protection as specified.

#### 1.4.2.2 Measurement

Riprap will be measured for payment by the ton (metric) (2,000 pounds) by weighing each truckload to the nearest 0.1 ton, and the final quantity of [each truckload] [the whole sum] will be rounded to the nearest whole ton. The riprap will be measured for payment by being weighed on approved scales before being placed in the work. Quarry weights will not be accepted. Scales shall be of sufficient length to permit simultaneous weighing all axle loads and shall be inspected, tested and sealed as directed to assure accuracy with 0.5 percent throughout the range of the scales. The scales, located at the site of the work, shall be certified as to accuracy by an acceptable scales company representative prior to weighing any riprap. Scales will be checked and certified before riprap hauling and rechecked and recertified whenever a variance is suspected. The Contractor shall furnish the scales. If commercial scales are readily available in close proximity 15 kilometers 10 miles of site of work, the Contracting Officer may approve the use of the scales. The riprap shall be weighed in the presence of the Government representative. The Contracting Officer may elect to accept certified weight certificates furnished by a public weighmaster in lieu of scale weights at the jobsite.

#### 1.4.2.3 Unit of Measure

Unit of measure: ton (metric) (2,000 pounds).

#### 1.4.3 Deformed Steel Bars for Concrete Reinforcement

\*\*\*\*\*  
**NOTE: This example was taken from UFGS-03201 STEEL  
BARS AND WELDED WIRE FABRIC FOR CONCRETE  
REINFORCEMENT FOR CIVIL WORKS.**  
\*\*\*\*\*

##### 1.4.3.1 Payment

Payment will be made for costs associated with furnishing, transporting, delivering, and placing deformed steel bars for concrete reinforcement, which includes steel in laps as indicated or as required. No payment will be made for the additional steel in laps which are authorized for the convenience of the Contractor. No separate payment will be made for accessories and payment shall be included in the contract unit price for the items of work to which the accessories are incidental.

##### 1.4.3.2 Measurement

The measured lengths of deformed steel bars for concrete reinforcement will be converted to weights for the size of bars listed by the use of the nominal weights per lineal meter foot specified in ASTM A 615/A 615M.

##### 1.4.3.3 Unit of Measure

Unit of measure: per kilogram pound in place.

#### 1.4.4 Bituminous Base Course

\*\*\*\*\*  
**NOTE: Paragraph UNIT PRICES of UFGS-02707  
BITUMINOUS BASE COURSE was edited to develop this  
example.**  
\*\*\*\*\*

##### 1.4.4.1 Payment

Payment will be made for costs associated with bituminous base course, which includes preparing and reconditioning the underlying layer, and other incidentals necessary to complete the work required by Section 02707 BITUMINOUS BASE COURSE. No payment will be made for defective areas until corrected.

##### 1.4.4.2 Measurement

Bituminous Base Course will be measured for payment based upon the number of tons (metric) (2,000 pounds) of bituminous mixture used in the accepted work. Bituminous mixture shall be weighed after mixing, and no deductions will be made for the weight of bituminous material incorporated in the mix. Quantities of paving mixtures called for in bid schedule are based on aggregates having a specific gravity of 2.65 as determined according to apparent specific gravity paragraphs in ASTM C 127 and ASTM C 128. Correction in the tonnage of bituminous base course mixtures shall be made to compensate for the difference in the tonnage of mixtures used in the project, when specific gravities of aggregates used are more than 2.70 and less than 2.60. The tonnage paid for shall be the number of tons used, proportionately corrected for specific gravities using 2.65 as the base



correctional factor.

1.4.4.3 Unit of Measure

Unit of measure: ton (metric) (2,000 pounds).

1.4.5 Bituminous Materials

\*\*\*\*\*  
NOTE: Paragraph UNIT PRICES of UFGS-02713  
BITUMINOUS BASE COURSE was edited to develop this  
example.  
\*\*\*\*\*

1.4.5.1 Payment

Payment will be made for costs associated with bituminous materials.

1.4.5.2 Measurement

Bituminous materials will be measured for payment based upon the number of [ liters gallons of the material used in the accepted work, corrected to [\_\_\_\_\_] liters gallons at 15 degrees C 60 degrees F in accordance with ASTM D 1250.] [tons (metric) 2,000 pounds of the material used in the accepted work.]

1.4.5.3 Unit of Measure

Unit of measure: [ liters gallons] [ tons (metric) (2,000 pounds)].

PART 2 PRODUCTS (Not Applicable)

PART 3 EXECUTION (Not Applicable)

-- End of Section --