

\*\*\*\*\*  
USACE / NAVFAC / AFCEC / NASA UFGS-01 22 00.00 10 (August 2015)  
-----  
Preparing Activity: USACE Superseding  
UFGS-01 22 00.00 10 (April 2006)

UNIFIED FACILITIES GUIDE SPECIFICATIONS

References are in agreement with UMRL dated October 2017

\*\*\*\*\*

SECTION TABLE OF CONTENTS

DIVISION 01 - GENERAL REQUIREMENTS

SECTION 01 22 00.00 10

PRICE AND PAYMENT PROCEDURES

08/15

PART 1 GENERAL

- 1.1 REFERENCES
- 1.2 SUBMITTALS
- 1.3 SINGLE JOB PAYMENT ITEMS
  - 1.3.1 Mobilization and Demobilization
    - 1.3.1.1 Payment
    - 1.3.1.2 Unit of Measure
  - 1.3.2 Structure No. 1
    - 1.3.2.1 Payment
    - 1.3.2.2 Unit of Measure
  - 1.3.3 Structure No. 2
    - 1.3.3.1 Payment
    - 1.3.3.2 Unit of Measure
- 1.4 UNIT PRICE PAYMENT ITEMS
  - 1.4.1 Excavation
    - 1.4.1.1 Payment
    - 1.4.1.2 Measurement
    - 1.4.1.3 Unit of Measure
  - 1.4.2 M 90 Riprap
    - 1.4.2.1 Payment
    - 1.4.2.2 Measurement
    - 1.4.2.3 Unit of Measure
  - 1.4.3 Deformed Steel Bars for Concrete Reinforcement
    - 1.4.3.1 Payment
    - 1.4.3.2 Measurement
    - 1.4.3.3 Unit of Measure
- 1.5 CONTAMINATED SOIL REMOVAL
  - 1.5.1 Unit of Measure
- 1.6 DREDGING

PART 2 PRODUCTS

PART 3 EXECUTION

3.1 CONTRACT COST BREAKDOWN

-- End of Section Table of Contents --

\*\*\*\*\*  
USACE / NAVFAC / AFCEC / NASA UFGS-01 22 00.00 10 (August 2015)  
-----  
Preparing Activity: USACE Superseding  
UFGS-01 22 00.00 10 (April 2006)

## UNIFIED FACILITIES GUIDE SPECIFICATIONS

References are in agreement with UMRL dated October 2017

\*\*\*\*\*

### SECTION 01 22 00.00 10

#### PRICE AND PAYMENT PROCEDURES 08/15

\*\*\*\*\*

NOTE: This guide specification provides an example of the appropriate form to be used in developing a project specification covering lump sum schedule payment items and unit price schedule payment items. This section was originally developed for and is recommended to be included in all Civil Works projects. Parts of this section are shown for illustration purposes only and the section must be extensively edited to fit the job.

Adhere to UFC 1-300-02 Unified Facilities Guide Specifications (UFGS) Format Standard when editing this guide specification or preparing new project specification sections. Edit this guide specification for project specific requirements by adding, deleting, or revising text. For bracketed items, choose applicable item(s) or insert appropriate information.

Remove information and requirements not required in respective project, whether or not brackets are present.

Comments, suggestions and recommended changes for this guide specification are welcome and should be submitted as a Criteria Change Request (CCR).

\*\*\*\*\*

## PART 1 GENERAL

### 1.1 REFERENCES

\*\*\*\*\*

NOTE: This paragraph is used to list the publications cited in the text of the guide specification. The publications are referred to in the text by basic designation only and listed in this paragraph by organization, designation, date, and title.

Use the Reference Wizard's Check Reference feature when you add a Reference Identifier (RID) outside of the Section's Reference Article to automatically place the reference in the Reference Article. Also use the Reference Wizard's Check Reference feature to update the issue dates.

References not used in the text will automatically be deleted from this section of the project specification when you choose to reconcile references in the publish print process.

\*\*\*\*\*

The publications listed below form a part of this specification to the extent referenced. The publications are referred to within the text by the basic designation only.

ASTM INTERNATIONAL (ASTM)

ASTM A615/A615M	(2016) Standard Specification for Deformed and Plain Carbon-Steel Bars for Concrete Reinforcement
-----------------	---

## 1.2 SUBMITTALS

\*\*\*\*\*

NOTE: Review submittal description (SD) definitions in Section 01 33 00 SUBMITTAL PROCEDURES and edit the following list to reflect only the submittals required for the project.

The Guide Specification technical editors have designated those items that require Government approval, due to their complexity or criticality, with a "G." Generally, other submittal items can be reviewed by the Contractor's Quality Control System. Only add a "G" to an item, if the submittal is sufficiently important or complex in context of the project.

For submittals requiring Government approval on Army projects, a code of up to three characters within the submittal tags may be used following the "G" designation to indicate the approving authority. Codes for Army projects using the Resident Management System (RMS) are: "AE" for Architect-Engineer; "DO" for District Office (Engineering Division or other organization in the District Office); "AO" for Area Office; "RO" for Resident Office; and "PO" for Project Office. Codes following the "G" typically are not used for Navy, Air Force, and NASA projects.

Use the "S" classification only in SD-11 Closeout Submittals. The "S" following a submittal item indicates that the submittal is required for the Sustainability eNotebook to fulfill federally mandated sustainable requirements in accordance with Section 01 33 29 SUSTAINABILITY REPORTING.

Choose the first bracketed item for Navy, Air Force  
and NASA projects, or choose the second bracketed  
item for Army projects.

\*\*\*\*\*

Government approval is required for submittals with a "G" designation;  
submittals not having a "G" designation are for [Contractor Quality Control  
approval.][information only. When used, a designation following the "G"  
designation identifies the office that will review the submittal for the  
Government.] Submittals with an "S" are for inclusion in the  
Sustainability eNotebook, in conformance to Section 01 33 29 SUSTAINABILITY  
REPORTING. Submit the following in accordance with Section 01 33 00  
SUBMITTAL PROCEDURES:

SD-03 Product Data

Weight Certificates

### 1.3 SINGLE JOB PAYMENT ITEMS

\*\*\*\*\*

NOTE: A letter from the OFFICE OF THE UNDER  
SECRETARY OF DEFENSE dated October 3, 2011, SUBJECT:  
Contract Line Item Pricing Integrity, states, "No  
contract action should be issued using 'lump sum' or  
'dollars' as a unit of measure." Replace LUMP SUM  
with JOB in all UFGS sections for DoD Contracts.

\*\*\*\*\*

\*\*\*\*\*

NOTE: The number and identification of single job  
payment item(s) is primarily a Construction Division  
concern. Generally, it is better to keep the number  
of single job payment items to a minimum. The  
description of the work included in a payment item  
is unique for each job and must be developed for  
each construction contract. For bracketed items,  
choose applicable item(s) or insert appropriate  
information.

\*\*\*\*\*

Payment items for the work of this contract for which contract job payments  
will be made are listed in the [BIDDING] [PRICING]PROPOSAL SCHEDULE and  
described below. All costs for items of work, which are not specifically  
mentioned to be included in a particular job or unit price payment item,  
are included in the listed job item most closely associated with the work  
involved. The job price and payment made for each item listed constitutes  
full compensation for furnishing all plant, labor, materials, and  
equipment, and performing any associated Contractor quality control,  
environmental protection, meeting safety requirements, tests and reports,  
and for performing all work required for which separate payment is not  
otherwise provided.

#### 1.3.1 Mobilization and Demobilization

\*\*\*\*\*

NOTE: If mobilization and demobilization costs are  
expected to be a minor cost under the contract, this

clause and payment item should be deleted.

\*\*\*\*\*

1.3.1.1 Payment

Payment will be made for costs associated with mobilization and demobilization, as defined in Special Clause PAYMENT FOR MOBILIZATION AND DEMOBILIZATION.

1.3.1.2 Unit of Measure

Unit of measure: job.

1.3.2 Structure No. 1

1.3.2.1 Payment

Payment will be made for costs associated with operations necessary for construction of the structure at Station XX+XX.

1.3.2.2 Unit of Measure

Unit of measure: job.

1.3.3 Structure No. 2

1.3.3.1 Payment

Payment will be made for costs associated with operations necessary for construction of the structure at Station YY+YY.

1.3.3.2 Unit of Measure

Unit of measure: job.

1.4 UNIT PRICE PAYMENT ITEMS

\*\*\*\*\*

NOTE: Unit price payment items should be used only where appropriate under the guidance of Federal Acquisition Regulation (FAR) Part 36 - Construction and Architect-Engineer Contracts paragraph 36.207.

The Unit Price payment items shown below are for illustration purposes only. Unit price payment item language must be written specifically for each job. Unit price payment item language appropriate for inclusion below is contained in guide specification sections and must be moved to this section to develop the pay items for the project.

\*\*\*\*\*

Payment items for the work of this contract on which the contract unit price payments will be made are listed in the [BIDDING] [PRICING] PROPOSAL SCHEDULE and described below. The unit price and payment made for each item listed constitutes full compensation for furnishing all plant, labor, materials, and equipment, and performing any associated Contractor quality control, environmental protection, meeting safety requirements, tests and reports, and for performing all work required for each of the unit price

items.

#### 1.4.1 Excavation

\*\*\*\*\*  
NOTE: Modify this paragraph if Section 02 61 13  
EXCAVATION AND HANDLING OF CONTAMINATED MATERIAL is  
used. For bracketed items, choose applicable  
item(s) or insert appropriate information.  
\*\*\*\*\*

##### 1.4.1.1 Payment

Payment will be made for costs associated with excavation [for the channel][ and ][for the structure], which includes performing required excavation and other operations incidental thereto, Contractor-furnished disposal area(s) and disposition of excess excavated material and unsuitable and frozen materials.

##### 1.4.1.2 Measurement

The total quantity of excavated material for which payment will be made will be the theoretical quantity between the ground surface as determined by a survey and the grade and slope of the theoretical cross sections indicated. No allowance will be made for overdepth excavation or for the removal of any material outside the required slope lines unless authorized.

##### 1.4.1.3 Unit of Measure

Unit of measure: cubic meter yard.

#### 1.4.2 M 90 Riprap

\*\*\*\*\*  
NOTE: This example was taken from Section 35 31 19  
STONE, CHANNEL, SHORELINE/COASTAL PROTECTION FOR  
STRUCTURES.  
\*\*\*\*\*

##### 1.4.2.1 Payment

Payment will be made for costs associated with furnishing, transporting, stockpiling (if applicable), placing, and constructing the stone protection as specified.

##### 1.4.2.2 Measurement

Measure riprap for payment by the ton (metric) (2,000 pounds) by weighing each truckload to the nearest 0.1 ton, and the final quantity of [each truckload] [the whole sum] is rounded to the nearest whole ton. Weigh the riprap for payment on approved scales before being placed in the work. Quarry weights will not be accepted. Use scales of sufficient length to permit simultaneous weighing all axle loads. Scales must be inspected, tested and sealed as directed to assure accuracy with 0.5 percent throughout the range of the scales. Certify scales located at the site of the work as to accuracy by an acceptable scales company representative prior to weighing any riprap. Scales will be checked and certified before riprap hauling and rechecked and recertified whenever a variance is suspected. Furnish the scales. If commercial scales are readily available

in close proximity, 15 kilometers 10 miles of site of work, the Contracting Officer may approve the use of the scales. Weigh riprap in the presence of the Government representative. The Contracting Officer may elect to accept certified weight certificates furnished by a public weighmaster in lieu of scale weights at the jobsite.

#### 1.4.2.3 Unit of Measure

Unit of measure: ton (metric) (2,000 pounds).

#### 1.4.3 Deformed Steel Bars for Concrete Reinforcement

\*\*\*\*\*  
**NOTE: This example was taken from Section**  
**03 20 00.00 10 CONCRETE REINFORCING.**  
\*\*\*\*\*

##### 1.4.3.1 Payment

Payment will be made for costs associated with furnishing, transporting, delivering, and placing deformed steel bars for concrete reinforcement, which includes steel in laps as indicated or as required. No payment will be made for the additional steel in laps which are authorized for the convenience of the Contractor. No separate payment will be made for accessories; include payment in the contract unit price for the items of work to which the accessories are incidental.

##### 1.4.3.2 Measurement

The measured lengths of deformed steel bars for concrete reinforcement will be converted to weights for the size of bars listed by the use of the nominal weights per lineal meter foot specified in ASTM A615/A615M.

##### 1.4.3.3 Unit of Measure

Unit of measure: per kilogram pound in place.

#### [1.5 CONTAMINATED SOIL REMOVAL

Payment items for the work of this contract on which the contract unit price payments will be made are listed in the [PRICING] [BIDDING] PROPOSAL SCHEDULE and described below. The unit price and payment made for each item listed must constitute full compensation for furnishing all plant, labor, materials, and equipment, and performing any associated Contractor quality control, environmental protection, meeting safety requirements, [tests and reports,] and for performing all work required for each of the unit price items.

##### 1.5.1 Unit of Measure

Unit of measure: cubic meter yard.

#### ]1.6 DREDGING

\*\*\*\*\*  
**NOTE: Modify this paragraph if SECTION 35 20 23**  
**DREDGING is used.**  
\*\*\*\*\*



Payment will be made at the contract lump sum job price and must constitute full compensation for performing all dredging, disposal, [and ice and snow removal], stockpiling, and replacement. Payment will be in accordance with above paragraph, SINGLE JOB PAYMENT ITEMS. In no case will payment be made for material removed from below the maximum pay-line or outside the dredging prism as indicated.

]PART 2 PRODUCTS

Not Used

PART 3 EXECUTION

[ Not Used][3.1 CONTRACT COST BREAKDOWN

The Contractor must furnish within 30 days after the date of Notice to Proceed, and prior to the submission of its first partial payment estimate, a breakdown of its single job pay item or items which will be reviewed by the Contracting Officer as to propriety of distribution of the total cost to the various accounts. Any unbalanced items as between early and late payment items or other discrepancies will be revised by the Contracting Officer to agree with a reasonable cost of the work included in the various items. This contract cost breakdown will then be utilized as the basis for progress payments to the Contractor.

] -- End of Section --