


EQUIPMENT GUIDE LIST - CHAPTER 703

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
 EGL_703.TXT			DEPARTMENT OF MEMORIAL AFFAIRS - MAINTENANCE AND SERVICE BUILDING			
			PERSONNEL FACILITIES:			
	AR	VV	DESK, 1524 mm (60"), WITH PENCIL DRAWER, FILE, 2 BOX DRAWER PEDESTAL, 1067 mm (42"), TYPING RETURN WITH STATIONERY PEDESTAL			
	AR	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH ARMS			
	AR	VV	TABLE, DRAFTING, 965 mm X 1524 mm (38" X 60")			
	AR	VV	STOOL, REVOLVING, FOR USE WITH DRAFTING TABLE			
	AR	VV	FILE, PLAN, 1067 mm X 1346 mm (42" X 53")			
	AR	CC	FILE, 914 mm (36") LATERAL, 3 DRAWER, WITH WORK COUNTER TOP	06200 & 12302		
	1	VV	CABINET, SECURED FOR KEYS, WALL MOUNTED			
	AR	CC	CABINET, SECURED, FOR SUPPLIES, WITH WORK COUNTER TOP	06200 & 12302		
T-7C	AR	CC	SHELVING, ADJUSTABLE, 305 mm (12") DEEP	10671		
	1	VV	CRT, COMPUTER SYSTEM, WITH KEYBOARD			
	1	VV	PRINTER, COMPUTER SYSTEM			
	1	VV	STAND, COMPUTER PRINTER, APPROX., 610 mm X 610 mm X 660 mm (24" X 24" X 26")			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			PARTS AND TOOLS CLERK:			
	AR	VV	DESK, 1524 mm (60"), WITH PENCIL DRAWER, FILE, 2 BOX DRAWER PEDESTAL, 1067 mm (42"), TYPING RETURN WITH STATIONERY PEDESTAL			
	AR	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CABINET, FILING (LEGAL SIZE) 914 mm (36") LATERAL, 3 DRAWER			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			NOTE: LOCATION OF DESK AND CHAIR IN PARTS AND TOOLS IS OPTIONAL.			
			LUNCHROOM:			

EQUIPMENT GUIDE LIST - CHAPTER 703

03-00

T1G	1	CC	CABINET, BASE, CORROSION RESISTING STEEL, SINK, HOT AND COLD WATER MIXING FAUCET, DRAWERS, OVERHEAD CABINETS AND UNDER CABINET LIGHTING	12301		
	1	CC	MICROWAVE OVEN, BUILT-IN, 120 VOLT, 20 AMP	11451		
	1	VV	REFRIGERATOR, DOMESTIC TYPE, .34 M3 (12 CU. FT.), 120 VOLT, 20 AMP			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP, ABOVE CABINET COUNTER	16140	ELEC DM CS 801-3	
	AR	VV	TABLE, DINING, RECTANGULAR, ROUND OR SQUARE			
	AR	VV	CHAIR, DINING, APPROX., 457 mm X 457 mm (18" X 18")			
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			HOUSEKEEPING AIDS CLOSET:			
P-526	1	CC	MOP, SERVICE SINK BASIN, FLOOR MOUNTED	15450		
T-7	AR	CC	SHELVING, WALL HUNG, CORROSION RESISTING STEEL, TWO FIXED SHELVES, TWO DOORS WITH LOCKS, 914 mm X 305 mm X 1219 mm, (36" X 12" X 48") 1524 mm (60") ABOVE FINISHED FLOOR	12301		
T-10	1	CC	RACK, MOP, WALL MOUNTED, WOOD WITH PEGS	10360		
			LOCKERS, TOILETS, SHOWERS:			
T-A	AR	CC	LOCKER, STEEL, SLOPING TOP, 381 mm X 457 mm X 1829 mm (15" X 18" X 72")	10500		
	AR	CC	BENCH, WALL HUNG	06200		
			-OR-			
	AR	CC	BENCH, FIXED TYPE, FLOOR MOUNTED	06200		
			TOILETS:			
			WHEELCHAIR WATER CLOSETS WILL BE IN ACCORDANCE WITH THE APPROPRIATE SPACE PROGRAM, P-103 WILL BE USED FOR BOTH CONVENTIONAL AND WHEELCHAIR INSTALLATIONS.			
P-103	AR	CC	WATER CLOSET, WALL HUNG	15450		SD 4
	AR	CC	ENCLOSURE, TOILET, FLOOR SET, CEILING HUNG AND OVERHEAD BRACED	10162	ARCH DM	SD 12
	AR	CC	DISPENSER, TOILET TISSUE, DOUBLE ROLL	10800		SD 12
	AR	CC	BAR, GRAB FOR WATER CLOSET	10800		SD 12
P-201	AR	CC	URINAL, WALL HUNG	15450		SD 4
	AR	CC	SCREEN, URINAL	10162		SD 12
P-401	AR	CC	LAVATORY, STRAIGHT BACK	15450		

EQUIPMENT GUIDE LIST - CHAPTER 703

03-00

P-412		CC	WASH FOUNTAIN, SEMI-CIRCULAR	15450		
	AR	VV	DISPENSER, SOAP, LIQUID, WALL MOUNTED			
	AR	CC	MIRROR, 406 mm X 508 mm (16" X 20"), WITH INTEGRAL SHELF, OVER LAVATORY	10800		SD 15
	AR	VV	DISPENSER, BIFOLD PAPER TOWEL, SURFACE MOUNTED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP, WITH GROUND FAULT INTERRUPTER, ADJACENT TO LAVATORY	16140	ELEC DM CS 801-3	
			FEMALE:			
			WHEELCHAIR WATER CLOSETS WILL BE IN ACCORDANCE WITH THE APPROPRIATE SPACE PROGRAM, P-103 WILL BE USED FOR BOTH CONVENTIONAL AND WHEELCHAIR INSTALLATIONS.			
P-103	1	CC	WATER CLOSET, WALL HUNG	15450		SD 4
	1	CC	ENCLOSURE, TOILET, FLOOR SET, CEILING HUNG AND OVERHEAD BRACED	10162	ARCH DM	SD 12
	1	CC	DISPENSER, TOILET TISSUE, DOUBLE ROLL	10800		SD 12
P-401	1	CC	LAVATORY, STRAIGHT BACK	15450		
	1	VV	DISPENSER, SOAP, LIQUID, WALL MOUNTED			
	1	CC	MIRROR, 406 mm X 508 mm (16" X 20"), WITH INTEGRAL SHELF, OVER LAVATORY	10800		SD 15
	1	VV	DISPENSER, BIFOLD PAPER TOWEL, SURFACE MOUNTED			
	1	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP, WITH GROUND FAULT INTERRUPTER, ADJACENT TO LAVATORY	16140	ELEC DM CS 801-3	
			SHOWERS:			
			NOTE: PROVIDE ONE SHOWER FOR MALES AND ONE FOR			
	1	CC	STALL, SHOWER	10170		SD 13A
P-702	1	CC	SHOWER, BATH FIXTURE, WALL MOUNTED, CONCEALED SUPPLIES	15450		SD 13A
	1	CC	ROD, FOR SHOWER CURTAIN	10800		SD 14
	1	CC	DISH, SOAP, SURFACE MOUNTED	10800		
	1	CC	HOOK, TOWEL	10800		
			BOOT AND RAINCOAT HOLDING AREA:			
	1	CC	DRAIN, FLOOR	15400		
	AR	CC	HOOK, CLOTHES	10800		
			BOOT WASH:			
			NOTE: MAY BE INTERIOR OR EXTERIOR AS REQUIRED.			
	1	CC	DRAIN, FLOOR	15400		

EQUIPMENT GUIDE LIST - CHAPTER 703

03-00

P-804	1	CC	HOSE BIBB, SINGLE FAUCET, WALL MOUNTED, CONCEALED SUPPLY PIPE	15450		
	1	VV	HOSE FOR HOSE BIBB			
	1	VV	MUD SCRAPE WITH BRUSHES FOR BOOTS			
			MAINTENANCE AND EQUIPMENT FACILITIES:			
	1	CC	WORK COUNTER, WITH STORAGE UNDERNEATH	12301		
	1	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP, STRIP MOLD WITH OUTLETS ON 610 mm (24") CENTERS, 229 mm (9") ABOVE COUNTER	16140	ELEC DM CS 801-3	
	1	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 240 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
P-801	1	CC	WALL HYDRANT, NON-FREEZE TYPE	15450		
	1	CC	OUTLET, COMPRESSED AIR, WITH AIR HOSE CONNECTION, QUICK CONNECT FOR MINIMUM 45 KG (100 LB.) PRESSURE	15319		
	1	CC	OUTLET, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP, WEATHERPROOF	16140	ELEC DM CS 801-3	
			NOTE: WALL HYDRANT, AIR AND ELECTRICAL OUTLETS TO BE INSTALLED ON EXTERIOR WALL.			
	1	CC	LIFTS, MOTOR VEHICLE	14450		
	1	CC	HOIST BEAM	05120		
	1	CC	UNIT, LUBRICATION, WITH RETRACTABLE HOSES			
	1	CC	COMPRESSOR, SHOP AIR	15319		
			NOTE: REQUIREMENT FOR MOTOR VEHICLE LIFTS, HOIST BEAM AND LUBRICATION UNIT TO BE DETERMINED ON PROJECT BASIS BY CEMETERY SERVICE.			
			PARTS AND TOOLS STORAGE:			
	1	VV	COUNTER, CHECKOUT, 610 mm X 787 mm (24" X 31") X LENGTH AS REQUIRED			
	1	VV	ENCLOSURE, CAGE, WITH OPENING			
	AR	VV	CABINET, STORAGE, 2-DOOR WITH LOCK, ADJUSTABLE SHELVES, 1524 mm X 508 mm X 2134 mm (60" X 20" X 84")			
	AR	VV	SHELVING, METAL, FREESTANDING			
	AR	VV	CABINET, STORAGE, BIN TYPE			
K3020	1	CC	MACHINE, ICE MAKING AND DISPENSING, AUTOMATIC, 373 W (1/2 HP), 120 VOLT, 20 AMP, WALL MOUNTED, 113 KG (250 LB.), PER DAY, 27 KG (60 LB.), BIN, 914 mm X 813 mm X 1448 mm (36" X 32" X 57")	11415		
	1	CC	DRAIN, FLOOR	15400		
P-801	1	CC	WALL HYDRANT, NON-FREEZE TYPE	15450		

EQUIPMENT GUIDE LIST - CHAPTER 703

03-00

	1	CC	OUTLET, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP, WEATHERPROOF	16140	ELEC DM CS 801-3	
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			NOTE: WALL HYDRANT AND ELECTRICAL OUTLET TO BE INSTALLED ON EXTERIOR WALL.			
			INSECTICIDE STORAGE:			
	AR	VV	SHELVING, METAL, ADJUSTABLE, EACH CUBICLE, APPROX., 1219 mm X 457 mm (48" X 18")			
			WORKSHOPS:			
		VV	RACK, STORAGE, PIPE, 2032 mm (80") ABOVE FLOOR, 914 mm (36") DEEP, FULL LENGTH OF LONGEST WALL			
		VV	RACK, LUMBER AND PLYWOOD STORAGE, 2032 mm (80") ABOVE FLOOR, 914 mm (36") DEEP, FULL LENGTH OF LONGEST WALL			
			NOTE: STRUCTURAL SUPPORT FOR STORAGE RACKS TO BE PROVIDED BY CONSTRUCTION CONTRACTOR.			
	1	VV	WORK-BENCH, WOOD TOP, METAL FRAME WITH 4 DRAWERS AND 1 SHELF UNDER, 1829 mm X 762 mm X 864 mm (72" X 30" X 34")			
T-8A		CC	CABINET, TOOL STORAGE, 2 DOOR, 3 SHADOW BOARDS, 4 DRAWERS, ALL WITH LOCKS, 1219 mm X 406 mm X 2032 mm (48" X	12301		
	1	CC	OUTLET, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP, WEATHERPROOF	16140	ELEC DM CS 801-3	
	1	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 240 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			NOTE: ELECTRICAL OUTLET TO BE INSTALLED ON EXTERIOR WALL.			
			WASH RACK:			
P-801	1	CC	WALL HYDRANT, NON-FREEZE TYPE	15450		
	1	VV	MACHINE, STEAM CLEANING			
	1	CC	OUTLET, COMPRESSED AIR, WITH AIR HOSE CONNECTION, QUICK CONNECT FOR MINIMUM 45 KG (100 LB.) PRESSURE	15319		
	1	CC	OUTLET, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP, WEATHERPROOF	16140	ELEC DM CS 801-3	