


EQUIPMENT GUIDE LIST - CHAPTER 824

03-00

| SYMBOL | QNTY | ACQ/INS | DESCRIPTION | SPEC | REFERENCE | DETAIL |
|--|-------------|----------------|--|-------------|------------------|---------------|
|  EGL_824.TXT | | | VBA - REGIONAL OFFICE - FINANCE DIVISION | | | |
| | | | ADMINISTRATION: | | | |
| | | VV | DESK, DOUBLE PEDESTAL, APPROX., 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2") | | | |
| | 1 | VV | CHAIR, ROTARY, WITH ARMS | | | |
| | AR | VV | CHAIR, STRAIGHT, WITH ARMS | | | |
| | 1 | VV | BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE | | | |
| | 1 | VV | TABLE, OFFICE, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2") | | | |
| | 1 | VV | COSTUMER, OR WALL-MOUNTED COAT RACK | | | |
| | 1 | VV | SOFA, UPHOLSTERED, APPROX., 2007 mm X 864 mm X 787 mm (79" X 34" X 31") | | | |
| | 1 | VV | CREDENZA, DOUBLE PEDESTAL, WITH LOCK, 1676 mm X 457 mm (66" X 18") | | | |
| | 1 | VV | TABLE, TELEPHONE, 457 mm X 610 mm, (18" X 24") FOR SPEAKER PHONE | | | |
| | 1 | VV | TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26") | | | |
| | 1 | VV | COMPUTER AND PRINTER | | | |
| | 1 | CC | RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS | 16140 | CPRO CHP. 10 | |
| | 1 | VV | CLOCK, BATTERY OPERATED | | | |
| | AR | CC | RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP | 16140 | ELEC DM CS 801-3 | |
| | | | OFFICE, ASSISTANT DIVISION CHIEF: | | | |
| | 1 | VV | DESK, DOUBLE PEDESTAL, APPROX., 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2") | | | |
| | 1 | VV | CHAIR, ROTARY, WITH ARMS | | | |
| | 1 | VV | CHAIR, STRAIGHT, WITH ARMS | | | |
| | 1 | VV | BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE | | | |
| | 1 | VV | CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60") | | | |
| | 1 | VV | COSTUMER, OR WALL-MOUNTED COAT RACK | | | |
| | 1 | VV | TABLE, TELEPHONE, 457 mm X 610 mm, (18" X 24") FOR SPEAKER PHONE | | | |

EQUIPMENT GUIDE LIST - CHAPTER 824

03-00

| SYMBOL | QNTY | ACQ/INS | DESCRIPTION | SPEC | REFERENCE | DETAIL |
|--------|------|---------|--|-------|------------------|--------|
| | 1 | VV | TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26") | | | |
| | 1 | VV | COMPUTER AND PRINTER | | | |
| | 1 | CC | RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS | 16140 | CPRO CHP. 10 | |
| | 1 | VV | CLOCK, BATTERY OPERATED | | | |
| | AR | CC | RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP | 16140 | ELEC DM CS 801-3 | |
| | | | OFFICE, SECRETARY/WAITING: | | | |
| | 1 | VV | DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26") | | | |
| | 1 | VV | CHAIR, ROTARY, WITHOUT ARMS | | | |
| | AR | VV | CHAIR, STRAIGHT, WITH OR WITHOUT ARMS | | | |
| | 1 | VV | BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE | | | |
| | 1 | VV | CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60") | | | |
| | 1 | VV | TABLE, END, APPROX., 508 mm X 660 mm X 508 mm (20" X 26" X 20") | | | |
| | 1 | VV | BULLETIN BOARD, APPROX., 914 mm X 914 mm (36" X 36") | | | |
| | 1 | VV | COSTUMER, OR WALL-MOUNTED COAT RACK | | | |
| | 1 | VV | TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26") | | | |
| | 1 | VV | COMPUTER AND PRINTER | | | |
| | 1 | CC | RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS | 16140 | CPRO CHP. 10 | |
| | 1 | VV | CLOCK, BATTERY OPERATED | | | |
| | AR | CC | RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP | 16140 | ELEC DM CS 801-3 | |
| | | | OFFICE, CLERICAL PERSONNEL: | | | |
| | AR | VV | DESK, DOUBLE PEDESTAL, APPROX., 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2") | | | |
| | AR | VV | DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26") | | | |
| | AR | VV | CHAIR, ROTARY, WITHOUT ARMS | | | |

EQUIPMENT GUIDE LIST - CHAPTER 824

03-00

| SYMBOL | QNTY | ACQ/INS | DESCRIPTION | SPEC | REFERENCE | DETAIL |
|--------|------|---------|--|-------|------------------|--------|
| | AR | VV | CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60") | | | |
| | AR | VV | CABINET, FILING (LEGAL SIZE) 5 DRAWER, 457 mm X 635 mm X 1524 mm (18" X 25" X 60") | | | |
| | AR | VV | CABINET, FILING, 127 mm X 203 mm (5" X 8") CARD SIZE, 7 DRAWER | | | |
| | 1 | VV | COSTUMER, OR WALL-MOUNTED COAT RACK | | | |
| | 1 | VV | TABLE, OFFICE, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2") | | | |
| | AR | VV | MACHINE, BOOKKEEPING, ELECTRIC, 120 VOLT, 20 AMP | | | |
| | AR | VV | DEMI-PARTITION (FOR FISCAL SECTION OFFICE) | | | |
| | AR | VV | TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26") | | | |
| | AR | VV | COMPUTER AND PRINTER | | | |
| | AR | CC | RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS | 16140 | CPRO CHP. 10 | |
| | 1 | VV | CLOCK, BATTERY OPERATED | | | |
| | AR | CC | RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP | 16140 | ELEC DM CS 801-3 | |
| | | | OFFICE, AGENT CASHIER: | | | |
| | AR | CC | SERVICE WINDOW, BULLET RESISTIVE, ONE WINDOW AT WHEELCHAIR HEIGHT | 11022 | | |
| | AR | CC | INTERCOmmUNICATION SYSTEM FOR SECURITY WINDOW | 16760 | | |
| | AR | VV | DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26") | | | |
| | AR | VV | CHAIR, ROTARY, WITHOUT ARMS | | | |
| | AR | VV | CHAIR, ROTARY, WITH ARMS | | | |
| | AR | VV | CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60") | | | |
| | 1 | VV | SAFE, OFFICE, COMBINATION LOCK, 1 OR 2 DOORS, SIZE AS REQUIRED | | | |
| | 1 | VV | COSTUMER, OR WALL-MOUNTED COAT RACK | | | |
| | 1 | CC | ALARM, MOTION DETECTOR, INTRUSION | 16727 | CPRO CHP. 14 | |
| | AR | VV | TABLE, WORK, 610 mm X 914 mm (24" X 36") | | | |
| | AR | VV | TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26") | | | |
| | AR | VV | COMPUTER AND PRINTER | | | |

EQUIPMENT GUIDE LIST - CHAPTER 824

03-00

| SYMBOL | QNTY | ACQ/INS | DESCRIPTION | SPEC | REFERENCE | DETAIL |
|--------|------|---------|--|-------------------|------------------|--------|
| | AR | CC | RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS | 16140 | CPRO CHP. 10 | |
| | 1 | VV | CLOCK, BATTERY OPERATED | | | |
| | AR | CC | RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP | 16140 | ELEC DM CS 801-3 | |
| | | | OFFICE, WORKSTATION: | | | |
| | AR | VV | DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2") | | | |
| | | | -OR- | | | |
| | AR | CC | COUNTER, WIDTH AR X 762 mm X 749 mm (30" X 29-1/2") | 12301 OR 12302 | | |
| | AR | VV | TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26") | | | |
| | AR | VV | CHAIR, ROTARY, WITHOUT ARMS | | | |
| | AR | VV | CRT, COMPUTER SYSTEM, WITH KEYBOARD | | | |
| | AR | VV | PRINTER, COMPUTER, SYSTEM, SHARED | | | |
| | AR | CC | RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS | 16140 | CPRO CHP. 10 | |
| | AR | VV | PROCESSOR, WORD | | | |
| | AR | VV | MICROFICHE, READER AND PRINTER | | | |
| | 1 | VV | CLOCK, BATTERY OPERATED | | | |
| | AR | CC | RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP | 16140 | ELEC DM CS 801-3 | |
| | | | PHOTOCOPY AREA: | | | |
| | 1 | VV | TABLE, WORK, 610 mm X 914 mm (24" X 36") | | | |
| | 1 | VV | TABLE (FOR PHOTOCOPY MACHINE) | | | |
| | 1 | VV | PHOTOCOPY EQUIPMENT, TABLE MODEL, 120 VOLT, 20 AMP | | | |
| | 1 | CC | RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP | 16140 | ELEC DM CS 801-3 | |
| | | | ACCOUNTING: | | | |
| | 1 | VV | DESK, DOUBLE PEDESTAL, APPROX., 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2") | | | |
| | 1 | VV | CHAIR, STRAIGHT, WITH ARMS | | | |
| | 1 | VV | CHAIR, ROTARY, WITH ARMS | | | |
| | 1 | VV | BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE | | | |
| | 1 | VV | COSTUMER, OR WALL-MOUNTED COAT RACK | | | |

EQUIPMENT GUIDE LIST - CHAPTER 824

03-00

| SYMBOL | QNTY | ACQ/INS | DESCRIPTION | SPEC | REFERENCE | DETAIL |
|---------------|-------------|----------------|--|-------------|------------------|---------------|
| | 1 | VV | CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60") | | | |
| | 1 | VV | TABLE, TELEPHONE, 457 mm X 610 mm, (18" X 24") FOR SPEAKER PHONE | | | |
| | 1 | VV | TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26") | | | |
| | 1 | VV | COMPUTER AND PRINTER | | | |
| | 1 | CC | RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS | 16140 | CPRO CHP. 10 | |
| | 1 | VV | CLOCK, BATTERY OPERATED | | | |
| | AR | CC | RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP | 16140 | ELEC DM CS 801-3 | |
| | | | OFFICE, TECHNICIANS/CLERICAL PERSONNEL: | | | |
| | AR | VV | DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2") | | | |
| | AR | VV | DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26") | | | |
| | 1 | VV | BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE | | | |
| | AR | VV | CHAIR, STRAIGHT, WITH ARMS | | | |
| | AR | VV | CHAIR, ROTARY, WITH ARMS | | | |
| | AR | VV | CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60") | | | |
| | 1 | VV | BULLETIN BOARD, APPROX., 914 mm X 914 mm (36" X 36") | | | |
| | AR | VV | COSTUMER, OR WALL-MOUNTED COAT RACK | | | |
| | AR | VV | TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26") | | | |
| | AR | VV | COMPUTER AND PRINTER | | | |
| | AR | CC | RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS | 16140 | CPRO CHP. 10 | |
| | 1 | VV | CLOCK, BATTERY OPERATED | | | |
| | AR | CC | RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP | 16140 | ELEC DM CS 801-3 | |
| | | | FILES, CENTRAL AREA: | | | |
| | AR | VV | CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60") | | | |

EQUIPMENT GUIDE LIST - CHAPTER 824

03-00

| SYMBOL | QNTY | ACQ/INS | DESCRIPTION | SPEC | REFERENCE | DETAIL |
|--------|------|---------|--|-------------------|------------------|--------|
| | AR | VV | CABINET, FILING (LEGAL SIZE) 5 DRAWER, 457 mm X 635 mm X 1524 mm (18" X 25" X 60") | | | |
| | | | OFFICE, WORKSTATION: | | | |
| | AR | VV | DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2") | | | |
| | | | -OR- | | | |
| | AR | CC | COUNTER, WIDTH AR X 762 mm X 749 mm (30" X 29-1/2") | 12301 OR 12302 | | |
| | AR | VV | TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26") | | | |
| | AR | VV | CHAIR, ROTARY, WITHOUT ARMS | | | |
| | AR | VV | CRT, COMPUTER SYSTEM, WITH KEYBOARD | | | |
| | AR | VV | PRINTER, COMPUTER, SYSTEM, SHARED | | | |
| | AR | CC | RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS | 16140 | CPRO CHP. 10 | |
| | AR | VV | PROCESSOR, WORD | | | |
| | AR | VV | MICROFICHE, READER AND PRINTER | | | |
| | 1 | VV | CLOCK, BATTERY OPERATED | | | |
| | AR | CC | RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP | 16140 | ELEC DM CS 801-3 | |
| | | | OFFICE, COMPUTER (TARGET) VIDEO DISPLAY TERMINAL(S) & COMPUTER (TARGET) PRINTER(S): | | | |
| | AR | VV | TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26") | | | |
| | AR | VV | PRINTER, COMPUTER SYSTEM, WITH KEYBOARD (RECEIVE & TRANSMIT) | | | |
| | AR | VV | CRT, COMPUTER SYSTEM, WITH KEYBOARD | | | |
| | AR | VV | CHAIR, ROTARY, WITHOUT ARMS | | | |
| | AR | CC | RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS | 16140 | CPRO CHP. 10 | |
| | | | STORAGE, FORMS: | | | |
| T-37 | AR | CC | SHELVING, FLOORSTANDING, STEEL, WITH SLOPING TOP AND 6 ADJUSTABLE SHELVES, 914 mm X 457 mm X 2134 mm (36" X 18" X 84") | 10671 | | |
| | AR | VV | TABLE, WORK, 610 mm X 914 mm (24" X 36") | | | |
| | | | OPERATIONS: | | | |

EQUIPMENT GUIDE LIST - CHAPTER 824

03-00

| SYMBOL | QNTY | ACQ/INS | DESCRIPTION | SPEC | REFERENCE | DETAIL |
|--------|------|---------|--|-------|------------------|--------|
| | 1 | VV | DESK, DOUBLE PEDESTAL, APPROX., 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2") | | | |
| | 1 | VV | CHAIR, STRAIGHT, WITH ARMS | | | |
| | 1 | VV | CHAIR, ROTARY, WITH ARMS | | | |
| | 1 | VV | BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE | | | |
| | 1 | VV | COSTUMER, OR WALL-MOUNTED COAT RACK | | | |
| | 1 | VV | CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60") | | | |
| | 1 | VV | TABLE, TELEPHONE, 457 mm X 610 mm, (18" X 24") FOR SPEAKER PHONE | | | |
| | 1 | VV | TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26") | | | |
| | 1 | VV | COMPUTER AND PRINTER | | | |
| | 1 | CC | RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS | 16140 | CPRO CHP. 10 | |
| | 1 | VV | CLOCK, BATTERY OPERATED | | | |
| AR | | CC | RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP | 16140 | ELEC DM CS 801-3 | |
| | | | OFFICE, TECHNICIANS/CLERICAL PERSONNEL: | | | |
| AR | | VV | DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2") | | | |
| AR | | VV | COSTUMER, OR WALL-MOUNTED COAT RACK | | | |
| AR | | VV | BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE | | | |
| AR | | VV | CHAIR, STRAIGHT, WITH ARMS | | | |
| AR | | VV | CHAIR, ROTARY, WITH ARMS | | | |
| AR | | VV | CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60") | | | |
| | 1 | VV | BULLETIN BOARD, APPROX., 914 mm X 914 mm (36" X 36") | | | |
| AR | | VV | COSTUMER, OR WALL-MOUNTED COAT RACK | | | |
| AR | | VV | TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26") | | | |
| AR | | VV | COMPUTER AND PRINTER | | | |
| AR | | CC | RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS | 16140 | CPRO CHP. 10 | |

EQUIPMENT GUIDE LIST - CHAPTER 824

03-00

| SYMBOL | QNTY | ACQ/INS | DESCRIPTION | SPEC | REFERENCE | DETAIL |
|---------------|-------------|----------------|---|-------------------|------------------|---------------|
| | 1 | VV | CLOCK, BATTERY OPERATED | | | |
| | AR | CC | RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP | 16140 | ELEC DM CS 801-3 | |
| | | | OFFICE, WORKSTATION: | | | |
| | AR | VV | DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2") | | | |
| | | | -OR- | | | |
| | AR | CC | COUNTER, WIDTH AR X 762 mm X 749 mm (30" X 29-1/2") | 12301 OR 12302 | | |
| | AR | VV | TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26") | | | |
| | AR | VV | CHAIR, ROTARY, WITHOUT ARMS | | | |
| | AR | VV | CRT, COMPUTER SYSTEM, WITH KEYBOARD | | | |
| | AR | VV | PRINTER, COMPUTER, SYSTEM, SHARED | | | |
| | AR | CC | RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS | 16140 | CPRO CHP. 10 | |
| | AR | VV | PROCESSOR, WORD | | | |
| | AR | VV | MICROFICHE, READER AND PRINTER | | | |
| | 1 | VV | CLOCK, BATTERY OPERATED | | | |
| | AR | CC | RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP | 16140 | ELEC DM CS 801-3 | |
| | | | FILES, CENTRAL AREA: | | | |
| | AR | VV | CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60") | | | |
| | AR | VV | CABINET, FILING (LEGAL SIZE) 5 DRAWER, 457 mm X 635 mm X 1524 mm (18" X 25" X 60") | | | |