


**EQUIPMENT GUIDE LIST - CHATER 826**

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
 EGL_826.TXT			<b>VBA - REGIONAL OFFICE - LOAN GUARANTY DIVISION</b>			
			<b>ADMINISTRATION:</b>			
		VV	DESK, DOUBLE PEDESTAL, APPROX., 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	TABLE, OFFICE, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	TABLE, TELEPHONE, 457 mm X 610 mm, (18" X 24") FOR SPEAKER PHONE			
	1	VV	CREDENZA, APPROX., 457 mm TO 502 mm X 1524 mm TO 1956 mm X 762 mm (18" TO 19-3/4" X 60" TO 77" X 30")			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, ASSISTANT DIVISION CHIEF:</b>			
	1	VV	DESK, DOUBLE PEDESTAL, APPROX., 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	TABLE, TELEPHONE, 457 mm X 610 mm, (18" X 24") FOR SPEAKER PHONE			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			

**EQUIPMENT GUIDE LIST - CHATER 826**

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	1	VV	CREDENZA, APPROX., 457 mm TO 502 mm X 1524 mm TO 1956 mm X 762 mm (18" TO 19-3/4" X 60" TO 77" X 30")			
	1	VV	TABLE, OFFICE, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	1	VV	COMPUTER AND PRINTER			
AR		CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	CLOCK, BATTERY OPERATED			
AR		CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, ADMINISTRATIVE OFFICER:</b>			
	1	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
AR		VV	CHAIR, STRAIGHT, WITH ARMS			
AR		VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	CREDENZA, APPROX., 457 mm TO 502 mm X 1524 mm TO 1956 mm X 762 mm (18" TO 19-3/4" X 60" TO 77" X 30")			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	CLOCK, BATTERY OPERATED			
AR		CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, SECRETARY/WAITING:</b>			
	1	VV	DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26")			
	1	VV	CHAIR, ROTARY, WITHOUT ARMS			
AR		VV	CHAIR, STRAIGHT, WITH OR WITHOUT ARMS			
AR		VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			

**EQUIPMENT GUIDE LIST - CHATER 826**

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	TABLE, END, PLASTIC LAMINATE TOP, METAL FRAME			
	1	VV	BULLETIN BOARD, APPROX., 914 mm X 914 mm (36" X 36")			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	CREDENZA, APPROX., 457 mm TO 502 mm X 1524 mm TO 1956 mm X 762 mm (18" TO 19-3/4" X 60" TO 77" X 30")			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, CLERICAL OR ADMINISTRATIVE PERSONNEL:</b>			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	AR	VV	DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26")			
	AR	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	BULLETIN BOARD, APPROX., 914 mm X 914 mm (36" X 36")			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	COMPUTER AND PRINTER			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	

**EQUIPMENT GUIDE LIST - CHATER 826**

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
			<b>OFFICE, WORKSTATION:</b>			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
			-OR-			
	AR	CC	COUNTER, WIDTH AR X 762 mm X 749 mm (30" X 29-1/2")	12301 OR 12302		
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	CRT, COMPUTER SYSTEM, WITH KEYBOARD			
	AR	VV	PRINTER, COMPUTER, SYSTEM, SHARED			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS (	16140	CPRO CHP. 10	
	AR	VV	PROCESSOR, WORD			
	AR	VV	MICROFICHE, READER AND PRINTER			
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>FILES, CENTRAL AREA:</b>			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	AR	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	AR	VV	CABINET, FILING (LEGAL SIZE) 5 DRAWER, 457 mm X 635 mm X 1524 mm (18" X 25" X 60")			
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>RECEPTION/WAITING AREA:</b>			
	1	VV	DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH ARMS			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			

**EQUIPMENT GUIDE LIST - CHATER 826**

03-00

<b>SYMBOL</b>	<b>QNTY</b>	<b>ACQ/INS</b>	<b>DESCRIPTION</b>	<b>SPEC</b>	<b>REFERENCE</b>	<b>DETAIL</b>
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>INTERVIEW ROOM (TWO ROOMS):</b>			
	AR	VV	TABLE, CONFERENCE, 2134 mm X 991 mm X 762 mm (84" X 39" X 30")			
	AR	VV	CHAIR, STRAIGHT, WITH OR WITHOUT ARMS			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	COMPUTER AND PRINTER			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	AR	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, COMPUTER (TARGET) VIDEO DISPLAY TERMINAL(S) &amp; COMPUTER (TARGET) PRINTER(S):</b>			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	PRINTER, COMPUTER SYSTEM, WITH KEYBOARD (RECEIVE & TRANSMIT)			
	AR	VV	CRT, COMPUTER SYSTEM, WITH KEYBOARD			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
			<b>STORAGE, FORMS:</b>			
T-37	AR	CC	SHELVING, FLOORSTANDING, STEEL, WITH SLOPING TOP AND 6 ADJUSTABLE SHELVES, 914 mm X 457 mm X 2134 mm (36" X 18" X 84")	10671		
	AR	VV	TABLE, WORK, 610 mm X 914 mm (24" X 36")			
			<b>PHOTOCOPY AREA:</b>			
	1	VV	TABLE, WORK, 610 mm X 914 mm (24" X 36")			
	1	VV	TABLE (FOR PHOTOCOPY MACHINE)			
	1	VV	PHOTOCOPY EQUIPMENT, TABLE MODEL, 120 VOLT, 20 AMP			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>LOAN PROCESSING:</b>			

**EQUIPMENT GUIDE LIST - CHATER 826**

03-00

<b>SYMBOL</b>	<b>QNTY</b>	<b>ACQ/INS</b>	<b>DESCRIPTION</b>	<b>SPEC</b>	<b>REFERENCE</b>	<b>DETAIL</b>
	1	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	1	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
AR		CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, ASSISTANT SECTION CHIEF:</b>			
	1	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	1	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
AR		CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, SECRETARY:</b>			

EQUIPMENT GUIDE LIST - CHATER 826

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	1	VV	DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26")			
	1	VV	CHAIR, ROTARY, WITHOUT ARMS			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, CLERICAL OR ADMINISTRATIVE PERSONNEL:</b>			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	AR	VV	DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26")			
	AR	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	BULLETIN BOARD, APPROX., 914 mm X 914 mm (36" X 36")			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	COMPUTER AND PRINTER			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	

**EQUIPMENT GUIDE LIST - CHATER 826**

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
			<b>OFFICE, TECHNICIANS:</b>			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	AR	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH ARMS			
	AR	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	COMPUTER AND PRINTER			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, WORKSTATION:</b>			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
			-OR-			
	AR	CC	COUNTER, WIDTH AR X 762 mm X 749 mm (30" X 29-1/2")	12301 OR 12302		
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	CRT, COMPUTER SYSTEM, WITH KEYBOARD			
	AR	VV	PRINTER, COMPUTER, SYSTEM, SHARED			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	AR	VV	PROCESSOR, WORD			
	AR	VV	MICROFICHE, READER AND PRINTER			
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>PROPERTY MANAGEMENT:</b>			



**EQUIPMENT GUIDE LIST - CHATER 826**

03-00

<b>SYMBOL</b>	<b>QNTY</b>	<b>ACQ/INS</b>	<b>DESCRIPTION</b>	<b>SPEC</b>	<b>REFERENCE</b>	<b>DETAIL</b>
	1	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	1	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
AR		CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, ASSISTANT SECTION CHIEF:</b>			
	1	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	1	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
AR		CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, SECRETARY:</b>			

EQUIPMENT GUIDE LIST - CHATER 826

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	1	VV	DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26")			
	1	VV	CHAIR, ROTARY, WITHOUT ARMS			
AR		VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
AR		CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, CLERICAL OR ADMINISTRATIVE PERSONNEL:</b>			
AR		VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
AR		VV	DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26")			
AR		VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
AR		VV	CHAIR, ROTARY, WITHOUT ARMS			
AR		VV	CHAIR, ROTARY, WITH ARMS			
AR		VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	BULLETIN BOARD, APPROX., 914 mm X 914 mm (36" X 36")			
AR		VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
			TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
AR		VV	COMPUTER AND PRINTER			
AR		CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
AR		CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	

**EQUIPMENT GUIDE LIST - CHATER 826**

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
			<b>OFFICE, TECHNICIANS:</b>			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	AR	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH ARMS			
	AR	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	COMPUTER AND PRINTER			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>FILES, SECURITY ROOM:</b>			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	AR	VV	CABINET, FILING (LEGAL SIZE) 5 DRAWER, 457 mm X 635 mm X 1524 mm (18" X 25" X 60")			
			<b>OFFICE, WORKSTATION:</b>			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
			-OR-			
	AR	CC	COUNTER, WIDTH AR X 762 mm X 749 mm (30" X 29-1/2")	12301 OR 12302		
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	CRT, COMPUTER SYSTEM, WITH KEYBOARD			
	AR	VV	PRINTER, COMPUTER, SYSTEM, SHARED			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	

**EQUIPMENT GUIDE LIST - CHATER 826**

03-00

<b>SYMBOL</b>	<b>QNTY</b>	<b>ACQ/INS</b>	<b>DESCRIPTION</b>	<b>SPEC</b>	<b>REFERENCE</b>	<b>DETAIL</b>
	AR	VV	PROCESSOR, WORD			
	AR	VV	MICROFICHE, READER AND PRINTER			
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>CONSTRUCTION AND VALUATION:</b>			
	1	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	1	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	CREDENZA, APPROX., 457 mm TO 502 mm X 1524 mm TO 1956 mm X 762 mm (18" TO 19-3/4" X 60" TO 77" X 30")			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, ASSISTANT SECTION CHIEF:</b>			
	1	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	1	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	CREDENZA, APPROX., 457 mm TO 502 mm X 1524 mm TO 1956 mm X 762 mm (18" TO 19-3/4" X 60" TO 77" X 30")			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			

**EQUIPMENT GUIDE LIST - CHATER 826**

03-00

<b>SYMBOL</b>	<b>QNTY</b>	<b>ACQ/INS</b>	<b>DESCRIPTION</b>	<b>SPEC</b>	<b>REFERENCE</b>	<b>DETAIL</b>
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, SECRETARY:</b>			
	1	VV	DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26")			
	1	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, CLERICAL PERSONNEL:</b>			
	AR	VV	DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26")			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	BULLETIN BOARD, APPROX., 914 mm X 914 mm (36" X 36")			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	COMPUTER AND PRINTER			

**EQUIPMENT GUIDE LIST - CHATER 826**

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, TECHNICIANS:</b>			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	AR	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH ARMS			
	AR	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	COMPUTER AND PRINTER			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, WORKSTATION;</b>			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
			-OR-			
	AR	CC	COUNTER, WIDTH AR X 762 mm X 749 mm (30" X 29-1/2")	12301 OR 12302		
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	CRT, COMPUTER SYSTEM, WITH KEYBOARD			
	AR	VV	PRINTER, COMPUTER, SYSTEM, SHARED			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	AR	VV	PROCESSOR, WORD			

**EQUIPMENT GUIDE LIST - CHATER 826**

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	AR	VV	MICROFICHE, READER AND PRINTER			
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>LOAN SERVICES AND CLAIMS:</b>			
	1	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	1	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	CREDENZA, APPROX., 457 mm TO 502 mm X 1524 mm TO 1956 mm X 762 mm (18" TO 19-3/4" X 60" TO 77" X 30")			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, ASSISTANT SECTION CHIEF:</b>			
	1	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	1	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	CREDENZA, APPROX., 457 mm TO 502 mm X 1524 mm TO 1956 mm X 762 mm (18" TO 19-3/4" X 60" TO 77" X 30")			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			

**EQUIPMENT GUIDE LIST - CHATER 826**

03-00

<b>SYMBOL</b>	<b>QNTY</b>	<b>ACQ/INS</b>	<b>DESCRIPTION</b>	<b>SPEC</b>	<b>REFERENCE</b>	<b>DETAIL</b>
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, TECHNICIANS:</b>			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	AR	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH ARMS			
	AR	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	COMPUTER AND PRINTER			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, CLERICAL AND TECHNICAL PERSONNEL:</b>			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	AR	VV	DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26")			
	AR	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	CHAIR, ROTARY, WITH ARMS			



**EQUIPMENT GUIDE LIST - CHATER 826**

03-00

<b>SYMBOL</b>	<b>QNTY</b>	<b>ACQ/INS</b>	<b>DESCRIPTION</b>	<b>SPEC</b>	<b>REFERENCE</b>	<b>DETAIL</b>
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	BULLETIN BOARD, APPROX., 914 mm X 914 mm (36" X 36")			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	COMPUTER AND PRINTER			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, WORKSTATION:</b>			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
			-OR-			
	AR	CC	COUNTER, WIDTH AR X 762 mm X 749 mm (30" X 29-1/2")	12301 OR 12302		
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	CRT, COMPUTER SYSTEM, WITH KEYBOARD			
	AR	VV	PRINTER, COMPUTER, SYSTEM, SHARED			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	AR	VV	PROCESSOR, WORD			
	AR	VV	MICROFICHE, READER AND PRINTER			
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	