


EQUIPMENT GUIDE LIST - CHAPTER 862

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
 EGL_862.TXT			VBA - REGIONAL OFFICE - SUPPORT FACILITIES			
			SPECIAL PROJECTS ROOM:			
		VV	DESK, DOUBLE PEDESTAL, APPROX., 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	1	VV	TABLE, OFFICE, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	AR	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH ARMS			
	AR	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			OFFICE, CREDIT UNION:			
			NOTE: OFFICE FURNITURE, FURNISHINGS AND EQUIPMENT WILL BE SUPPLIED BY THE VA EMPLOYEES CREDIT UNION.			
	AR	CC	SERVICE WINDOW, BULLET RESISTIVE, ONE WINDOW AT WHEELCHAIR HEIGHT	11022		
	AR	CC	INTERCOMMUNICATION SYSTEM FOR SECURITY WINDOW	16760		
	1	CC	ALARM, MOTION DETECTOR, INTRUSION	16727	CPRO CHP. 14	
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			LOUNGE, EMPLOYEE:			
	AR	VV	SOFA, UPHOLSTERED, APPROX., 2007 mm X 864 mm X 787 mm (79" X 34" X 31")			
	AR	VV	CHAIR, LOUNGE			
	AR	VV	TABLE, END, APPROX., 508 mm X 660 mm X 508 mm (20" X 26" X 20")			
	AR	VV	TABLE, COFFEE, APPROX., 1041 mm X 508 mm X 381 mm (41" X 20" X 15")			
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			COMPUTER (TARGET) SUPPORT ROOM:			
			NOTE: EQUIPMENT TO BE DETERMINED ON A PROJECT BY PROJECT BASIS BY VETERANS BENEFITS ADMINISTRATION (VBA).			
			LOBBY:			

EQUIPMENT GUIDE LIST - CHAPTER 862

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	AR	VV	SOFA, 3 SEAT, UPHOLSTERED, APPROX., 2108 mm X 838 mm X 711 mm (83" X 33" X 28")			
	AR	VV	SOFA, 2 SEAT, UPHOLSTERED, APPROX., 1575 mm X 864 mm X 787 mm (62" X 34" X 31")			
	AR	VV	CHAIR, EASY, UPHOLSTERED, APPROX., 864 mm X 838 mm X 711 mm (34" X 33" X 28")			
	AR	VV	CHAIR, UPHOLSTERED, WITH ARMS			
	AR	VV	BENCH, UPHOLSTERED, APPROX., 508 mm X 1524 mm X 432 mm (20" X 60" X 17")			
	AR	VV	TABLE, END, APPROX., 508 mm X 660 mm X 508 mm (20" X 26" X 20")			
	AR	VV	TABLE, COFFEE, APPROX., 1041 mm X 508 mm X 381 mm (41" X 20" X 15")			
	AR	VV	LAMP, FLOOR TYPE, APPROX., 305 mm (12") DIAMETER BASE			
	AR	VV	LAMP, TABLE TYPE			
	1	CC	COUNTER, RECEPTION, PLASTIC LAMINATE TOP, 737 mm - 762 mm (29"-30") HIGH ON SECRETARY SIDE, LENGTH AND WIDTH AS	12302		
	AR	VV	DESK, TYPEWRITER, DOUBLE PEDESTAL			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	CC	TRACK, DRAPERY, INSTALL ACCORDING TO DESIGN	12501		
	1	VV	FLAG, NATIONAL, U.S.A. (NYLON)			
	1	VV	FLAG, ORGANIZATIONAL, VA, SILK			
	1	CC	OUTLET, MASTER TELEVISION ANTENNA	16781	ELEC DM CS 864-1	
	1	CC	DIRECTORY BOARD (SIZE AND TYPE TO BE DETERMINED FOR EACH PROJECT)			
			NOTE: LOCATE THE FOLLOWING IN CORRIDOR ADJACENT TO MAIN LOBBY.			
			NOTE: TELEPHONE, PUBLIC, SHELF TYPE BOOTH, ACOUSTICALLY TREATED WITHOUT LEGS OR DOORS AT LEAST ONE TO BE LOCATED AT PROPER HEIGHT TO ACCOMMODATE WHEELCHAIR PATIENTS, FURNISHED AND INSTALLED BY TELEPHONE COMPANY.			
	1	CC	SPEAKER, WITH CHANNEL SELECTOR AND VOLUME CONTROL, HOSPITAL RADIO SYSTEM (OPTIONAL)	16771		
P-605	1	CC	ELECTRIC WATER COOLER, WALL HUNG, SIMULATED RECESSED	15450		
	1	CC	CLOCK, ELECTRICAL, ORNAMENTAL, 120 VOLT, 20 AMP	10360		

EQUIPMENT GUIDE LIST - CHAPTER 862

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP, SAFETY	16140	ELEC DM CS 801-3	
			OFFICE, UNION OFFICIAL:			
	1	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	1	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	