


PERSONAL ALERT SYSTEM NOTES:  
 1. MOUNTING HEIGHTS OF PERSONAL ALERT SYSTEM DEVICES ABOVE FINISHED FLOOR SHALL BE AS FOLLOWS, UNLESS OTHERWISE NOTED. (MOUNTING HEIGHTS ARE TO CENTERLINE OF DEVICE, EXCEPT WHERE NOTED.)


CONTROL EQUIPMENT CABINET.....	1576mm TO TOP OF CABINET
ANNUNCIATOR PANEL.....	1576mm TO TOP OF DISPLAY
RECEIVER.....	1828mm

**SINGLE LINE DIAGRAM -  
 PERSONAL ALERT SYSTEM**  
 NO SCALE




1ST FLOOR

**SINGLE LINE DIAGRAM**  
**IDTC-1C13**  
NO SCALE



**SINGLE LINE DIAGRAM**  
**IDTC-1E22 (RECEIVING)**  
 NO SCALE



**SINGLE LINE DIAGRAM**  
**IDTC-1A4 (PHARMACY AREA)**  
 NO SCALE

REVISIONS				
SY#	DESCRIPTION	PREPARED BY	DATE	APPROVED

INTRUSION DETECTION SYSTEM NOTES:

1. MOUNTING HEIGHTS OF INTRUSION DETECTION SYSTEM DEVICES ABOVE FINISHED FLOOR SHALL BE AS FOLLOWS, UNLESS OTHERWISE NOTED. (MOUNTING HEIGHTS ARE TO CENTERLINE OF DEVICE, EXCEPT WHERE NOTED).


CONTROL PANEL.....1676mm TO TOP OF DISPLAY  
 KEYBOARD.....1422mm  
 CARD READER.....1422mm  
 ALARM HORN.....2280mm  
 ALARM VISUAL.....2280mm  
 PASSIVE IR DET.....2286mm

2. ALL WIRING SHALL BE IN CONDUIT, 16mm MINIMUM.

3. DOOR SWITCHES TO BE MOUNTED IN TOP OF DOOR FRAME.

4. ALL TERMINAL CABINET'S SHALL BE STEEL, NEMA 1, STEEL HINGED DOOR, WITH FIRE PROOF PAINTED WOOD BACKBOARD AND BARRIER TYPE TERMINAL STRIPS.

ROOF



SINGLE LINE DIAGRAM  
 INTRUSION DETECTION SYSYTEM  
 NO SCALE